P3850-1.3 (U)A

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX LENGTH OF STAY BY DIAGNOSIS



UNITED STATES

NORTH CENTRAL REGION

1981



Length of Stay by Diagnosis, North Central Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

PROJECT STAFF
1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii

Discussion of the Data 1

- Source of the Data. 1
- Data Quality. 2
- Coverage 3
- Organization of Length of Stay Tables. 5
  - Definition of Multiple Diagnosis Patients 5
  - Definition of Operated Patients 5
- Explanation of Statistics. 6
- Defining the Extended Stay Case 7

Length of Stay Tables 17

- Summary of All Patients. 18
- Summary of All Patients Except Newborn 19
- Diagnosis Groups 1-398 20

Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219

Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1981

	Short-Term Nonfederal Hospitals			Beds		
Hospital Class (1)	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	266	23	8.6	5,064	453	8.9
25-49	1,024	137	13.4	37,104	5,320	14.3
50-99	1,428	302	21.1	102,847	22,330	21.7
100-199	1,320	371	28.1	186,598	53,217	28.5
200-299	702	260	37.0	170,295	63,815	37.5
300-399	404	150	37.1	137,385	51,389	37.4
400-499	266	96	36.1	117,812	42,796	36.3
500 or more	316	82	25.9	218,042	54,935	25.2
Total	5,726	1,421	24.8	975,147	294,255	30.2
Region and Census Division						
Northeast	834	300	36.0	211,237	75,760	35.9
New England	244	66	27.0	49,134	14,900	30.3
Middle Atlantic	590	234	39.7	162,103	60,860	37.5
North Central	1,685	501	29.7	288,845	105,014	36.4
East North Central	892	383	42.9	191,524	82,064	42.8
West North Central	793	118	14.9	97,321	22,950	23.6
South	2,138	339	15.9	329,860	69,651	21.1
South Atlantic	806	236	29.3	155,152	47,941	30.9
East South Central	495	34	6.9	70,808	8,635	12.2
West South Central	837	69	8.2	103,900	13,075	12.6
West	1,069	281	26.3	145,205	43,830	30.2
Mountain	366	96	26.2	40,745	15,473	38.0
Pacific	703	185	26.3	104,460	28,357	27.1
Total	5,726	1,421	24.8	975,147	294,255	30.2

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.



1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	9	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay
Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360431	3.8	14	1	2	3	4	6	7	16
20-34	223461	4.5	29	<1	1	3	4	8	12	29
35-49	77267	6.5	46	1	1	4	8	14	20	34
50-64	64658	6.9	46	1	2	5	9	14	19	34
65+	59321	7.6	48	1	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	141038	3.1	11	1	1	2	4	6	8	16
20-34	266553	3.9	12	1	1	3	5	7	9	17
35-49	114599	5.1	23	1	1	4	7	10	14	23
50-64	109485	6.2	35	1	2	4	8	13	17	28
65+	96540	7.5	55	2	2	5	10	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241515	5.1	32	1	2	4	6	8	12	31
20-34	156085	6.5	52	1	1	4	7	13	21	37
35-49	150368	7.6	49	1	2	6	9	15	21	36
50-64	245024	8.3	51	2	2	6	10	16	21	37
65+	428925	9.9	64	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS	86813	5.3	63	1	1	3	6	10	17	47
20-34	240000	6.0	40	1	2	5	7	11	15	35
35-49	163077	8.0	63	1	2	6	10	16	22	43
50-64	205090	10.3	102	2	2	8	13	21	29	54
65+	249083	13.5	144	2	3	10	18	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785138	4.8	28	1	1	3	5	9	13	29
B. *Operated*	728215	4.8	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	1221917	7.9	55	1	2	6	10	16	22	38
B. *Operated*	944063	9.2	97	1	2	6	11	20	28	52
1. SINGLE DX	1513353	4.8	26	1	1	3	5	9	13	27
2. MULTIPLE DX	2165980	8.5	74	1	2	6	10	18	24	45
A. NOT OPERATED	2007055	6.7	47	1	2	4	8	14	19	35
B. OPERATED	1672278	7.3	70	1	2	5	9	16	23	44
TOTAL 0-19 YRS	829797	4.2	24	1	1	3	5	7	10	26
20-34	886099	5.1	32	1	1	4	6	9	14	30
35-49	505311	7.0	49	1	2	5	9	14	19	35
50-64	624257	8.4	67	2	2	6	11	17	23	42
65+	833869	10.5	91	2	3	8	14	21	28	49
GRAND TOTAL	**3679333**	**6.9**	**58**	**1**	**2**	**4**	**8**	**15**	**21**	**39**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149174	4.1	30	1	1	3	5	7	10	29
20-34	223461	4.5	29	<1	1	3	4	8	12	29
35-49	77267	6.5	46	1	1	4	8	14	20	34
50-64	64658	6.9	46	1	2	5	9	14	19	34
65+	59321	7.6	48	1	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	140937	3.1	11	1	1	2	4	6	8	16
20-34	266553	3.9	12	1	1	3	5	7	9	17
35-49	114599	5.1	23	1	1	4	7	10	14	23
50-64	109485	6.2	35	1	2	4	8	13	17	28
65+	96540	7.5	55	2	2	5	10	17	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133212	5.1	40	1	1	4	6	9	13	35
20-34	156085	6.5	52	1	1	4	7	13	21	37
35-49	150368	7.6	49	1	2	6	9	15	21	36
50-64	245024	8.3	51	2	2	6	10	16	21	37
65+	428925	9.9	64	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS	83933	4.9	45	1	1	3	5	10	15	37
20-34	240000	6.0	40	1	2	5	7	11	15	35
35-49	163077	8.0	63	1	2	6	10	16	22	43
50-64	205090	10.3	102	2	2	8	13	21	29	54
65+	249083	13.5	144	2	3	10	18	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	573881	5.2	37	1	1	4	6	10	15	31
B. *Operated*	728114	4.8	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	1113614	8.2	58	1	2	6	10	16	22	39
B. *Operated*	941183	9.2	95	1	2	6	11	20	28	52
1. SINGLE DX	1301995	5.0	30	1	1	3	6	10	14	28
2. MULTIPLE DX	2054797	8.6	75	1	2	6	11	18	25	45
A. NOT OPERATED	1687495	7.2	52	1	2	5	9	15	21	37
B. OPERATED	1669297	7.2	69	1	2	4	9	16	23	43
TOTAL 0-19 YRS	507256	4.2	30	1	1	3	5	8	11	29
20-34	886099	5.1	32	1	1	4	6	9	14	30
35-49	505311	7.0	49	1	2	5	9	14	19	35
50-64	624257	8.4	67	2	2	6	11	17	23	42
65+	833869	10.5	91	2	3	8	14	21	28	49
GRAND TOTAL	**3356792**	**7.2**	**61**	**1**	**2**	**5**	**9**	**15**	**22**	**40**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3042	3.5	5	1	1	3	4	6	8	12
20-34	1178	3.6	6	1	1	3	5	7	8	13
35-49	428	4.2	7	1	1	4	6	8	9	14
50-64	300	4.3	9	1	2	4	5	7	9	15
65+	269	4.6	11	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	63	5.1	7	2	2	4	7	9	10	12
20-34	70	6.1	10	3	3	6	8	10	12	19
35-49	25	7.0	18	2	3	5	9	14	16	19
50-64	11	8.8	31	2	3	8	11	18	20	20
65+	6	11.5	154	2	2	8	14	33	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3087	4.4	10	1	2	4	5	8	10	17
20-34	1329	4.2	9	1	1	3	5	8	10	15
35-49	740	5.1	14	2	2	4	6	9	11	20
50-64	843	5.7	19	1	2	5	7	11	14	20
65+	1349	7.1	39	2	2	5	9	13	17	26
B. *Operated*										
0-19 YRS	65	8.5	38	2	3	7	10	20	21	25
20-34	83	8.1	25	2	3	7	10	15	20	22
35-49	73	10.9	103	3	4	8	12	18	27	57
50-64	93	12.6	153	3	4	9	14	23	37	72
65+	109	15.9	133	4	5	13	20	31	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5217	3.7	6	1	1	3	5	7	8	12
B. *Operated*	175	6.2	17	2	2	5	8	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	7348	5.1	18	1	2	4	6	9	12	21
B. *Operated*	423	11.6	105	3	4	9	14	22	31	57
1. SINGLE DX	5392	3.8	7	1	1	3	5	7	9	13
2. MULTIPLE DX	7771	5.4	25	1	2	4	7	10	14	24
A. NOT OPERATED	12565	4.5	13	1	2	4	6	8	11	18
B. OPERATED	598	10.1	85	2	3	8	12	20	26	52
TOTAL 0-19 YRS	6257	4.0	8	1	1	3	5	7	9	15
20-34	2660	4.1	9	1	1	3	5	8	10	15
35-49	1266	5.2	19	1	2	4	6	9	11	20
50-64	1247	5.9	30	1	2	5	7	11	15	28
65+	1733	7.2	47	2	2	5	9	14	19	35
GRAND TOTAL	**13163**	**4.8**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	12.0	175	1	3	9	15	27	41	64
20-34	59	13.5	170	3	4	11	16	22	28	89
35-49	43	15.1	96	4	5	13	21	33	35	39
50-64	47	15.6	243	2	3	12	21	27	51	85
65+	35	17.0	141	3	4	15	23	34	42	51
B. *Operated*										
0-19 YRS	5	13.6	49	2	2	15	18	20	20	20
20-34	33	10.4	60	2	3	9	12	20	27	39
35-49	22	14.9	67	2	5	14	20	28	31	33
50-64	39	13.8	76	4	5	13	17	24	30	48
65+	25	13.7	88	3	3	11	19	28	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.8	15	3	3	8	12	14	14	14
20-34	53	16.5	190	3	5	13	21	30	58	99
35-49	56	15.2	199	2	2	13	19	33	39	81
50-64	107	15.6	148	3	4	13	21	30	38	91
65+	165	19.0	183	4	5	16	25	41	45	74
B. *Operated*										
0-19 YRS	6	10.5	67	3	3	9	11	24	26	26
20-34	37	18.2	229	2	3	15	22	39	43	77
35-49	46	20.2	136	5	7	17	28	35	43	54
50-64	107	19.4	279	5	6	14	25	42	49	98
65+	93	21.8	217	5	6	19	30	43	52	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	14.6	166	3	4	11	19	28	35	71
B. *Operated*	124	13.1	72	2	3	11	17	27	29	41
2. MULTIPLE DX										
A. *Not Operated*	392	16.9	175	3	4	14	21	35	45	84
B. *Operated*	289	20.0	226	4	5	16	27	40	48	86
1. SINGLE DX	339	14.1	132	3	3	11	18	28	34	59
2. MULTIPLE DX	681	18.2	199	3	5	15	24	37	46	84
A. NOT OPERATED	607	16.1	173	3	4	13	21	33	42	83
B. OPERATED	413	17.9	190	3	5	14	23	35	44	79
TOTAL 0-19 YRS	53	11.3	116	2	3	9	14	21	32	63
20-34	182	14.8	172	3	4	11	18	27	41	88
35-49	167	16.5	141	2	4	14	22	33	36	53
50-64	300	16.7	203	3	4	13	21	33	47	92
65+	318	19.1	184	3	5	16	26	39	45	69
GRAND TOTAL	**1020**	**16.8**	**180**	**3**	**4**	**14**	**21**	**35**	**44**	**82**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	3	3	3	3	3
20-34	1	21.0		21	21	21	21	21	21	21
35-49	3	12.7	72	3	3	16	18	19	19	19
50-64	8	11.5	181	1	2	7	13	35	43	43
65+	5	14.8	110	3	3	14	23	29	29	29
B. *Operated*										
0-19 YRS	10	9.3	33	2	2	9	15	16	17	17
20-34	19	8.4	39	2	3	7	12	16	21	26
35-49	12	13.6	116	2	4	9	20	29	38	39
50-64	9	24.9	671	2	4	17	30	70	82	82
65+	12	23.3	620	4	7	17	22	53	92	98
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	14	8.9	47	4	4	7	9	18	27	29
35-49	11	20.1	749	4	4	11	21	56	95	99
50-64	16	10.9	56	2	3	9	17	19	26	29
65+	21	10.9	76	2	2	9	13	26	32	34
B. *Operated*										
0-19 YRS	6	11.0	82	2	2	9	20	23	23	23
20-34	26	13.7	153	1	2	9	23	33	38	44
35-49	18	26.5	427	5	7	20	36	62	72	76
50-64	19	17.0	106	7	8	15	21	32	40	45
65+	35	25.4	609	2	4	17	33	74	84	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	10.7	116	1	1	6	16	24	35	43
B. *Operated*	62	14.8	284	2	3	10	17	25	44	96
2. MULTIPLE DX										
A. *Not Operated*	63	12.1	183	2	4	9	15	24	30	90
B. *Operated*	104	20.3	365	2	3	14	26	44	70	86
1. SINGLE DX	84	13.8	241	2	3	10	17	25	40	93
2. MULTIPLE DX	167	17.2	311	2	3	11	21	36	53	86
A. NOT OPERATED	85	11.7	165	2	3	8	15	23	29	79
B. OPERATED	166	18.3	340	2	3	13	22	39	67	86
TOTAL 0-19 YRS	22	8.2	46	1	2	5	14	18	21	23
20-34	60	11.1	95	2	2	7	15	27	32	43
35-49	44	20.4	409	4	5	14	25	43	70	99
50-64	52	15.7	210	2	4	10	19	31	45	81
65+	73	20.2	452	2	3	13	23	41	77	95
GRAND TOTAL	**251**	**16.0**	**289**	**2**	**3**	**11**	**20**	**34**	**45**	**86**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	371	3.0	3	1	1	3	4	5	6	8
20-34	119	3.4	3	2	2	3	4	5	6	9
35-49	30	3.7	3	2	2	3	5	7	7	7
50-64	19	4.6	5	2	2	4	6	8	9	9
65+	10	4.9	4	2	2	5	6	7	8	8
B. *Operated*										
0-19 YRS	36	2.1	3	1	1	2	2	3	7	9
20-34	11	2.2	1	1	1	2	3	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	558	3.4	3	1	2	3	4	6	7	10
20-34	190	4.0	4	2	2	4	5	6	8	10
35-49	53	4.5	5	2	2	4	5	6	8	15
50-64	46	6.5	33	2	2	5	8	11	20	32
65+	25	5.9	21	2	3	4	7	13	15	22
B. *Operated*										
0-19 YRS	40	3.7	12	1	1	2	5	8	12	16
20-34	14	4.2	7	1	2	4	5	7	11	12
35-49	4	15.3	81	7	7	13	21	28	28	28
50-64	1	8.0		8	8	8	8	8	8	8
65+	3	14.7	8	13	13	13	17	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	3.2	3	1	1	3	4	5	6	8
B. *Operated*	48	2.3	4	1	1	2	2	4	8	10
2. MULTIPLE DX										
A. *Not Operated*	872	3.8	6	1	2	3	5	6	8	13
B. *Operated*	62	5.2	27	1	1	3	6	13	15	27
1. SINGLE DX	597	3.1	3	1	1	3	4	5	6	9
2. MULTIPLE DX	934	3.9	8	1	2	3	5	7	8	15
A. NOT OPERATED	1421	3.6	5	1	2	3	4	6	7	11
B. OPERATED	110	3.9	19	1	1	2	4	9	13	22
TOTAL 0-19 YRS	1005	3.2	4	1	1	3	4	5	7	9
20-34	334	3.7	3	2	2	3	5	6	7	10
35-49	88	4.8	13	2	2	4	6	7	10	23
50-64	66	6.0	25	2	2	4	7	11	14	31
65+	38	6.3	21	2	2	5	8	13	16	22
GRAND TOTAL	**1531**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	6.3	19	2	2	5	8	11	14	18
20-34	47	6.3	12	2	3	5	9	12	13	15
35-49	25	7.1	35	2	3	6	8	13	18	31
50-64	31	10.1	33	3	4	8	15	19	20	23
65+	73	10.8	31	3	5	9	15	17	22	27
B. *Operated*										
0-19 YRS	9	8.7	45	<1	1	6	13	19	20	20
20-34	2	12.0	32	8	8	12	16	16	16	16
35-49	5	9.2	19	5	5	9	11	16	16	16
50-64	7	15.9	193	1	2	13	22	38	42	42
65+	3	8.7	16	5	5	8	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	339	7.5	36	2	2	6	10	14	19	33
20-34	161	9.6	69	3	3	7	11	18	26	45
35-49	163	10.9	67	3	4	9	13	19	29	47
50-64	372	13.0	86	4	5	11	16	23	30	63
65+	1374	14.8	90	5	6	12	18	26	33	53
B. *Operated*										
0-19 YRS	35	13.2	91	2	5	11	18	26	32	43
20-34	54	23.5	356	4	6	16	30	53	65	71
35-49	71	23.1	297	5	8	21	29	42	68	99+
50-64	128	26.2	341	6	8	21	37	51	63	85
65+	353	27.2	311	9	11	23	33	51	70	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	7.4	25	2	3	6	9	14	17	26
B. *Operated*	26	11.0	76	1	3	9	16	20	27	42
2. MULTIPLE DX										
A. *Not Operated*	2409	12.9	86	3	4	11	16	24	30	50
B. *Operated*	641	25.5	316	6	9	21	32	50	66	99
1. SINGLE DX	459	7.6	28	2	3	6	10	15	17	27
2. MULTIPLE DX	3050	15.5	160	3	5	12	19	30	41	73
A. NOT OPERATED	2842	12.0	80	3	4	10	15	22	29	49
B. OPERATED	667	24.9	315	6	8	21	31	49	64	98
TOTAL 0-19 YRS	640	7.4	34	2	2	6	9	14	18	32
20-34	264	11.9	152	3	3	8	13	27	42	65
35-49	264	13.8	157	3	4	10	17	29	38	86
50-64	538	16.0	178	4	5	12	19	32	44	73
65+	1803	17.0	156	5	6	14	21	31	42	79
GRAND TOTAL	**3509**	**14.5**	**150**	**3**	**4**	**11**	**18**	**29**	**38**	**70**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	7.3	20	2	2	7	11	14	15	21
20-34	83	7.1	52	2	2	5	8	13	16	48
35-49	39	7.4	65	2	2	5	7	16	23	46
50-64	47	6.7	16	3	3	5	8	13	14	22
65+	26	7.3	14	3	3	6	10	12	15	18
B. *Operated*										
0-19 YRS	18	8.7	19	1	3	9	12	14	15	15
20-34	12	9.3	31	1	2	9	13	17	19	19
35-49	9	11.7	153	<1	<1	5	22	31	35	35
50-64	13	14.5	79	3	3	15	22	26	30	31
65+	2	18.0	98	11	11	18	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	7.3	27	2	2	6	10	14	17	23
20-34	80	7.1	34	2	3	6	9	11	14	39
35-49	67	8.7	26	3	4	8	11	16	18	29
50-64	91	9.1	44	2	3	7	12	17	26	32
65+	179	11.1	70	3	4	9	14	19	25	50
B. *Operated*										
0-19 YRS	20	14.0	74	4	5	12	18	24	34	39
20-34	20	18.7	347	3	4	11	27	45	61	75
35-49	29	13.9	178	3	4	10	17	27	42	68
50-64	50	22.9	486	2	3	16	25	60	72	91
65+	53	17.2	122	4	5	16	24	40	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	7.2	30	2	3	6	10	14	15	24
B. *Operated*	54	11.1	63	1	2	10	15	24	25	35
2. MULTIPLE DX										
A. *Not Operated*	635	8.8	45	2	3	7	11	16	20	35
B. *Operated*	172	18.1	264	3	4	14	22	42	67	99+
1. SINGLE DX	469	7.7	35	2	3	6	10	14	17	30
2. MULTIPLE DX	807	10.7	106	2	3	8	13	20	29	69
A. NOT OPERATED	1050	8.1	39	2	3	7	11	15	18	35
B. OPERATED	226	16.4	225	2	4	12	21	36	54	99+
TOTAL 0-19 YRS	476	7.7	27	2	2	7	11	14	17	23
20-34	195	8.4	84	2	3	6	9	14	24	50
35-49	144	9.6	79	2	3	7	11	18	25	47
50-64	201	12.3	188	2	3	8	15	24	35	75
65+	260	12.0	83	3	4	10	16	24	35	94
GRAND TOTAL	**1276**	**9.6**	**82**	**2**	**3**	**7**	**12**	**18**	**25**	**55**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	753	3.8	6	1	2	3	5	7	9	12
20-34	472	4.7	9	2	2	4	6	8	10	15
35-49	75	5.0	10	2	2	4	6	9	11	17
50-64	20	8.2	29	<1	2	7	12	14	19	23
65+	5	10.4	13	7	7	9	13	16	16	16
B. *Operated*										
0-19 YRS	9	5.9	9	2	3	5	8	11	11	11
20-34	4	5.3	5	2	2	6	7	7	7	7
35-49	4	24.8	588	10	10	14	38	61	61	61
50-64										
65+	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	5.0	15	1	2	4	6	10	12	18
20-34	210	5.9	17	2	2	5	7	11	13	22
35-49	53	7.3	26	1	3	6	9	12	17	29
50-64	17	4.8	12	<1	1	4	6	9	13	15
65+	14	15.4	110	5	6	14	18	25	42	47
B. *Operated*										
0-19 YRS	8	13.0	33	8	8	11	18	70	99+	99+
20-34	16	12.5	107	2	4	10	18	23	37	43
35-49	5	10.4	67	4	4	6	15	24	24	24
50-64	5	20.8	380	3	3	11	37	49	49	49
65+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1325	4.3	8	1	2	3	5	8	9	15
B. *Operated*	19	9.8	167	2	3	6	10	14	40	61
2. MULTIPLE DX										
A. *Not Operated*	546	5.8	22	2	2	4	7	11	14	23
B. *Operated*	35	13.8	120	3	4	11	19	32	47	99+
1. SINGLE DX	1344	4.3	11	1	2	3	5	8	10	15
2. MULTIPLE DX	581	6.3	31	2	2	5	8	12	16	32
A. NOT OPERATED	1871	4.7	13	1	2	4	6	9	11	18
B. OPERATED	54	12.4	137	2	4	10	14	26	47	98
TOTAL 0-19 YRS	1022	4.2	9	1	2	3	5	8	10	15
20-34	702	5.2	15	2	2	4	6	10	12	21
35-49	137	6.6	42	2	2	5	8	11	14	33
50-64	42	8.3	79	1	2	6	11	15	27	49
65+	22	13.9	86	4	6	12	16	23	33	47
GRAND TOTAL	**1925**	**4.9**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	642	3.3	4	1	1	3	4	6	7	11
20-34	119	4.6	6	1	2	4	6	8	9	12
35-49	55	5.4	13	2	2	4	7	9	13	20
50-64	103	6.3	17	1	2	5	9	12	14	20
65+	246	7.6	32	2	3	6	9	15	18	26
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	9	4.0	16	1	1	3	4	10	14	14
35-49	7	5.6	13	1	1	5	8	11	11	11
50-64	6	16.0	177	7	7	12	16	39	42	42
65+	10	9.1	21	4	4	9	13	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	824	4.0	7	1	1	3	5	7	9	14
20-34	192	5.8	18	2	2	5	8	10	13	27
35-49	91	7.8	47	2	3	6	9	15	20	40
50-64	304	8.1	45	2	3	6	9	15	18	28
65+	1148	10.6	71	2	3	8	13	21	26	45
B. *Operated*										
0-19 YRS	11	9.1	41	3	3	8	14	19	22	22
20-34	15	11.9	131	3	3	8	13	30	40	44
35-49	18	17.0	178	2	3	12	28	36	40	43
50-64	36	17.3	368	4	4	12	19	31	66	94
65+	117	18.0	170	3	4	14	26	35	49	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	4.7	15	1	2	4	6	9	12	19
B. *Operated*	34	7.9	58	1	2	5	12	15	16	42
2. MULTIPLE DX										
A. *Not Operated*	2559	7.7	51	2	2	6	9	16	21	34
B. *Operated*	197	16.8	199	3	4	12	25	35	44	87
1. SINGLE DX	1199	4.8	16	1	2	4	6	9	12	19
2. MULTIPLE DX	2756	8.4	67	2	2	6	10	17	25	44
A. NOT OPERATED	3724	6.8	42	1	2	5	8	14	19	31
B. OPERATED	231	15.5	188	3	3	11	20	34	43	83
TOTAL 0-19 YRS	1479	3.7	6	1	1	3	5	6	8	13
20-34	335	5.6	21	2	2	4	7	10	12	27
35-49	171	7.9	58	2	2	6	9	15	26	42
50-64	449	8.5	73	2	3	7	10	16	20	42
65+	1521	10.7	78	2	3	8	13	21	27	50
GRAND TOTAL	**3955**	**7.3**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**38**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	338	7.0	18	2	3	6	9	12	14	20
20-34	778	7.7	22	2	3	7	10	13	16	24
35-49	194	8.6	30	2	3	7	11	15	18	29
50-64	124	9.6	45	3	4	8	12	17	19	44
65+	34	8.9	24	3	4	8	12	15	20	23
B. *Operated*										
0-19 YRS	9	12.4	47	1	1	15	18	19	19	19
20-34	44	10.5	45	1	3	10	13	22	24	31
35-49	16	10.3	44	4	4	9	13	20	25	27
50-64	9	10.6	27	3	5	10	12	19	22	22
65+	12	14.3	110	1	4	11	20	28	38	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	6.9	17	2	3	6	9	12	16	21
20-34	367	8.2	25	3	3	7	10	14	18	27
35-49	165	10.1	42	4	4	8	13	19	22	38
50-64	155	10.3	39	3	4	9	14	19	22	30
65+	122	11.6	69	3	4	9	15	21	28	42
B. *Operated*										
0-19 YRS	6	14.5	120	1	2	12	22	31	32	32
20-34	47	13.7	171	3	3	9	18	26	42	70
35-49	33	13.2	121	2	4	10	15	25	32	59
50-64	29	15.0	87	2	3	15	20	26	33	41
65+	34	16.3	126	4	6	14	22	27	28	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1468	7.9	25	2	3	7	10	14	17	25
B. *Operated*	90	11.1	51	1	3	10	14	21	23	36
2. MULTIPLE DX										
A. *Not Operated*	942	9.1	37	3	3	8	11	16	20	31
B. *Operated*	149	14.5	129	2	4	12	19	26	33	64
1. SINGLE DX	1558	8.1	27	2	3	7	10	14	17	27
2. MULTIPLE DX	1091	9.9	53	3	3	8	12	19	23	40
A. NOT OPERATED	2410	8.4	30	3	3	7	10	15	18	30
B. OPERATED	239	13.2	102	2	3	11	18	24	30	60
TOTAL 0-19 YRS	486	7.1	20	2	3	6	9	12	16	22
20-34	1236	8.2	31	2	3	7	10	14	18	30
35-49	408	9.6	44	3	4	8	12	18	22	36
50-64	317	10.5	47	3	4	9	14	19	22	39
65+	202	12.1	78	3	4	10	16	23	27	44
GRAND TOTAL	**2649**	**8.8**	**38**	**3**	**3**	**7**	**11**	**16**	**20**	**31**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1011	4.7	6	2	2	4	6	8	10	12
20-34	320	5.7	11	2	2	5	7	10	12	17
35-49	46	4.8	9	1	2	4	6	9	12	13
50-64	9	6.6	14	2	2	6	9	12	12	12
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	17	4.6	7	1	2	5	6	9	10	10
20-34	5	7.6	9	4	4	8	10	11	11	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1004	5.2	12	2	2	4	6	8	10	18
20-34	299	5.7	10	2	2	5	7	10	12	15
35-49	39	7.0	20	2	3	6	9	11	12	28
50-64	17	8.6	21	3	3	9	12	15	16	17
65+	5	7.6	24	2	2	7	10	15	15	15
B. *Operated*										
0-19 YRS	26	6.9	16	2	3	6	10	14	14	15
20-34	18	9.7	70	2	4	8	12	18	31	38
35-49	11	10.8	25	4	4	11	15	17	17	17
50-64	4	13.5	19	10	10	13	17	19	19	19
65+	6	10.0	16	6	6	9	12	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1387	5.0	8	2	2	4	6	9	10	15
B. *Operated*	22	5.3	8	1	2	5	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	1364	5.4	12	2	2	5	7	9	12	17
B. *Operated*	65	9.0	35	2	3	8	12	15	18	35
1. SINGLE DX	1409	5.0	8	2	2	4	6	9	10	14
2. MULTIPLE DX	1429	5.6	14	2	2	5	7	10	12	19
A. NOT OPERATED	2751	5.2	10	2	2	4	6	9	11	16
B. OPERATED	87	8.1	30	2	3	7	11	15	17	31
TOTAL 0-19 YRS	2058	5.0	9	2	2	4	6	8	10	15
20-34	642	5.8	13	2	2	5	7	10	12	16
35-49	96	6.4	18	2	2	5	8	12	14	23
50-64	30	8.7	22	2	3	9	12	15	17	19
65+	12	8.5	19	2	3	8	11	16	17	17
GRAND TOTAL	**2838**	**5.3**	**11**	**2**	**2**	**4**	**7**	**9**	**11**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	6	<1	<1	2	5	7	7	7
20-34	13	2.1	1	<1	<1	2	3	4	4	4
35-49	3	3.3	16	<1	<1	1	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	528	1.9	1	<1	<1	2	2	3	4	8
20-34	1058	2.3	2	<1	1	2	3	4	5	7
35-49	248	2.5	5	<1	1	2	3	4	6	8
50-64	83	2.9	5	<1	1	2	3	5	8	14
65+	18	3.9	12	<1	1	3	5	8	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	2	<1	<1	3	4	4	4	4
20-34	18	3.0	21	<1	<1	1	2	7	15	20
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	8	4.4	5	2	2	4	6	7	8	8
65+	2	7.5	85	1	1	7	14	14	14	14
B. *Operated*										
0-19 YRS	115	3.1	8	<1	1	2	3	5	8	18
20-34	365	3.5	7	1	1	3	4	6	8	15
35-49	155	3.7	7	1	1	3	5	8	9	13
50-64	69	3.8	9	1	2	3	4	8	10	16
65+	34	5.7	47	2	2	3	4	12	25	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.5	4	<1	<1	2	3	6	7	8
B. *Operated*	1935	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	35	3.7	16	<1	<1	2	5	7	12	20
B. *Operated*	738	3.6	9	1	1	3	4	7	9	17
1. SINGLE DX	1957	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	773	3.6	10	1	1	3	4	7	9	18
A. NOT OPERATED	57	3.2	11	<1	<1	2	4	7	8	20
B. OPERATED	2673	2.6	5	<1	1	2	3	5	6	11
TOTAL 0-19 YRS	653	2.2	3	<1	<1	2	2	4	4	10
20-34	1454	2.6	4	<1	1	2	3	5	6	10
35-49	409	3.0	6	1	1	2	3	6	7	10
50-64	160	3.4	7	1	1	3	4	6	9	16
65+	54	5.2	36	1	2	3	5	12	21	30
GRAND TOTAL	**2730**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1854	3.0	3	1	1	3	4	5	6	9
20-34	540	4.0	9	1	2	3	5	7	10	16
35-49	179	4.6	9	1	2	4	5	9	11	16
50-64	103	4.9	11	1	2	4	7	9	10	17
65+	98	6.1	58	2	2	4	7	11	17	83
B. *Operated*										
0-19 YRS	34	3.8	17	<1	1	2	5	9	9	22
20-34	30	6.1	20	1	2	5	8	13	15	19
35-49	11	7.3	61	1	1	4	8	20	26	27
50-64	5	18.2	503	4	4	8	28	57	57	57
65+	8	18.3	621	2	2	6	30	61	65	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1959	3.5	5	1	1	3	4	6	7	13
20-34	772	4.6	20	1	2	4	5	8	11	21
35-49	459	5.3	11	2	2	5	7	10	12	17
50-64	477	5.9	20	2	2	5	7	10	14	24
65+	764	7.4	33	2	3	6	9	14	17	32
B. *Operated*										
0-19 YRS	66	7.8	64	1	2	5	9	17	26	41
20-34	56	9.4	116	2	3	7	12	19	30	98
35-49	46	11.2	137	2	3	8	15	25	44	99+
50-64	52	16.0	217	4	5	11	18	32	37	89
65+	57	12.0	119	2	4	9	13	23	27	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2774	3.5	7	1	1	3	4	6	8	13
B. *Operated*	88	7.1	116	1	1	4	7	14	22	62
2. MULTIPLE DX										
A. *Not Operated*	4431	4.8	17	1	2	4	6	9	12	21
B. *Operated*	277	11.1	133	2	2	8	13	23	32	86
1. SINGLE DX	2862	3.6	11	1	1	3	4	6	8	14
2. MULTIPLE DX	4708	5.2	26	1	2	4	6	10	14	24
A. NOT OPERATED	7205	4.3	14	1	2	3	5	8	10	18
B. OPERATED	365	10.1	131	1	2	7	12	22	31	76
TOTAL 0-19 YRS	3913	3.4	6	1	1	3	4	6	7	12
20-34	1398	4.6	20	1	2	4	5	8	11	21
35-49	695	5.5	22	2	2	4	7	10	13	25
50-64	637	6.7	46	2	2	5	8	12	18	33
65+	927	7.6	48	2	3	6	9	15	18	37
GRAND TOTAL	**7570**	**4.6**	**21**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.2	5	2	2	4	6	8	8	11
20-34	36	4.8	7	2	2	4	6	9	10	13
35-49	20	4.2	4	2	2	4	5	7	9	10
50-64	8	3.6	9	1	1	3	6	8	8	8
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.4	2	3	3	4	5	6	8	8
20-34	14	3.7	3	1	2	3	5	6	7	8
35-49	11	5.7	5	3	3	5	7	9	10	10
50-64	6	7.2	56	2	2	4	7	20	22	22
65+	5	5.8	40	2	2	3	7	17	17	17
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	1	19.0		19	19	59	99+	99+	99+	99+
35-49	2	9.5	13	7	7	9	12	12	12	12
50-64	3	7.7	25	3	3	7	11	13	13	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	4.4	6	1	2	4	6	8	9	12
B. *Operated*	3	8.3	6	6	6	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	50	5.0	13	2	3	4	5	8	10	22
B. *Operated*	7	10.7	29	3	4	12	16	76	99+	99+
1. SINGLE DX	109	4.5	6	1	2	4	6	8	9	12
2. MULTIPLE DX	57	5.7	18	2	3	4	7	13	18	94
A. NOT OPERATED	156	4.6	8	2	2	4	6	8	9	17
B. OPERATED	10	10.0	22	3	5	11	14	51	96	99+
TOTAL 0-19 YRS	56	4.5	6	2	2	4	6	8	8	14
20-34	52	4.8	10	2	2	4	6	9	13	97
35-49	34	5.2	7	2	2	5	7	10	11	12
50-64	17	5.6	28	1	1	4	7	12	19	22
65+	7	5.4	27	2	2	4	5	15	17	17
GRAND TOTAL	**166**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**11**	**21**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	4.9	7	2	2	4	7	8	9	15
20-34	219	5.5	14	2	2	5	7	9	12	23
35-49	35	7.4	36	1	3	6	8	18	23	25
50-64	10	4.0	5	<1	1	4	5	7	8	8
65+	8	9.9	67	1	1	8	17	21	22	22
B. *Operated*										
0-19 YRS	42	3.0	11	<1	1	2	3	4	7	22
20-34	104	2.7	5	<1	1	2	3	6	7	12
35-49	31	2.5	1	1	1	2	3	4	4	5
50-64	14	4.5	14	1	2	3	6	11	13	14
65+	5	8.4	51	2	2	6	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.8	10	2	2	5	7	9	13	16
20-34	183	6.0	19	2	2	5	7	10	14	26
35-49	50	7.3	28	2	3	6	8	14	17	31
50-64	36	6.0	24	1	1	5	7	13	17	22
65+	55	9.8	53	1	2	9	14	20	24	31
B. *Operated*										
0-19 YRS	27	6.0	15	1	2	5	9	12	14	14
20-34	97	5.5	33	<1	1	4	7	10	18	34
35-49	27	5.3	15	2	2	4	7	11	12	19
50-64	24	8.9	75	2	2	5	13	23	31	31
65+	21	16.8	94	4	6	16	21	33	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	5.5	15	2	2	5	7	9	13	23
B. *Operated*	196	3.0	8	<1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	416	6.6	25	2	2	5	8	13	16	28
B. *Operated*	196	7.2	51	1	2	5	9	17	22	35
1. SINGLE DX	603	4.7	14	1	2	4	6	8	11	22
2. MULTIPLE DX	612	6.8	33	1	2	5	8	14	18	32
A. NOT OPERATED	823	6.1	20	2	2	5	7	11	15	25
B. OPERATED	392	5.1	34	<1	1	3	6	11	18	33
TOTAL 0-19 YRS	296	5.0	10	1	2	4	7	9	12	16
20-34	603	5.2	18	1	2	4	6	9	12	23
35-49	143	5.9	25	1	2	4	7	12	17	25
50-64	84	6.4	37	1	2	4	7	14	18	31
65+	89	11.4	70	1	2	10	16	22	28	36
GRAND TOTAL	**1215**	**5.8**	**25**	**1**	**2**	**4**	**7**	**11**	**16**	**28**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.8	4	<1	2	3	5	7	8	9
20-34	26	4.3	6	1	2	4	5	9	9	10
35-49	39	3.3	36	<1	<1	<1	2	8	12	35
50-64	41	6.4	203	<1	<1	<1	5	11	40	71
65+	15	8.2	55	<1	1	5	11	19	25	27
B. *Operated*										
0-19 YRS	9	15.0	252	2	2	7	22	42	47	47
20-34	31	8.8	126	<1	1	4	10	20	23	59
35-49	54	9.9	101	1	2	7	12	23	38	46
50-64	44	8.8	91	1	2	5	12	20	30	44
65+	16	5.8	32	1	2	4	7	13	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	5.9	62	2	2	4	7	9	12	40
20-34	60	7.6	72	2	2	5	8	14	31	44
35-49	65	6.7	43	<1	<1	5	10	17	24	89
50-64	88	8.0	53	2	3	7	10	14	18	48
65+	97	12.1	86	3	4	10	14	24	32	50
B. *Operated*										
0-19 YRS	13	5.8	24	1	1	4	8	12	18	19
20-34	51	17.6	459	2	2	10	20	55	77	99+
35-49	65	12.9	250	2	2	8	14	29	48	83
50-64	76	12.1	153	2	2	8	15	29	39	59
65+	66	13.2	193	2	2	9	18	34	42	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	4.8	65	<1	<1	3	5	9	11	54
B. *Operated*	154	9.2	105	1	2	6	12	21	33	47
2. MULTIPLE DX										
A. *Not Operated*	431	8.1	69	2	2	6	10	15	23	46
B. *Operated*	271	13.3	241	2	2	9	15	34	49	90
1. SINGLE DX	325	6.9	89	<1	<1	4	8	16	24	50
2. MULTIPLE DX	702	10.1	141	2	2	7	12	22	35	76
A. NOT OPERATED	602	7.2	70	<1	<1	5	9	14	21	49
B. OPERATED	425	11.8	195	1	2	8	14	27	44	79
TOTAL 0-19 YRS	193	5.8	57	1	2	4	6	9	14	41
20-34	168	10.4	211	2	2	5	10	24	45	88
35-49	223	8.7	127	<1	<1	5	11	19	31	73
50-64	249	9.2	118	<1	1	6	11	19	34	59
65+	194	11.7	119	2	3	9	14	24	35	71
GRAND TOTAL	**1027**	**9.1**	**127**	**<1**	**2**	**5**	**11**	**20**	**33**	**70**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.3	13	1	1	3	6	12	12	13
20-34	13	6.0	22	<1	1	4	7	13	17	18
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	11.0		11	11	11	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	13	3.8	3	1	2	3	4	7	7	7
20-34	4	7.3	38	3	3	5	11	16	16	16
35-49	5	8.0	7	4	4	9	10	10	10	10
50-64	3	4.0	4	2	2	4	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.6	27	<1	1	4	7	15	17	18
20-34	12	5.1	10	1	2	4	6	9	12	13
35-49	15	6.4	10	2	2	6	8	10	13	14
50-64	9	9.0	40	2	2	6	14	18	20	20
65+	11	11.5	110	<1	4	9	12	25	40	41
B. *Operated*										
0-19 YRS	9	4.1	6	1	1	3	6	7	7	7
20-34	17	8.5	60	<1	1	7	10	19	27	31
35-49	7	17.1	70	2	4	17	21	28	29	29
50-64	4	13.5	6	10	10	14	15	15	15	15
65+	3	10.7	1	10	10	10	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.9	16	1	1	3	7	12	13	18
B. *Operated*	25	5.2	11	2	2	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	63	7.2	39	1	2	6	9	14	17	38
B. *Operated*	40	9.7	56	1	2	8	15	20	25	31
1. SINGLE DX	66	5.0	14	1	1	4	7	11	12	18
2. MULTIPLE DX	103	8.2	47	1	2	7	11	16	20	36
A. NOT OPERATED	104	6.3	31	1	1	5	8	13	16	30
B. OPERATED	65	8.0	44	1	2	6	10	17	21	31
TOTAL 0-19 YRS	63	4.5	13	1	1	3	6	9	13	18
20-34	46	6.8	34	1	2	5	8	15	18	31
35-49	29	9.0	44	2	2	7	11	19	22	29
50-64	17	9.3	32	2	2	10	14	16	19	20
65+	14	11.3	85	1	5	9	12	18	36	41
GRAND TOTAL	**169**	**6.9**	**36**	**1**	**2**	**5**	**9**	**15**	**18**	**31**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.1	13	<1	1	4	7	10	12	14
20-34	77	6.5	23	1	2	6	9	12	12	28
35-49	50	4.6	25	1	1	3	6	10	12	30
50-64	23	4.8	21	<1	1	3	6	13	16	18
65+	5	3.4	3	2	2	3	4	6	6	6
B. *Operated*										
0-19 YRS	10	8.5	91	<1	<1	4	16	23	30	30
20-34	227	7.2	48	1	2	6	10	14	18	30
35-49	127	6.5	27	1	2	5	9	13	17	24
50-64	39	6.3	22	2	2	4	11	13	15	17
65+	12	6.2	10	2	3	5	7	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	7.7	44	2	3	6	9	14	15	43
20-34	135	6.1	55	2	2	5	7	10	12	31
35-49	136	8.7	47	2	3	7	11	16	21	37
50-64	85	8.5	27	2	3	7	11	17	19	24
65+	60	10.7	40	3	4	10	14	17	26	31
B. *Operated*										
0-19 YRS	11	13.2	221	4	4	5	13	42	43	43
20-34	169	9.4	50	2	2	8	12	18	27	32
35-49	167	10.4	63	2	2	9	14	20	25	39
50-64	91	10.3	61	2	2	9	14	20	27	38
65+	31	15.6	251	2	3	10	14	36	61	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	5.5	22	1	1	4	8	11	12	27
B. *Operated*	415	6.9	39	1	2	5	9	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	510	8.1	46	2	2	7	10	15	18	32
B. *Operated*	469	10.4	75	2	2	9	13	20	29	41
1. SINGLE DX	593	6.5	34	1	1	5	9	13	16	29
2. MULTIPLE DX	979	9.2	61	2	2	7	12	17	23	39
A. NOT OPERATED	688	7.4	41	1	2	6	9	14	17	31
B. OPERATED	884	8.8	61	2	2	7	12	17	23	38
TOTAL 0-19 YRS	138	7.8	58	1	2	6	9	14	17	44
20-34	608	7.5	48	1	2	6	10	14	18	32
35-49	480	8.3	49	1	2	6	11	17	21	35
50-64	238	8.5	42	1	2	7	11	17	20	33
65+	108	11.3	105	2	3	9	14	20	31	64
GRAND TOTAL	**1572**	**8.2**	**53**	**1**	**2**	**6**	**11**	**16**	**21**	**35**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	4	3.8	12	2	2	2	6	9	9	9
65+	3	9.0	84	1	1	7	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	5	2	2	5	6	7	7	7
20-34	4	6.0	46	1	1	3	10	16	16	16
35-49	8	6.0	14	2	2	5	8	12	13	13
50-64	8	9.8	80	4	4	5	13	25	29	29
65+	16	9.5	50	4	4	7	11	17	27	32
B. *Operated*										
0-19 YRS										
20-34	10	6.6	16	3	3	6	8	12	16	16
35-49	13	11.8	120	2	4	8	14	35	35	35
50-64	11	16.8	134	2	5	16	19	35	43	44
65+	7	19.3	228	5	6	14	26	45	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.7	6	1	1	4	5	6	6	6
B. *Operated*	12	5.2	25	1	1	3	7	12	18	19
2. MULTIPLE DX										
A. *Not Operated*	40	8.0	44	2	3	6	10	16	23	32
B. *Operated*	41	13.2	129	2	3	9	16	31	39	49
1. SINGLE DX	15	4.9	21	1	1	3	7	9	16	19
2. MULTIPLE DX	81	10.6	93	2	3	7	14	23	33	47
A. NOT OPERATED	43	7.7	42	2	3	6	10	16	21	32
B. OPERATED	53	11.4	116	2	2	8	16	29	38	49
TOTAL 0-19 YRS	6	4.2	4	2	2	4	6	7	7	7
20-34	16	6.3	20	1	3	5	8	15	16	16
35-49	25	8.7	77	2	2	6	10	16	35	35
50-64	23	12.1	114	2	2	9	16	29	34	44
65+	26	12.1	111	3	4	9	14	28	35	49
GRAND TOTAL	**96**	**9.7**	**85**	**2**	**2**	**7**	**13**	**19**	**31**	**47**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	10.3	44	3	3	12	15	16	16	16
35-49	12	5.8	20	1	1	5	8	13	15	15
50-64	74	5.0	28	1	1	4	6	11	16	28
65+	68	7.8	100	1	1	4	9	26	32	44
B. *Operated*										
0-19 YRS	6	7.0	8	2	2	7	9	10	10	10
20-34	46	4.8	12	1	2	4	6	9	10	21
35-49	116	6.2	28	1	2	4	8	14	16	26
50-64	358	8.0	88	1	2	4	10	19	26	69
65+	350	7.3	68	1	2	4	9	18	23	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.1	98	2	2	5	6	17	35	39
20-34	22	3.9	11	<1	1	3	5	8	11	15
35-49	50	8.8	44	2	3	7	12	17	26	29
50-64	199	9.7	97	1	2	7	12	20	28	49
65+	283	9.3	122	1	1	6	11	20	31	63
B. *Operated*										
0-19 YRS	12	5.3	13	1	1	4	8	11	12	12
20-34	21	11.5	305	2	2	6	12	19	51	84
35-49	124	12.4	162	1	2	9	16	28	42	61
50-64	582	14.8	211	2	2	11	19	32	45	84
65+	584	14.8	238	2	2	10	19	37	52	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	6.4	60	1	1	4	7	15	26	41
B. *Operated*	876	7.3	68	1	2	4	9	17	23	49
2. MULTIPLE DX										
A. *Not Operated*	567	9.2	102	1	2	6	11	19	28	52
B. *Operated*	1323	14.4	219	2	2	10	19	34	47	84
1. SINGLE DX	1034	7.1	67	1	2	4	9	17	24	45
2. MULTIPLE DX	1890	12.8	189	2	2	9	16	30	43	80
A. NOT OPERATED	725	8.5	94	1	1	5	11	18	27	47
B. OPERATED	2199	11.6	171	2	2	7	15	27	39	79
TOTAL 0-19 YRS	32	6.2	45	2	2	5	8	10	12	39
20-34	92	6.3	86	1	2	4	7	12	15	59
35-49	302	9.2	93	1	2	6	12	19	27	50
50-64	1213	11.3	156	1	2	7	15	25	36	79
65+	1285	11.2	170	1	2	7	14	29	40	74
GRAND TOTAL	**2924**	**10.8**	**154**	**1**	**2**	**7**	**14**	**25**	**36**	**73**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	9.0	18	6	6	9	12	12	12	12
35-49	7	4.4	2	2	2	4	5	7	7	7
50-64	26	8.2	57	<1	1	6	13	18	24	31
65+	29	8.4	68	2	2	6	10	13	34	37
B. *Operated*										
0-19 YRS										
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	9	18.9	245	3	5	14	21	43	57	57
50-64	110	15.0	154	2	3	13	19	30	38	66
65+	98	14.3	173	2	2	10	21	32	44	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	25	10.5	214	3	3	6	11	14	40	76
50-64	101	9.3	99	1	2	6	11	19	30	54
65+	157	11.3	89	2	3	9	15	22	30	46
B. *Operated*										
0-19 YRS										
20-34										
35-49	32	20.2	228	4	5	17	25	44	54	66
50-64	227	22.1	338	3	5	17	27	47	65	86
65+	312	21.0	248	3	5	17	28	43	54	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	7.8	54	1	2	5	10	14	24	37
B. *Operated*	219	14.8	165	2	3	12	20	30	41	73
2. MULTIPLE DX										
A. *Not Operated*	285	10.5	103	2	3	7	13	21	30	53
B. *Operated*	571	21.4	282	3	5	17	27	45	56	81
1. SINGLE DX	284	13.2	148	2	2	10	19	28	37	68
2. MULTIPLE DX	856	17.7	249	2	3	13	24	38	51	76
A. NOT OPERATED	350	10.0	95	1	2	7	12	21	30	46
B. OPERATED	790	19.5	258	2	4	16	25	41	55	79
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	7.0	12	3	3	6	10	12	12	12
35-49	73	15.2	229	3	4	11	19	32	54	74
50-64	464	16.9	256	2	3	12	23	35	50	79
65+	596	16.7	206	2	3	12	23	37	48	72
GRAND TOTAL	**1140**	**16.6**	**227**	**2**	**3**	**12**	**23**	**36**	**48**	**76**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	6	3.3	7	1	1	3	4	8	8	8
50-64	35	5.5	26	1	1	4	7	12	19	21
65+	85	7.1	50	1	1	5	8	15	20	38
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	2	9.5	61	4	4	9	15	15	15	15
35-49	26	15.3	53	2	6	15	18	26	27	32
50-64	86	15.3	64	4	5	14	21	25	27	40
65+	130	17.4	119	4	5	15	22	30	39	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	4	28.3	1531	1	1	13	52	86	86	86
35-49	46	8.9	42	1	2	7	12	16	23	31
50-64	136	8.3	64	1	2	5	10	18	28	38
65+	391	9.7	83	1	2	7	12	21	29	46
B. *Operated*										
0-19 YRS	1	20.0		20	20	20	20	20	20	20
20-34	10	22.6	325	10	11	15	54	99+	99+	99+
35-49	68	19.6	251	4	6	16	26	33	46	88
50-64	334	20.3	152	5	7	18	26	38	47	60
65+	747	23.7	255	5	8	20	30	44	54	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	6.5	42	1	1	5	7	14	20	37
B. *Operated*	246	16.3	93	4	5	15	21	27	33	45
2. MULTIPLE DX										
A. *Not Operated*	580	9.4	85	1	2	7	12	20	28	45
B. *Operated*	1160	22.5	228	5	8	19	28	42	52	84
1. SINGLE DX	375	12.9	97	1	2	11	16	25	30	44
2. MULTIPLE DX	1740	18.1	218	2	4	15	24	36	47	77
A. NOT OPERATED	709	8.9	78	1	1	6	11	19	27	42
B. OPERATED	1406	21.4	210	5	7	18	27	40	50	80
TOTAL 0-19 YRS	7	6.0	44	2	2	3	8	18	20	20
20-34	18	20.7	502	1	3	15	32	93	99+	99+
35-49	146	14.8	166	1	3	12	18	29	33	76
50-64	591	15.9	142	2	3	14	22	30	40	55
65+	1353	18.0	224	2	4	14	24	37	47	77
GRAND TOTAL	**2115**	**17.2**	**201**	**2**	**4**	**14**	**23**	**34**	**44**	**72**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	7.5	85	1	1	7	14	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	11.4	2	10	10	11	13	13	13	13
50-64	4	9.3	33	2	2	9	13	16	16	16
65+	10	15.6	26	8	9	15	19	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	3	9.3	2	8	8	9	10	11	11	11
50-64	16	10.6	146	2	2	5	16	22	41	49
65+	30	13.4	310	3	3	6	14	42	50	80
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	14	20.4	189	7	9	16	24	47	51	52
50-64	52	20.2	201	9	9	17	24	31	42	95
65+	90	24.6	249	9	11	22	30	40	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	6.3	46	1	1	4	11	14	14	14
B. *Operated*	19	13.2	27	5	8	13	17	21	23	24
2. MULTIPLE DX										
A. *Not Operated*	52	11.9	224	2	3	6	12	26	49	79
B. *Operated*	159	22.5	228	8	10	18	27	37	56	99
1. SINGLE DX	22	12.2	33	2	3	12	16	20	23	24
2. MULTIPLE DX	211	19.9	247	3	5	16	24	36	52	97
A. NOT OPERATED	55	11.6	215	2	3	6	13	22	48	78
B. OPERATED	178	21.5	215	8	9	17	25	35	53	98
TOTAL 0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	4	8.5	7	5	5	9	10	11	11	11
35-49	22	16.9	141	7	9	12	17	35	48	52
50-64	73	17.2	196	3	4	15	21	31	41	86
65+	132	21.1	267	3	5	17	26	38	59	99
GRAND TOTAL	**233**	**19.2**	**232**	**3**	**5**	**15**	**24**	**35**	**51**	**96**

501 Hospitals, North Central Region, January–December 1981

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	12	4.8	7	2	2	4	6	8	11	12
50-64	66	5.9	52	1	1	4	6	11	25	91
65+	102	8.3	81	1	2	5	9	16	32	44
B. *Operated*										
0-19 YRS	2	18.5	5	17	17	18	20	20	20	20
20-34	13	14.3	33	8	8	12	17	24	26	27
35-49	100	11.6	27	2	6	11	14	17	21	30
50-64	447	13.8	40	4	8	13	17	20	25	35
65+	841	16.3	73	6	9	15	19	26	31	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	15	9.8	38	2	2	10	15	18	19	20
35-49	82	7.7	45	2	2	5	9	17	20	38
50-64	411	8.7	66	1	2	6	11	18	24	42
65+	1070	10.0	78	2	3	7	12	21	28	46
B. *Operated*										
0-19 YRS	7	12.3	25	5	5	14	16	18	18	18
20-34	50	16.5	84	4	8	13	21	29	34	49
35-49	289	16.3	124	5	8	14	19	28	33	89
50-64	1530	18.2	118	7	9	16	22	31	38	66
65+	3994	21.0	136	8	10	19	25	36	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	7.1	66	1	2	5	8	13	28	48
B. *Operated*	1403	15.1	61	5	8	14	18	24	29	43
2. MULTIPLE DX										
A. *Not Operated*	1579	9.5	73	2	3	7	12	20	26	43
B. *Operated*	5870	20.0	133	8	10	17	24	34	42	67
1. SINGLE DX	1586	14.2	68	3	5	13	17	23	29	44
2. MULTIPLE DX	7449	17.8	139	3	5	16	23	32	40	62
A. NOT OPERATED	1762	9.3	73	2	3	6	11	19	26	45
B. OPERATED	7273	19.1	123	7	9	17	23	32	40	63
TOTAL 0-19 YRS	10	13.9	25	5	6	15	17	19	20	20
20-34	81	14.4	75	3	4	12	19	27	29	45
35-49	483	13.6	100	3	4	12	16	24	30	53
50-64	2454	15.5	109	3	5	14	19	28	35	58
65+	6007	18.2	136	4	6	16	23	32	40	61
GRAND TOTAL	**9035**	**17.2**	**128**	**3**	**5**	**15**	**22**	**30**	**39**	**60**

24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0		8	8	8	8	8	8	8
35-49	10	4.4	9	1	1	3	7	9	9	9
50-64	56	6.3	58	1	1	4	6	12	18	42
65+	99	6.7	47	1	2	5	8	12	21	41
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	17	14.7	80	3	4	13	21	26	30	32
35-49	72	11.4	31	2	3	12	15	17	20	26
50-64	388	14.7	60	3	5	14	18	24	28	36
65+	660	16.2	88	3	4	15	21	28	33	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	9.5	110	1	1	7	9	28	30	30
35-49	81	6.8	22	1	2	5	9	13	15	24
50-64	319	8.5	56	2	3	6	10	18	23	36
65+	597	11.1	108	2	3	8	14	23	35	53
B. *Operated*										
0-19 YRS	3	15.3	169	2	2	16	25	28	28	28
20-34	27	17.5	79	6	7	18	22	24	33	47
35-49	165	18.6	128	5	9	16	22	30	38	58
50-64	984	19.0	124	5	8	17	24	32	39	66
65+	2120	21.4	166	5	8	19	27	38	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	6.5	48	1	2	5	8	12	17	41
B. *Operated*	1138	15.4	76	3	4	14	20	26	31	42
2. MULTIPLE DX										
A. *Not Operated*	1003	9.9	87	2	3	7	12	21	29	49
B. *Operated*	3299	20.5	152	5	8	18	25	36	44	67
1. SINGLE DX	1305	14.2	81	2	3	13	19	26	30	42
2. MULTIPLE DX	4302	18.0	156	3	4	16	24	33	42	64
A. NOT OPERATED	1170	9.4	82	2	2	6	11	20	28	48
B. OPERATED	4437	19.2	137	4	7	17	24	33	42	64
TOTAL 0-19 YRS	4	13.3	130	2	2	11	22	28	28	28
20-34	52	15.3	85	3	5	14	22	25	30	47
35-49	328	13.7	104	2	3	13	17	25	30	47
50-64	1747	15.7	114	3	4	14	20	29	34	58
65+	3476	18.2	157	3	4	16	24	34	43	63
GRAND TOTAL	**5607**	**17.1**	**142**	**3**	**4**	**15**	**22**	**32**	**40**	**61**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	16	<1	<1	2	5	10	13	14
20-34	9	7.8	43	1	2	5	11	18	22	22
35-49	11	4.8	14	2	2	3	6	11	13	13
50-64	28	6.5	30	1	2	5	8	15	20	23
65+	42	8.0	47	1	2	6	10	17	21	35
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	9	17.3	148	2	3	19	27	32	34	34
35-49	26	16.3	131	4	6	13	17	31	36	54
50-64	62	16.8	78	3	7	16	22	29	32	38
65+	79	16.4	131	3	4	15	21	31	35	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	16	1	1	3	7	10	10	10
20-34	24	7.5	57	1	2	5	8	22	27	28
35-49	38	6.4	24	1	2	5	10	14	16	18
50-64	120	10.0	82	2	2	7	13	23	30	43
65+	223	11.9	99	2	3	9	16	25	33	50
B. *Operated*										
0-19 YRS	7	12.3	82	1	1	12	21	24	24	24
20-34	13	23.2	338	2	4	19	40	50	54	55
35-49	52	19.9	219	5	7	15	23	44	60	67
50-64	248	20.7	180	6	8	17	27	38	52	74
65+	479	22.3	186	7	9	19	27	41	50	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.8	36	1	1	5	8	16	19	30
B. *Operated*	177	16.5	111	3	5	15	22	31	33	50
2. MULTIPLE DX										
A. *Not Operated*	409	10.5	87	2	2	8	14	23	29	46
B. *Operated*	799	21.5	188	6	8	18	27	40	50	74
1. SINGLE DX	279	12.9	105	2	2	11	19	26	32	38
2. MULTIPLE DX	1208	17.8	181	2	4	15	24	35	46	68
A. NOT OPERATED	511	9.8	79	1	2	7	13	21	28	44
B. OPERATED	976	20.6	178	5	8	17	26	37	49	73
TOTAL 0-19 YRS	24	6.6	46	<1	<1	4	9	16	23	24
20-34	55	12.9	173	1	2	7	20	31	43	55
35-49	127	13.9	163	2	2	11	17	28	44	63
50-64	458	16.5	158	2	4	14	23	33	40	68
65+	823	18.2	175	3	5	15	24	35	44	67
GRAND TOTAL	**1487**	**16.9**	**170**	**2**	**4**	**14**	**23**	**33**	**43**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	15	6.4	14	2	2	5	7	13	15	16
50-64	51	6.1	20	1	2	5	8	12	17	23
65+	77	10.6	72	1	2	8	15	22	26	39
B. *Operated*										
0-19 YRS										
20-34										
35-49	11	21.1	326	3	4	18	27	46	66	68
50-64	52	19.4	150	2	6	20	24	30	38	62
65+	93	19.6	143	5	7	17	27	35	41	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	18.8	499	4	5	8	25	58	66	66
35-49	59	9.4	73	2	2	7	12	17	28	44
50-64	227	9.0	51	2	3	7	12	18	22	39
65+	393	11.1	94	1	3	9	15	22	30	41
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	10	24.8	324	12	12	20	28	51	72	72
35-49	67	21.3	192	4	5	19	26	39	49	72
50-64	386	23.1	232	5	9	20	29	44	58	88
65+	644	23.3	167	8	10	21	29	39	50	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	8.5	52	1	2	6	12	18	23	38
B. *Operated*	156	19.6	156	3	6	18	26	34	41	65
2. MULTIPLE DX										
A. *Not Operated*	688	10.4	84	2	3	8	13	21	28	43
B. *Operated*	1108	23.1	192	7	9	20	29	41	52	75
1. SINGLE DX	301	14.3	136	2	3	11	20	30	35	61
2. MULTIPLE DX	1796	18.2	189	3	4	15	25	36	45	73
A. NOT OPERATED	833	10.0	79	2	3	8	13	19	27	41
B. OPERATED	1264	22.7	189	6	9	20	29	40	51	75
TOTAL 0-19 YRS	2	14.5	313	2	2	14	27	27	27	27
20-34	20	20.3	379	2	5	13	27	53	69	72
35-49	152	15.2	174	2	3	12	20	32	40	68
50-64	716	17.2	203	2	4	14	23	34	47	75
65+	1207	18.2	169	3	5	15	25	35	42	63
GRAND TOTAL	**2097**	**17.7**	**183**	**3**	**4**	**15**	**24**	**35**	**43**	**72**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	11	3.5	16	1	1	2	4	11	13	13
35-49	117	5.5	34	1	1	4	7	12	15	33
50-64	485	6.0	49	1	1	4	7	14	21	31
65+	510	7.4	59	1	1	5	9	16	22	39
B. *Operated*										
0-19 YRS										
20-34	25	11.2	56	2	3	9	15	20	25	33
35-49	206	11.6	58	2	3	10	16	21	25	34
50-64	1054	12.4	67	2	3	11	17	23	26	40
65+	994	12.3	85	2	3	10	16	23	28	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	7	2	2	4	7	8	8	8
20-34	36	10.6	79	1	2	7	16	27	28	30
35-49	488	9.5	85	1	2	6	12	21	28	46
50-64	2447	9.5	82	1	2	7	12	20	27	47
65+	3003	11.0	98	2	2	8	15	23	31	47
B. *Operated*										
0-19 YRS	3	16.3	9	13	13	17	18	19	19	19
20-34	30	13.2	73	2	3	12	16	21	37	38
35-49	656	16.0	140	3	5	13	21	28	40	66
50-64	3383	16.4	139	3	5	14	21	30	40	61
65+	3783	17.6	164	3	5	15	23	34	43	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1125	6.5	52	1	1	4	8	15	21	37
B. *Operated*	2279	12.3	74	2	3	11	17	23	27	43
2. MULTIPLE DX										
A. *Not Operated*	5979	10.3	90	2	2	7	13	22	29	47
B. *Operated*	7655	17.0	151	3	5	14	22	32	42	64
1. SINGLE DX	3404	10.4	74	1	2	8	15	21	26	40
2. MULTIPLE DX	13834	14.1	136	2	3	11	19	28	37	59
A. NOT OPERATED	7104	9.7	86	1	2	7	13	21	28	46
B. OPERATED	10134	15.9	138	3	4	13	20	30	39	61
TOTAL 0-19 YRS	10	8.6	37	2	2	7	13	18	19	19
20-34	102	10.7	71	1	2	9	15	22	28	37
35-49	1467	12.4	114	2	2	9	17	25	32	53
50-64	7369	12.9	117	2	3	10	17	26	33	53
65+	8290	14.0	136	2	3	11	19	29	37	59
GRAND TOTAL	**17238**	**13.3**	**126**	**2**	**3**	**10**	**18**	**27**	**35**	**56**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	82	2	2	3	18	22	22	22
20-34	1	1.0		1	1	1	1	1	1	1
35-49	19	4.2	2	2	2	4	5	6	7	7
50-64	46	5.4	34	1	1	4	6	9	21	29
65+	45	10.3	203	1	1	5	11	24	43	70
B. *Operated*										
0-19 YRS	6	7.8	65	1	1	5	12	21	22	22
20-34	21	8.5	54	1	2	6	14	20	23	24
35-49	105	8.6	98	1	1	4	13	18	32	46
50-64	372	8.4	86	1	1	4	13	19	25	43
65+	310	8.2	85	1	2	4	13	19	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	5	<1	<1	2	5	6	6	6
20-34	15	6.0	13	2	2	6	7	9	15	17
35-49	33	7.6	42	2	2	5	10	17	19	29
50-64	107	8.1	52	1	2	7	10	16	21	43
65+	134	9.3	69	2	2	7	11	21	26	43
B. *Operated*										
0-19 YRS	2	24.0	648	6	6	42	85	99+	99+	99+
20-34	11	11.5	131	2	2	11	19	57	94	99+
35-49	86	15.8	186	2	2	13	19	36	46	65
50-64	398	15.1	183	2	2	11	23	35	43	67
65+	453	15.2	192	2	2	12	21	34	43	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	7.2	101	1	1	4	7	17	25	58
B. *Operated*	814	8.3	86	1	1	4	13	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	294	8.4	57	2	2	6	10	18	22	42
B. *Operated*	950	15.2	187	2	2	12	22	35	43	75
1. SINGLE DX	931	8.2	88	1	1	4	12	19	25	44
2. MULTIPLE DX	1244	13.6	165	2	2	10	19	31	40	67
A. NOT OPERATED	411	8.1	69	1	2	6	9	18	24	44
B. OPERATED	1764	12.0	152	1	2	9	17	29	37	64
TOTAL 0-19 YRS	19	8.5	112	<1	1	5	15	32	71	99+
20-34	48	8.3	60	2	2	6	13	21	25	99+
35-49	243	10.7	129	1	2	7	15	23	36	59
50-64	923	11.1	134	1	2	7	15	27	36	58
65+	942	11.8	151	1	2	8	17	28	36	63
GRAND TOTAL	**2175**	**11.3**	**139**	**1**	**2**	**8**	**16**	**27**	**36**	**61**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	55	<1	<1	1	3	6	21	36
20-34	18	4.8	5	1	1	5	7	8	8	8
35-49	17	4.8	16	1	1	4	5	12	15	16
50-64	37	7.2	67	1	1	4	9	13	30	37
65+	30	6.9	80	1	1	4	6	17	25	43
B. *Operated*										
0-19 YRS	45	7.5	71	1	2	4	8	15	29	40
20-34	62	8.6	102	2	2	6	11	15	19	70
35-49	77	7.4	35	2	2	6	9	16	18	29
50-64	119	9.0	77	2	2	6	12	18	25	45
65+	125	10.2	104	2	2	7	13	24	30	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.2	105	<1	<1	3	7	24	29	44
20-34	47	6.1	20	1	1	5	9	12	16	16
35-49	25	5.0	13	1	1	4	6	9	11	18
50-64	97	8.4	84	1	2	6	10	16	29	49
65+	119	11.2	115	2	3	8	14	25	33	55
B. *Operated*										
0-19 YRS	24	11.7	107	2	3	8	16	21	34	49
20-34	42	16.2	128	4	5	13	23	33	36	52
35-49	49	18.5	277	3	4	15	21	39	67	80
50-64	137	17.3	205	2	3	14	23	38	49	76
65+	187	17.9	209	4	5	15	24	34	41	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	5.8	53	<1	1	4	6	13	17	38
B. *Operated*	428	8.8	81	2	2	6	11	17	25	49
2. MULTIPLE DX										
A. *Not Operated*	314	8.8	86	1	2	6	10	17	29	48
B. *Operated*	439	17.3	203	3	4	14	23	35	45	80
1. SINGLE DX	554	8.2	76	1	2	5	11	17	25	43
2. MULTIPLE DX	753	13.7	172	2	3	9	18	30	40	72
A. NOT OPERATED	440	7.9	78	1	1	5	9	17	27	45
B. OPERATED	867	13.1	160	2	2	9	17	28	37	72
TOTAL 0-19 YRS	119	7.5	87	<1	1	4	8	18	28	46
20-34	169	9.4	92	1	2	7	11	20	28	49
35-49	168	10.0	130	2	2	6	13	20	26	68
50-64	390	11.6	140	2	2	8	15	27	37	62
65+	461	13.4	162	2	3	9	17	30	37	71
GRAND TOTAL	1307	11.4	139	1	2	8	15	26	35	64

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	18	3.7	4	<1	1	4	5	6	7	8
35-49	26	3.0	3	<1	1	3	5	6	6	6
50-64	26	2.7	4	<1	<1	1	5	5	6	8
65+	16	8.6	67	2	2	5	12	22	27	29
B. *Operated*										
0-19 YRS	9	4.6	6	1	1	5	6	8	8	8
20-34	116	6.7	28	1	1	6	8	12	16	32
35-49	171	7.4	26	2	2	6	9	14	16	27
50-64	187	7.5	22	2	3	7	10	13	17	25
65+	152	8.2	54	2	2	6	11	16	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	31	5.2	16	1	1	4	7	13	13	15
35-49	40	6.7	39	2	2	5	7	14	23	30
50-64	69	8.4	83	<1	1	5	9	20	28	42
65+	82	7.9	61	1	2	5	8	17	23	44
B. *Operated*										
0-19 YRS	3	7.0	16	3	3	7	10	11	11	11
20-34	51	7.9	37	<1	1	7	10	16	22	30
35-49	90	9.8	102	1	2	7	12	19	26	62
50-64	145	12.3	91	2	3	10	16	25	29	60
65+	169	11.5	82	2	2	9	15	24	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.1	20	<1	<1	3	5	6	12	26
B. *Operated*	635	7.4	32	2	2	6	9	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	224	7.4	58	1	2	5	8	16	22	41
B. *Operated*	458	11.0	85	2	2	9	14	22	27	56
1. SINGLE DX	722	7.0	31	1	2	6	9	13	18	30
2. MULTIPLE DX	682	9.8	79	1	2	7	13	21	26	50
A. NOT OPERATED	311	6.5	49	<1	1	4	7	15	21	39
B. OPERATED	1093	8.9	57	2	2	7	11	18	24	39
TOTAL 0-19 YRS	15	5.3	9	1	2	5	7	10	11	11
20-34	216	6.5	27	1	1	6	8	13	16	31
35-49	327	7.6	49	1	2	6	9	15	20	30
50-64	427	9.0	61	1	2	7	11	19	24	44
65+	419	9.5	70	2	2	7	12	20	26	47
GRAND TOTAL	1404	8.4	56	1	2	6	10	17	23	39

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	9.0		9	9	9	9	9	9	9
50-64	6	6.8	41	3	3	4	9	18	19	19
65+	10	10.0	34	2	2	10	14	18	19	19
B. *Operated*										
0-19 YRS	12	3.9	16	1	1	2	4	11	14	14
20-34	49	3.6	9	1	1	2	5	9	11	13
35-49	100	4.0	10	1	1	3	5	8	11	15
50-64	323	3.8	17	1	1	3	4	8	14	21
65+	623	4.2	29	1	1	2	4	9	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	6	5.3	29	1	1	4	5	15	16	16
50-64	29	6.3	29	1	2	5	9	12	16	26
65+	78	9.4	79	1	2	7	12	22	28	42
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	26	4.9	29	<1	1	3	8	9	13	27
35-49	113	5.8	57	1	1	3	7	11	17	47
50-64	333	5.3	92	1	1	3	7	13	21	45
65+	924	7.7	78	1	2	5	10	16	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	8.4	35	2	2	7	13	18	19	19
B. *Operated*	1107	4.1	22	1	1	3	4	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	115	8.3	65	1	2	5	10	18	26	41
B. *Operated*	1397	7.2	79	1	2	4	9	15	22	45
1. SINGLE DX	1125	4.1	23	1	1	3	4	9	13	22
2. MULTIPLE DX	1512	7.3	78	1	2	4	9	15	22	45
A. NOT OPERATED	133	8.3	61	1	2	5	11	18	25	41
B. OPERATED	2504	5.8	56	1	1	3	7	13	17	40
TOTAL 0-19 YRS	13	4.0	15	1	1	2	5	11	13	14
20-34	78	4.0	15	1	1	2	5	9	11	23
35-49	220	5.0	35	1	1	3	6	10	15	31
50-64	691	5.1	55	1	1	3	5	10	16	34
65+	1635	6.5	62	1	2	4	8	14	20	42
GRAND TOTAL	2637	5.9	57	1	1	3	7	13	18	40

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	5.4	80	1	1	2	5	18	30	31
35-49	68	3.4	7	<1	1	3	5	7	9	12
50-64	143	5.9	42	<1	1	4	7	12	19	39
65+	119	8.9	88	1	1	5	11	25	30	43
B. *Operated*										
0-19 YRS	6	4.2	17	<1	<1	2	9	10	10	10
20-34	191	7.0	13	1	2	7	9	11	13	18
35-49	1023	7.3	13	2	2	7	9	11	13	18
50-64	1642	8.3	17	2	3	8	10	13	15	22
65+	1690	8.8	18	3	4	8	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	50	8.3	44	1	2	8	12	16	21	32
35-49	307	8.8	98	1	1	5	11	20	27	54
50-64	759	9.4	92	1	2	7	12	21	28	45
65+	936	11.4	114	2	2	8	15	23	32	53
B. *Operated*										
0-19 YRS	3	10.3	16	8	8	8	13	15	15	15
20-34	181	10.3	83	3	4	9	11	16	22	52
35-49	1130	10.2	64	3	4	9	12	17	22	48
50-64	2226	11.5	70	4	5	10	13	19	24	52
65+	3175	12.7	77	4	6	10	15	22	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	6.5	56	1	1	4	7	14	25	40
B. *Operated*	4552	8.2	17	2	3	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	2053	10.2	103	1	2	7	13	22	31	52
B. *Operated*	6715	11.8	73	4	5	10	14	20	26	50
1. SINGLE DX	4893	8.1	20	2	3	8	10	13	15	23
2. MULTIPLE DX	8768	11.4	81	2	4	9	14	21	27	50
A. NOT OPERATED	2394	9.7	98	1	2	7	12	22	30	50
B. OPERATED	11267	10.4	54	3	4	9	12	17	22	41
TOTAL 0-19 YRS	10	6.1	22	<1	<1	6	9	12	15	15
20-34	433	8.5	50	1	2	8	10	13	17	39
35-49	2528	8.7	48	2	2	8	10	15	19	40
50-64	4770	9.9	57	2	3	8	11	17	22	42
65+	5920	11.3	69	3	4	9	13	20	26	45
GRAND TOTAL	13661	10.2	61	2	3	9	12	18	23	42

33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	42	3.1	2	<1	1	3	4	5	5	5
35-49	115	3.8	4	1	2	3	4	5	9	11
50-64	163	4.2	19	1	1	3	4	6	9	28
65+	110	4.3	16	1	1	3	5	7	11	25
B. *Operated*										
0-19 YRS	5	3.0	8	1	1	2	4	8	8	8
20-34	200	5.8	31	1	2	5	8	12	14	19
35-49	227	7.1	35	2	2	5	10	14	18	33
50-64	187	6.4	31	2	2	5	9	13	16	32
65+	131	8.0	52	2	2	5	10	17	20	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	42	8.7	87	<1	1	5	13	24	29	42
35-49	100	5.7	28	1	2	4	6	11	19	28
50-64	192	7.4	78	1	1	4	9	18	24	35
65+	201	9.1	74	1	2	6	12	19	24	51
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	159	8.3	53	1	2	7	10	18	23	41
35-49	261	10.4	72	2	3	8	13	22	26	46
50-64	261	12.8	128	2	2	10	17	29	37	72
65+	308	14.2	171	2	3	10	16	31	43	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	4.0	13	1	1	3	4	6	9	22
B. *Operated*	750	6.7	36	1	2	5	9	14	17	34
2. MULTIPLE DX										
A. *Not Operated*	535	7.8	69	1	2	5	10	18	24	36
B. *Operated*	990	11.9	119	2	2	9	15	25	34	65
1. SINGLE DX	1180	5.7	29	1	2	4	7	12	15	31
2. MULTIPLE DX	1525	10.5	105	2	2	7	13	23	31	58
A. NOT OPERATED	965	6.1	48	1	1	4	6	13	21	33
B. OPERATED	1740	9.7	89	2	2	7	12	20	29	54
TOTAL 0-19 YRS	6	2.7	7	1	1	2	2	7	8	8
20-34	443	6.7	44	1	2	5	8	14	19	34
35-49	703	7.6	48	2	2	5	10	16	22	37
50-64	803	8.3	82	1	2	4	10	19	28	48
65+	750	10.3	114	2	2	7	13	21	32	60
GRAND TOTAL	**2705**	**8.4**	**77**	**1**	**2**	**5**	**10**	**18**	**25**	**47**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.0	4	1	1	4	6	6	6	6
35-49	36	3.6	2	1	2	4	5	5	6	6
50-64	154	3.9	6	1	1	4	5	6	8	16
65+	162	4.4	13	1	2	4	4	7	10	22
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	20	6.2	7	2	2	6	8	10	11	12
35-49	136	6.2	13	1	2	6	8	11	13	17
50-64	639	6.8	22	1	2	7	9	12	14	19
65+	599	7.5	23	1	2	7	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.0	9	3	3	4	6	10	10	10
35-49	24	6.5	40	2	2	4	6	19	21	25
50-64	165	6.7	66	1	2	4	7	15	22	44
65+	284	8.1	70	2	2	5	10	18	24	40
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	39	8.2	20	2	3	8	10	15	19	20
35-49	239	9.1	35	2	2	8	11	16	20	31
50-64	1021	9.6	55	2	2	8	12	17	21	37
65+	1234	11.5	84	2	3	10	14	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	4.1	8	1	2	4	5	6	9	18
B. *Operated*	1395	7.0	22	1	2	7	9	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	478	7.5	67	1	2	4	9	18	23	41
B. *Operated*	2534	10.4	68	2	2	9	13	19	24	46
1. SINGLE DX	1753	6.4	20	1	2	6	9	12	15	21
2. MULTIPLE DX	3012	10.0	69	2	2	8	12	19	24	45
A. NOT OPERATED	836	6.1	45	1	2	4	6	13	19	35
B. OPERATED	3929	9.2	54	2	2	8	11	17	21	39
TOTAL 0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	70	7.0	16	2	2	6	8	12	16	20
35-49	435	7.6	28	1	2	7	9	14	17	28
50-64	1979	8.0	44	1	2	7	10	14	18	33
65+	2279	9.5	66	2	2	8	12	19	24	44
GRAND TOTAL	**4765**	**8.7**	**54**	**1**	**2**	**8**	**11**	**16**	**21**	**37**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	2	1	1	4	4	5	5	5
20-34	17	4.4	7	2	2	3	7	8	9	9
35-49	84	2.8	23	<1	1	2	3	4	6	32
50-64	262	2.8	10	1	1	2	3	5	7	21
65+	170	3.9	26	1	1	2	4	9	13	34
B. *Operated*										
0-19 YRS	12	8.8	10	4	5	9	11	12	15	15
20-34	39	9.1	21	4	4	8	11	15	20	22
35-49	74	9.2	32	2	4	8	10	13	18	35
50-64	113	10.5	32	4	6	9	13	16	20	35
65+	84	15.0	74	2	7	14	19	26	31	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.5	15	1	2	6	10	11	12	12
20-34	36	3.6	6	1	2	3	4	6	9	13
35-49	115	3.7	22	1	1	2	5	7	9	25
50-64	506	5.1	42	1	1	3	5	11	17	34
65+	529	7.4	88	1	1	4	9	16	26	48
B. *Operated*										
0-19 YRS	11	10.7	42	4	5	8	14	22	23	23
20-34	72	11.1	39	5	5	9	13	22	25	29
35-49	171	13.2	62	6	7	11	16	21	27	39
50-64	525	16.6	140	6	7	13	20	30	39	69
65+	526	21.0	173	7	9	18	26	39	50	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	539	3.2	17	1	1	2	3	6	9	23
B. *Operated*	322	11.2	46	3	5	10	13	19	25	37
2. MULTIPLE DX										
A. *Not Operated*	1194	6.0	61	1	1	3	7	13	20	43
B. *Operated*	1305	17.6	147	6	7	14	22	33	44	70
1. SINGLE DX	861	6.2	43	1	1	4	9	14	19	35
2. MULTIPLE DX	2499	12.0	139	1	2	9	16	27	35	62
A. NOT OPERATED	1733	5.1	49	1	1	3	5	12	17	41
B. OPERATED	1627	16.3	133	5	7	13	20	30	39	69
TOTAL 0-19 YRS	37	8.0	24	2	3	7	10	14	20	23
20-34	164	8.3	34	2	2	7	10	16	22	29
35-49	444	8.1	60	1	1	7	11	17	21	39
50-64	1406	9.4	106	1	1	6	13	21	29	53
65+	1309	12.9	162	1	2	10	18	29	39	67
GRAND TOTAL	**3360**	**10.5**	**121**	**1**	**2**	**8**	**14**	**24**	**31**	**55**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.3	12	1	1	3	6	9	9	9
35-49	12	4.4	28	2	2	3	4	9	10	21
50-64	4	4.0	10	1	1	3	6	8	8	8
65+	32	8.2	137	1	2	4	7	21	31	59
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	8.0	63	<1	1	3	12	22	23	23
35-49	21	7.5	51	1	2	4	12	18	24	26
50-64	44	11.3	125	2	2	7	15	27	37	46
65+	92	11.2	108	2	2	7	16	29	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	6.1	21	1	1	6	8	12	16	16
35-49	14	9.5	76	1	2	6	17	23	25	25
50-64	35	6.7	51	1	2	4	9	13	18	38
65+	77	10.9	152	2	2	5	14	27	34	71
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	10	7.4	53	1	1	4	11	20	20	20
35-49	36	15.6	150	2	3	12	24	35	38	49
50-64	90	14.0	138	2	3	10	18	30	38	59
65+	207	17.7	265	3	3	13	23	36	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	6.6	93	1	2	4	6	15	26	58
B. *Operated*	171	10.5	102	2	2	6	15	26	30	45
2. MULTIPLE DX										
A. *Not Operated*	136	9.3	117	1	2	5	11	20	30	60
B. *Operated*	345	16.1	217	2	3	12	20	34	44	90
1. SINGLE DX	224	9.5	102	2	2	5	12	25	30	46
2. MULTIPLE DX	481	14.2	197	2	2	10	19	32	41	77
A. NOT OPERATED	189	8.6	111	1	2	4	10	20	29	58
B. OPERATED	516	14.2	186	2	3	10	20	31	41	76
TOTAL 0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	37	6.9	42	1	1	4	9	19	21	23
35-49	83	10.9	112	2	2	7	17	27	32	46
50-64	173	11.6	123	2	2	8	16	26	36	51
65+	408	14.2	212	2	2	9	19	32	42	83
GRAND TOTAL	**705**	**12.7**	**172**	**2**	**2**	**8**	**18**	**29**	**37**	**72**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	78	5.5	58	1	1	3	5	14	21	39
65+	229	6.2	52	1	1	4	7	13	20	41
B. *Operated*										
0-19 YRS	3	14.0	67	7	7	12	20	23	23	23
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	17	6.6	23	2	2	5	9	15	17	18
50-64	600	8.4	42	2	2	7	11	16	21	31
65+	1721	8.4	25	2	2	8	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	9	5.3	12	1	1	5	9	10	10	10
50-64	309	9.2	76	1	2	7	12	18	28	42
65+	1681	10.2	85	2	3	8	13	21	27	48
B. *Operated*										
0-19 YRS	5	19.0	176	7	7	13	31	37	37	37
20-34	2	8.0	50	3	3	8	13	13	13	13
35-49	15	12.6	114	2	2	8	24	25	31	33
50-64	1019	11.9	96	2	3	9	15	23	31	55
65+	4961	12.5	83	3	4	10	16	23	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	6.0	53	1	1	4	7	13	20	41
B. *Operated*	2343	8.4	32	2	2	8	11	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	2000	10.1	83	2	2	7	13	21	27	47
B. *Operated*	6002	12.4	86	3	4	10	16	23	30	51
1. SINGLE DX	2652	8.1	35	2	2	7	11	15	19	29
2. MULTIPLE DX	8002	11.8	86	2	3	9	15	23	29	50
A. NOT OPERATED	2309	9.5	81	1	2	7	12	20	27	46
B. OPERATED	8345	11.3	74	2	3	9	14	21	27	45
TOTAL 0-19 YRS	10	15.2	115	6	6	11	23	33	37	37
20-34	4	5.3	27	2	2	3	8	13	13	13
35-49	42	8.4	60	2	2	5	10	23	25	33
50-64	2006	10.2	79	2	2	8	13	20	27	46
65+	8592	11.1	75	2	3	9	14	21	27	45
GRAND TOTAL	10654	10.9	76	2	3	9	14	21	27	45

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	6	1	1	5	6	7	7	7
20-34	49	4.9	6	2	2	5	5	6	8	18
35-49	6	4.2	6	1	1	5	6	6	6	6
50-64	12	2.2	1	1	1	2	3	4	4	4
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS	17	7.2	13	2	2	8	9	11	14	16
20-34	214	6.0	17	2	2	5	8	10	15	21
35-49	64	5.0	6	2	2	5	6	8	9	13
50-64	41	7.9	34	1	2	6	12	17	20	25
65+	31	7.3	35	1	2	5	9	17	19	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.5	16	2	3	4	5	9	16	18
20-34	66	6.0	19	1	2	5	7	10	14	29
35-49	28	6.5	16	2	3	6	8	12	14	19
50-64	15	7.5	58	1	2	4	10	23	25	26
65+	8	6.5	37	2	2	5	6	17	21	21
B. *Operated*										
0-19 YRS	11	17.4	138	4	5	16	23	33	45	46
20-34	94	10.4	52	3	3	9	13	18	22	41
35-49	36	9.8	49	2	3	9	13	18	23	35
50-64	35	10.1	60	2	3	8	14	19	24	38
65+	58	13.0	142	2	4	10	15	22	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.4	6	1	1	5	5	6	7	16
B. *Operated*	367	6.2	18	2	2	5	8	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	131	6.3	23	2	2	5	7	11	17	27
B. *Operated*	234	11.2	81	2	3	9	15	21	25	48
1. SINGLE DX	441	5.9	17	1	2	5	7	11	15	21
2. MULTIPLE DX	365	9.5	66	2	3	7	12	18	23	45
A. NOT OPERATED	205	5.6	18	1	2	5	6	9	14	24
B. OPERATED	601	8.2	49	2	3	6	10	16	21	37
TOTAL 0-19 YRS	47	8.8	63	2	3	7	10	18	23	46
20-34	423	6.9	27	2	2	5	9	13	17	25
35-49	134	6.6	23	2	3	5	8	13	14	26
50-64	103	7.9	47	1	2	5	11	17	23	32
65+	99	10.5	105	2	2	8	13	20	28	60
GRAND TOTAL	806	7.5	42	2	2	5	9	15	19	34

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	16.0		16	16	16	16	16	16	16
35-49	9	2.6	4	<1	<1	2	3	6	7	7
50-64	51	4.9	36	1	1	3	7	11	14	37
65+	138	5.8	48	1	1	4	7	14	16	36
B. *Operated*										
0-19 YRS	5	3.8	11	1	1	3	6	9	9	9
20-34	38	3.7	8	1	1	3	5	8	9	12
35-49	177	4.8	17	1	2	3	5	9	14	20
50-64	1028	5.8	33	1	2	4	7	13	17	30
65+	2157	6.0	32	1	2	4	7	13	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.5	181	1	1	10	20	20	20	20
35-49	14	4.9	17	1	1	4	5	11	15	16
50-64	110	6.5	52	1	1	4	8	18	21	33
65+	494	9.2	70	1	2	7	13	20	26	40
B. *Operated*										
0-19 YRS	8	5.9	21	2	2	4	8	13	15	15
20-34	19	9.6	135	1	1	4	15	38	72	99+
35-49	112	9.5	107	2	2	6	11	22	31	58
50-64	1059	9.6	111	2	2	6	12	22	31	56
65+	3434	10.3	100	2	2	7	13	22	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	5.5	43	1	1	4	7	13	15	35
B. *Operated*	3405	5.9	31	1	2	4	7	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	620	8.6	67	1	2	6	12	19	25	40
B. *Operated*	4632	10.1	103	2	2	7	13	22	30	54
1. SINGLE DX	3605	5.8	32	1	2	4	7	13	17	29
2. MULTIPLE DX	5252	10.0	99	2	2	7	13	22	29	52
A. NOT OPERATED	820	7.8	63	1	1	5	10	18	24	39
B. OPERATED	8037	8.3	77	2	2	5	10	18	25	45
TOTAL 0-19 YRS	14	5.0	16	1	1	4	8	10	14	15
20-34	60	6.0	59	1	1	3	7	16	26	94
35-49	312	6.4	54	1	2	4	7	13	21	34
50-64	2248	7.6	74	1	2	5	9	16	25	47
65+	6223	8.6	77	2	2	6	11	19	25	43
GRAND TOTAL	8857	8.3	76	1	2	5	10	18	25	44

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	6	6.8	55	1	1	4	11	19	20	20
50-64	24	5.8	23	<1	1	4	9	15	15	15
65+	23	7.1	32	1	2	5	8	16	20	21
B. *Operated*										
0-19 YRS	11	13.1	53	1	5	12	17	23	28	28
20-34	12	9.6	39	2	2	10	11	20	22	22
35-49	76	11.1	47	1	2	10	15	20	24	33
50-64	178	12.6	46	2	3	12	17	21	23	28
65+	201	12.5	49	2	3	12	17	21	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	6.5	26	2	2	5	8	15	18	19
35-49	35	12.2	297	1	2	6	12	36	60	70
50-64	167	10.1	88	1	2	7	14	23	29	41
65+	233	11.6	86	2	3	9	15	24	31	46
B. *Operated*										
0-19 YRS	5	23.6	38	16	16	27	28	30	30	30
20-34	11	12.6	67	4	5	10	17	25	31	32
35-49	116	16.2	121	3	5	14	20	32	40	53
50-64	496	16.9	122	3	7	14	20	30	39	59
65+	673	18.1	138	4	7	15	23	33	41	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.3	28	1	1	5	9	15	18	21
B. *Operated*	478	12.3	47	2	3	11	16	21	24	31
2. MULTIPLE DX										
A. *Not Operated*	448	11.0	102	1	2	8	14	23	31	57
B. *Operated*	1301	17.4	130	4	7	15	22	32	41	58
1. SINGLE DX	534	11.6	48	2	2	11	16	21	24	30
2. MULTIPLE DX	1749	15.8	131	3	4	13	20	30	38	58
A. NOT OPERATED	504	10.5	96	1	2	8	14	22	29	56
B. OPERATED	1779	16.0	113	3	5	14	20	29	37	56
TOTAL 0-19 YRS	17	15.7	74	2	5	16	22	28	29	30
20-34	38	9.1	46	2	2	[illegible]	11	19	21	32
35-49	233	13.7	127	2	2	11	17	26	36	58
50-64	865	14.4	107	2	3	13	18	26	33	53
65+	1130	15.5	119	3	4	13	20	29	36	57
GRAND TOTAL	2283	14.8	115	2	3	13	19	27	35	56

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.0	1	1	1	2	3	4	4	4
20-34										
35-49										
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	5	12.6	415	2	2	4	16	49	49	49
B. *Operated*										
0-19 YRS	9	4.3	18	<1	<1	3	6	11	14	14
20-34	4	5.5	4	4	4	5	7	8	8	8
35-49	8	5.0	5	1	2	5	7	8	8	8
50-64	26	5.2	13	1	2	4	6	10	12	17
65+	26	4.2	6	2	2	3	4	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	3	1	1	2	4	4	4	4
20-34										
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	7	4.6	3	3	3	4	6	7	7	7
65+	9	7.6	41	2	3	6	7	17	24	24
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	5.6	35	2	2	3	7	16	18	18
50-64	16	6.1	13	2	2	5	8	12	13	13
65+	27	9.6	74	2	3	7	10	25	27	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.3	121	1	1	3	4	6	32	49
B. *Operated*	73	4.7	9	1	2	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	24	5.4	23	1	1	4	6	8	16	24
B. *Operated*	54	7.4	49	2	2	5	8	18	25	33
1. SINGLE DX	91	4.8	30	1	1	4	6	8	11	36
2. MULTIPLE DX	78	6.8	42	1	2	5	8	13	24	31
A. NOT OPERATED	42	5.4	63	1	1	4	6	7	17	49
B. OPERATED	127	5.9	28	1	2	4	7	11	17	28
TOTAL 0-19 YRS	28	2.8	7	<1	1	2	4	6	8	14
20-34	5	5.0	4	3	3	4	6	8	8	8
35-49	17	5.5	20	1	1	4	7	12	16	18
50-64	52	5.3	11	2	2	4	7	10	13	17
65+	67	7.4	69	2	2	4	8	20	25	46
GRAND TOTAL	169	5.8	36	1	2	4	7	11	17	32

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	6.3	66	1	1	4	7	12	27	34
20-34	50	7.7	207	<1	<1	4	8	13	24	97
35-49	50	8.2	64	1	2	5	10	23	26	34
50-64	88	13.5	187	2	2	9	19	36	40	94
65+	71	11.8	88	1	3	8	16	27	32	40
B. *Operated*										
0-19 YRS	50	15.3	90	7	7	13	19	28	32	53
20-34	77	13.8	93	2	6	12	16	20	32	59
35-49	96	15.8	156	4	6	13	17	25	38	75
50-64	147	18.0	157	4	7	16	21	31	45	93
65+	77	21.8	246	4	8	17	27	50	61	93
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	4.6	21	1	1	3	6	9	15	24
20-34	60	8.6	64	1	2	6	10	19	23	45
35-49	88	11.5	133	3	3	7	13	29	34	59
50-64	195	11.7	128	2	3	8	15	26	39	68
65+	131	15.6	187	3	3	12	20	38	47	72
B. *Operated*										
0-19 YRS	44	24.4	315	5	8	20	29	44	60	97
20-34	59	22.9	283	5	9	19	28	46	56	91
35-49	63	23.9	365	8	9	17	29	59	77	98
50-64	147	27.4	436	6	8	20	36	64	81	99+
65+	136	30.4	414	8	11	24	43	66	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	10.7	141	1	2	7	13	25	35	75
B. *Operated*	447	17.1	159	4	7	14	20	31	45	75
2. MULTIPLE DX										
A. *Not Operated*	512	11.8	136	2	3	8	15	27	39	65
B. *Operated*	449	26.9	392	6	9	21	34	59	74	99+
1. SINGLE DX	722	14.7	162	2	3	12	18	29	39	76
2. MULTIPLE DX	961	18.9	313	2	4	14	25	46	62	92
A. NOT OPERATED	787	11.4	138	1	2	7	15	26	37	65
B. OPERATED	896	22.1	299	5	8	17	27	49	65	95
TOTAL 0-19 YRS	148	14.3	197	1	2	11	19	30	38	74
20-34	246	13.5	186	1	2	10	16	27	39	70
35-49	297	15.0	205	2	3	11	18	31	41	79
50-64	577	17.6	261	3	4	13	21	40	58	91
65+	415	21.0	306	3	5	16	27	49	62	99
GRAND TOTAL	1683	17.1	252	2	3	13	22	38	55	87

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	5.0		5	5	5	5	5	5	5
35-49	4	13.5	138	3	3	10	21	30	30	30
50-64	3	12.0	79	5	5	9	19	22	22	22
65+	6	10.5	127	2	2	4	20	28	29	29
B. *Operated*										
0-19 YRS	4	11.5	140	3	3	7	18	29	29	29
20-34	6	14.2	82	3	4	11	20	28	29	29
35-49	8	17.5	11	14	14	16	20	23	23	23
50-64	10	22.6	580	3	4	12	27	65	77	77
65+	5	37.0	750	9	9	26	52	81	81	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	6	1	1	2	3	7	7	7
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	4	22.0	534	7	7	12	36	56	56	56
50-64	13	12.6	225	1	2	4	22	33	48	51
65+	6	15.2	81	6	6	13	25	27	27	27
B. *Operated*										
0-19 YRS	6	16.8	151	5	5	14	21	36	38	38
20-34	6	24.3	437	7	8	18	55	93	99+	99+
35-49	9	21.3	145	2	5	17	30	37	40	40
50-64	12	21.0	166	4	6	16	31	39	46	47
65+	14	23.4	288	6	10	19	30	64	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	11.6	92	2	3	8	19	29	30	30
B. *Operated*	33	20.7	349	3	5	16	26	45	73	81
2. MULTIPLE DX										
A. *Not Operated*	31	11.7	198	1	1	6	16	28	50	56
B. *Operated*	47	21.7	215	5	7	17	31	52	66	99+
1. SINGLE DX	48	17.8	283	3	3	13	23	30	55	81
2. MULTIPLE DX	78	17.7	230	1	2	15	27	43	60	99+
A. NOT OPERATED	46	11.7	161	1	1	6	17	28	34	56
B. OPERATED	80	21.3	267	4	6	17	29	49	69	99+
TOTAL 0-19 YRS	16	11.0	119	1	1	7	18	28	35	38
20-34	16	15.1	249	1	2	12	22	57	87	99+
35-49	25	19.0	145	3	7	16	24	33	44	56
50-64	38	17.8	290	2	3	12	27	43	52	77
65+	31	21.5	333	3	5	18	27	58	79	99+
GRAND TOTAL	126	17.7	248	2	3	15	25	39	57	99+

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	11	1	1	3	5	10	12	12
20-34	28	2.7	1	1	1	2	4	4	5	5
35-49	26	2.7	2	1	1	3	3	5	6	6
50-64	10	3.6	8	2	2	3	4	8	11	11
65+	20	8.6	156	1	2	4	8	21	41	54
B. *Operated*										
0-19 YRS	26	8.9	82	3	3	5	12	20	34	38
20-34	124	6.1	19	3	3	5	7	10	15	27
35-49	106	5.9	18	2	2	5	6	10	14	24
50-64	68	6.4	13	3	3	5	8	11	15	18
65+	33	6.3	13	3	3	5	7	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.5	16	<1	1	5	8	13	13	13
20-34	26	6.1	63	1	1	3	7	16	28	34
35-49	20	3.4	2	1	2	3	4	6	6	7
50-64	31	7.3	64	1	2	4	10	17	24	37
65+	56	10.5	103	1	2	8	15	20	30	98
B. *Operated*										
0-19 YRS	18	14.1	357	2	3	7	20	63	91	99+
20-34	102	7.1	27	2	3	5	8	13	17	31
35-49	120	8.5	47	3	4	6	10	16	23	39
50-64	108	11.6	110	3	4	7	15	25	33	57
65+	111	13.2	164	3	4	8	16	29	34	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.2	39	1	1	3	4	7	12	42
B. *Operated*	357	6.3	22	3	3	5	7	11	16	27
2. MULTIPLE DX										
A. *Not Operated*	148	7.6	71	1	2	4	10	17	24	65
B. *Operated*	459	10.3	103	3	4	7	12	22	30	60
1. SINGLE DX	454	5.9	26	2	2	4	6	11	15	29
2. MULTIPLE DX	607	9.6	96	2	3	6	12	20	29	60
A. NOT OPERATED	245	6.3	61	1	1	3	7	18	20	54
B. OPERATED	816	8.5	71	3	3	6	10	17	25	47
TOTAL 0-19 YRS	72	8.7	133	1	2	5	9	20	35	96
20-34	280	6.1	26	2	2	5	7	11	16	30
35-49	272	6.6	32	2	2	5	7	12	18	28
50-64	217	9.0	75	2	3	6	11	19	25	44
65+	220	11.1	130	2	3	7	14	24	32	70
GRAND TOTAL	1061	8.0	70	2	2	5	9	17	24	50

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	6	2	2	5	6	8	9	9
20-34	18	7.0	26	1	1	6	11	13	17	19
35-49	58	7.1	39	1	1	5	10	18	21	28
50-64	260	7.7	85	1	1	5	9	16	23	50
65+	314	8.6	83	1	2	6	11	19	29	45
B. *Operated*										
0-19 YRS	10	5.9	11	1	2	5	9	11	12	12
20-34	48	7.5	45	1	2	5	10	15	16	40
35-49	108	8.7	83	1	1	6	12	18	29	47
50-64	296	10.0	90	2	2	7	13	21	27	44
65+	382	10.0	109	1	2	7	14	22	30	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.6	20	2	2	5	8	11	17	23
20-34	240	7.4	45	1	2	5	9	17	19	34
35-49	1077	8.4	71	1	2	5	11	18	25	45
50-64	3626	9.7	83	2	2	7	12	21	28	45
65+	5057	11.1	93	2	3	8	14	23	30	46
B. *Operated*										
0-19 YRS	29	12.7	182	2	3	8	17	27	30	70
20-34	277	11.7	98	2	3	10	15	23	31	81
35-49	974	14.6	162	2	3	11	19	31	41	74
50-64	3166	15.4	165	2	3	12	21	31	41	66
65+	3987	16.5	175	2	4	13	22	34	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	657	8.0	78	1	1	5	10	18	24	44
B. *Operated*	844	9.7	95	1	2	7	13	21	28	49
2. MULTIPLE DX										
A. *Not Operated*	10042	10.2	86	2	2	7	13	22	29	45
B. *Operated*	8433	15.7	168	2	4	12	21	32	42	66
1. SINGLE DX	1501	9.0	88	1	2	6	12	19	27	48
2. MULTIPLE DX	18475	12.7	131	2	3	9	17	27	35	58
A. NOT OPERATED	10699	10.0	86	2	2	7	13	22	28	45
B. OPERATED	9277	15.1	165	2	3	12	20	31	41	65
TOTAL 0-19 YRS	88	8.4	79	2	2	6	9	18	23	54
20-34	583	9.4	74	2	2	7	12	18	26	47
35-49	2217	11.1	120	2	2	8	14	24	34	58
50-64	7348	12.1	127	2	2	9	16	26	35	58
65+	9740	13.2	135	2	3	10	17	28	36	57
GRAND TOTAL	19976	12.4	129	2	3	9	16	27	35	57

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.4	12	<1	<1	1	6	9	10	14
20-34	104	3.4	14	1	1	2	4	7	12	20
35-49	48	4.6	23	1	1	4	6	9	11	30
50-64	17	7.0	137	<1	1	4	8	11	37	81
65+	26	11.0	134	2	2	7	16	24	32	84
B. *Operated*										
0-19 YRS	120	7.7	30	2	2	7	10	16	17	26
20-34	319	8.6	40	2	2	7	11	18	23	29
35-49	103	10.0	51	2	3	8	14	20	25	31
50-64	78	12.2	108	2	2	9	19	26	33	48
65+	50	11.6	195	2	3	9	14	19	26	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.2	12	1	1	4	6	10	11	14
20-34	128	5.0	50	1	1	3	6	10	15	38
35-49	54	6.1	50	1	1	4	7	13	20	39
50-64	57	5.8	25	1	1	4	7	13	16	26
65+	88	10.9	109	1	1	8	15	23	33	51
B. *Operated*										
0-19 YRS	38	11.5	46	2	2	11	16	21	24	26
20-34	183	13.1	111	2	4	11	17	25	31	76
35-49	80	12.6	82	2	3	10	18	25	32	40
50-64	93	15.0	115	4	5	12	19	30	37	56
65+	94	17.7	100	4	5	17	23	32	36	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	4.8	43	1	1	3	5	10	14	34
B. *Operated*	670	9.3	61	2	2	7	12	19	24	32
2. MULTIPLE DX										
A. *Not Operated*	372	6.5	61	1	1	4	8	15	21	40
B. *Operated*	488	14.1	103	3	4	12	19	27	32	49
1. SINGLE DX	899	8.1	60	1	1	6	10	18	23	32
2. MULTIPLE DX	860	10.8	99	1	1	8	15	23	31	47
A. NOT OPERATED	601	5.9	55	1	1	4	7	13	18	39
B. OPERATED	1158	11.3	84	2	3	9	15	23	29	44
TOTAL 0-19 YRS	237	7.0	33	1	1	6	10	16	17	26
20-34	734	8.3	67	1	1	6	11	18	24	35
35-49	285	9.0	63	1	1	7	12	20	26	38
50-64	245	11.4	106	1	2	8	16	25	32	50
65+	258	13.5	134	2	3	10	18	28	34	53
GRAND TOTAL	1759	9.5	81	1	1	7	13	21	27	42

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	49	6.2	59	1	1	4	6	14	23	43
20-34	35	6.0	17	<1	1	6	7	11	14	21
35-49	8	4.3	13	1	1	3	7	9	10	10
50-64	43	6.5	86	<1	<1	3	7	18	28	46
65+	78	7.9	68	1	2	5	12	17	20	50
B. Operated										
0-19 YRS	49	13.0	121	1	2	9	18	28	41	44
20-34	26	17.7	166	3	4	15	29	35	38	48
35-49	11	10.1	93	1	2	6	16	23	33	34
50-64	41	8.1	58	2	3	7	8	16	27	38
65+	50	7.0	39	2	2	5	9	14	18	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	56	8.4	49	1	1	7	12	16	24	32
20-34	25	8.4	124	<1	1	5	9	26	34	50
35-49	22	8.8	80	1	1	5	12	22	29	37
50-64	130	7.9	90	1	2	6	10	16	22	37
65+	448	9.1	51	1	2	7	13	17	22	38
B. Operated										
0-19 YRS	45	18.2	307	1	2	15	24	39	71	99+
20-34	18	27.4	304	4	6	28	40	57	82	99+
35-49	21	19.3	274	3	3	13	34	45	51	51
50-64	117	11.2	97	2	3	8	14	23	32	53
65+	313	13.6	135	3	4	10	17	28	38	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	219	6.8	60	<1	1	4	8	15	21	44
B. Operated	177	10.6	100	2	2	7	14	26	35	43
2. MULTIPLE DX										
A. Not Operated	681	8.8	54	1	2	7	12	17	23	37
B. Operated	514	14.2	162	2	3	10	18	32	40	73
1. SINGLE DX	396	8.5	81	1	1	6	11	21	29	44
2. MULTIPLE DX	1195	11.1	107	1	2	8	14	24	33	55
A. NOT OPERATED	900	8.3	56	1	1	6	11	17	23	38
B. OPERATED	691	13.3	148	2	3	9	17	30	39	62
TOTAL 0-19 YRS	199	11.2	148	1	1	7	15	26	36	75
20-34	104	13.2	188	1	2	7	20	36	46	78
35-49	62	12.0	165	1	2	7	15	35	41	51
50-64	337	8.9	75	1	2	6	10	19	29	39
65+	889	10.4	86	2	2	8	14	21	28	51
GRAND TOTAL	1591	10.4	102	1	2	7	14	23	32	52

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	41	4.8	23	<1	1	5	6	7	9	31
20-34	59	5.5	25	<1	<1	4	8	11	13	26
35-49	36	8.7	101	<1	1	6	11	24	32	42
50-64	63	7.5	96	1	1	4	7	27	30	46
65+	99	6.2	33	<1	1	5	9	14	18	29
B. Operated										
0-19 YRS	27	15.1	216	1	2	9	21	36	43	60
20-34	57	19.4	337	2	3	11	29	51	62	64
35-49	51	21.4	337	2	4	20	31	46	56	77
50-64	74	17.6	301	2	2	9	28	45	54	71
65+	78	13.1	156	2	3	9	14	32	42	58
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	53	5.1	18	<1	1	4	7	12	15	19
20-34	54	7.2	59	<1	<1	6	8	15	18	44
35-49	97	7.4	64	<1	1	5	9	17	24	39
50-64	186	6.5	51	1	1	4	8	15	21	33
65+	392	8.5	84	1	1	5	11	18	26	49
B. Operated										
0-19 YRS	32	22.8	325	1	2	21	34	47	59	68
20-34	86	24.6	413	2	4	18	38	59	76	99+
35-49	90	26.0	446	4	6	22	42	58	75	95
50-64	184	24.7	532	3	4	15	36	63	73	97
65+	308	18.2	258	3	4	14	24	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	298	6.5	52	<1	1	5	8	14	22	38
B. Operated	287	17.2	273	2	3	10	28	40	53	70
2. MULTIPLE DX										
A. Not Operated	782	7.6	68	1	1	5	10	17	24	39
B. Operated	700	21.9	385	3	4	15	31	54	71	99+
1. SINGLE DX	585	11.7	189	1	1	6	13	31	41	63
2. MULTIPLE DX	1482	14.3	269	1	2	8	19	37	54	86
A. NOT OPERATED	1080	7.3	64	1	1	5	9	16	23	37
B. OPERATED	987	20.5	357	2	4	13	30	49	64	99
TOTAL 0-19 YRS	153	10.5	170	<1	1	5	12	30	39	60
20-34	256	15.4	299	<1	1	8	21	43	59	89
35-49	274	16.3	314	1	1	8	25	43	54	81
50-64	507	14.9	335	1	1	7	20	40	58	84
65+	877	12.1	168	1	2	8	16	29	41	81
GRAND TOTAL	2067	13.6	248	1	1	8	17	35	49	82

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.1	9	<1	1	4	6	8	10	14
20-34	74	4.6	30	1	1	2	5	10	12	33
35-49	98	6.4	35	1	1	5	8	15	21	26
50-64	279	5.4	30	1	1	4	7	12	16	35
65+	349	8.6	93	1	1	5	10	20	29	49
B. *Operated*										
0-19 YRS	38	9.7	80	1	2	6	12	23	31	36
20-34	79	9.0	87	1	2	6	11	19	34	45
35-49	203	9.4	72	2	2	8	12	18	23	52
50-64	484	10.4	103	2	2	8	13	20	29	48
65+	562	10.6	88	2	3	8	13	23	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	7.0	94	1	1	5	8	11	26	49
20-34	67	6.4	76	1	1	4	6	15	25	50
35-49	196	9.0	120	1	2	5	10	20	35	54
50-64	583	8.7	69	1	2	6	11	18	26	41
65+	1268	10.4	99	1	2	8	14	22	29	52
B. *Operated*										
0-19 YRS	18	15.8	181	2	3	12	22	39	46	48
20-34	71	15.4	228	2	2	10	21	33	46	82
35-49	205	14.3	167	2	3	11	19	31	39	88
50-64	740	16.1	222	2	3	12	20	34	50	81
65+	1389	17.5	207	3	4	13	23	36	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	6.8	59	1	1	4	8	16	22	38
B. *Operated*	1366	10.2	91	2	2	8	13	21	29	49
2. MULTIPLE DX										
A. *Not Operated*	2137	9.6	93	1	2	7	12	21	29	50
B. *Operated*	2423	16.7	209	3	4	12	22	35	48	79
1. SINGLE DX	2191	8.9	82	1	2	6	11	19	26	47
2. MULTIPLE DX	4560	13.4	167	2	2	10	17	29	39	66
A. NOT OPERATED	2962	8.8	85	1	1	6	11	20	27	49
B. OPERATED	3789	14.4	176	2	3	11	18	30	41	71
TOTAL 0-19 YRS	104	8.8	96	1	2	5	11	20	32	48
20-34	291	8.8	120	1	2	5	10	21	32	51
35-49	702	10.3	115	1	2	7	13	23	31	62
50-64	2086	11.3	141	1	2	8	14	24	34	63
65+	3568	13.0	152	2	2	9	17	28	38	62
GRAND TOTAL	6751	11.9	144	1	2	8	15	27	36	62

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	99th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	81	2.9	4	1	1	2	4	5	7	10
20-34	212	3.4	4	1	2	3	4	5	7	12
35-49	227	3.6	6	1	2	3	4	5	7	15
50-64	303	3.8	7	1	2	3	5	6	7	11
65+	186	4.4	6	2	2	4	5	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	3	6.7	80	<1	<1	2	13	17	17	17
B. *Operated*										
0-19 YRS	14	3.5	6	<1	1	3	5	6	9	10
20-34	47	4.5	8	2	2	4	5	7	10	15
35-49	90	4.4	10	1	2	4	5	8	11	18
50-64	161	5.4	18	2	2	4	6	10	13	24
65+	168	6.3	18	2	2	5	8	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.0	8	1	1	2	4	8	8	8
B. *Operated*	1009	3.7	6	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	8	4.4	28	<1	<1	3	4	13	17	17
B. *Operated*	480	5.4	16	2	2	4	6	10	13	22
1. SINGLE DX	1015	3.7	6	1	2	3	4	6	7	12
2. MULTIPLE DX	488	5.4	16	2	2	4	6	10	13	22
A. NOT OPERATED	14	3.8	18	<1	1	2	4	9	15	17
B. OPERATED	1489	4.2	10	1	2	4	5	7	10	17
TOTAL 0-19 YRS	99	2.9	4	1	1	2	4	5	7	11
20-34	260	3.6	5	1	2	3	4	6	8	15
35-49	318	3.8	7	1	2	3	4	6	8	16
50-64	467	4.3	11	2	2	4	5	7	10	18
65+	359	5.3	13	2	2	4	6	10	12	18
GRAND TOTAL	1503	4.2	10	1	2	4	5	7	10	17

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	3	<1	1	3	4	6	8	10
20-34	16	2.2	2	<1	1	2	3	4	5	5
35-49	42	3.4	13	1	1	2	4	7	10	21
50-64	71	3.0	12	1	1	2	4	5	10	22
65+	82	3.8	13	1	1	3	4	9	12	17
B. *Operated*										
0-19 YRS	62	3.8	9	1	1	3	6	8	10	13
20-34	93	5.5	25	1	1	4	8	11	16	25
35-49	216	4.2	16	1	1	2	6	10	12	17
50-64	592	4.3	27	1	1	2	5	10	13	22
65+	583	4.8	28	1	1	3	6	12	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.1	4	1	1	3	4	6	7	8
20-34	26	5.7	11	1	2	5	7	11	12	14
35-49	59	5.0	14	1	1	4	6	10	15	17
50-64	161	5.1	21	1	1	4	6	11	13	26
65+	274	5.7	26	1	1	4	7	11	15	28
B. *Operated*										
0-19 YRS	50	5.3	22	1	2	3	7	13	16	20
20-34	102	8.8	73	1	2	7	11	16	22	52
35-49	309	7.4	60	1	2	6	10	16	19	32
50-64	1028	7.7	48	1	1	5	11	16	21	32
65+	1487	9.2	76	1	2	7	12	20	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.3	11	1	1	2	4	6	10	19
B. *Operated*	1546	4.5	25	1	1	2	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	537	5.4	22	1	1	4	7	11	14	25
B. *Operated*	2976	8.4	64	1	2	6	11	18	23	38
1. SINGLE DX	1779	4.4	23	1	1	2	5	10	13	24
2. MULTIPLE DX	3513	8.0	59	1	2	6	11	17	22	37
A. NOT OPERATED	770	4.7	19	1	1	3	6	10	13	22
B. OPERATED	4522	7.1	54	1	1	4	10	16	21	34
TOTAL 0-19 YRS	151	4.1	12	1	1	3	6	9	12	17
20-34	237	6.7	46	1	1	5	9	13	20	33
35-49	626	5.8	40	1	1	4	8	12	17	26
50-64	1852	6.2	40	1	1	4	9	14	19	27
65+	2426	7.6	61	1	1	5	10	17	23	38
GRAND TOTAL	**5292**	**6.8**	**50**	**1**	**1**	**4**	**9**	**15**	**20**	**33**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.7	1	1	1	1	2	3	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64	4	5.5	4	3	3	5	7	8	8	8
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	71	2.5	7	<1	1	2	2	7	9	12
20-34	85	3.8	14	1	1	2	4	10	12	16
35-49	89	4.2	13	1	1	2	6	10	12	14
50-64	92	6.0	32	1	2	3	9	15	17	26
65+	78	3.6	16	1	1	2	4	7	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	<1	<1	2	4	5	5	5
20-34										
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	10	4.8	14	1	1	4	6	10	14	14
65+	5	5.8	12	2	2	5	8	11	11	11
B. *Operated*										
0-19 YRS	26	3.7	14	1	1	2	3	10	14	15
20-34	21	3.6	11	<1	1	2	4	10	11	12
35-49	40	5.4	24	1	2	3	7	14	16	21
50-64	74	10.2	75	2	2	8	16	20	26	37
65+	76	10.7	66	2	2	8	16	25	26	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	2.8	4	<1	1	2	4	6	7	8
B. *Operated*	415	4.1	18	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	21	4.6	10	1	1	4	6	9	12	14
B. *Operated*	237	8.3	59	1	2	5	13	19	25	33
1. SINGLE DX	436	4.1	17	1	1	2	5	10	13	18
2. MULTIPLE DX	258	8.0	56	1	2	5	13	18	24	33
A. NOT OPERATED	42	3.7	8	<1	1	3	5	7	9	14
B. OPERATED	652	5.6	37	1	1	3	8	15	18	26
TOTAL 0-19 YRS	110	2.8	8	<1	1	2	3	7	9	14
20-34	108	3.7	13	1	1	2	4	10	12	16
35-49	134	4.5	16	1	1	3	6	10	13	18
50-64	180	7.7	52	1	2	5	12	17	20	35
65+	162	7.0	51	1	1	4	10	18	25	27
GRAND TOTAL	**694**	**5.5**	**35**	**1**	**1**	**3**	**8**	**14**	**18**	**26**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	13	2.7	3	<1	1	2	4	5	6	6
20-34	28	2.8	5	<1	<1	2	4	7	8	9
35-49	22	2.1	3	<1	<1	1	3	4	6	8
50-64	27	3.4	11	<1	1	3	4	5	9	18
65+	20	3.6	11	<1	<1	2	6	8	10	12
B. Operated										
0-19 YRS	939	3.1	4	1	1	3	4	5	6	12
20-34	1104	3.1	6	1	1	3	4	5	7	13
35-49	1084	3.1	7	1	1	2	3	6	8	14
50-64	977	3.4	13	1	1	2	4	6	9	17
65+	425	3.8	13	1	2	3	4	7	9	19
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	16	1.8	2	<1	1	1	2	3	5	7
20-34	19	4.3	6	1	1	4	7	8	8	8
35-49	19	5.6	20	<1	<1	4	9	11	14	17
50-64	39	5.2	15	1	1	4	7	11	13	15
65+	52	6.8	25	1	2	5	7	15	15	22
B. Operated										
0-19 YRS	176	4.0	15	1	1	3	5	8	10	32
20-34	429	4.2	12	1	2	3	5	8	10	21
35-49	672	5.3	31	1	2	4	6	11	17	26
50-64	885	5.6	34	1	2	4	6	12	16	32
65+	512	6.5	39	2	2	4	8	14	20	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	110	2.9	7	<1	<1	2	4	6	8	14
B. Operated	4529	3.2	8	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. Not Operated	145	5.3	19	1	1	4	7	11	15	21
B. Operated	2674	5.4	30	1	2	4	6	11	16	29
1. SINGLE DX	4639	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	2819	5.4	30	1	2	4	6	11	16	28
A. NOT OPERATED	255	4.3	15	<1	<1	3	6	9	12	18
B. OPERATED	7203	4.0	17	1	1	3	4	8	11	23
TOTAL 0-19 YRS	1144	3.2	6	1	1	3	4	5	7	14
20-34	1580	3.4	8	1	1	3	4	6	8	16
35-49	1797	4.0	17	1	1	3	4	8	11	22
50-64	1928	4.5	24	1	2	3	5	9	13	28
65+	1009	5.3	29	1	2	4	6	11	15	28
GRAND TOTAL	7458	4.1	17	1	1	3	4	8	11	22

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	19	3.4	13	<1	<1	2	5	7	12	16
20-34	14	3.0	6	<1	<1	2	4	7	8	8
35-49	6	3.3	7	<1	<1	2	5	8	8	8
50-64	9	5.2	20	1	1	5	7	12	14	14
65+	3	6.0	37	2	2	3	10	13	13	13
B. Operated										
0-19 YRS	808	2.4	5	<1	1	2	3	4	6	11
20-34	338	3.3	9	1	1	2	4	7	9	12
35-49	249	3.3	8	1	1	2	4	7	10	15
50-64	240	3.4	6	1	1	2	4	6	8	14
65+	124	5.1	47	1	1	3	5	11	21	36
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	33	3.2	6	<1	1	2	4	6	8	11
20-34	10	3.0	10	<1	<1	2	3	8	11	11
35-49	13	3.8	7	<1	1	3	5	8	10	10
50-64	24	6.3	35	1	2	5	7	11	20	29
65+	22	8.9	66	1	2	8	10	16	30	37
B. Operated										
0-19 YRS	197	3.8	26	1	1	2	4	7	12	30
20-34	194	4.3	38	<1	1	3	5	8	12	30
35-49	238	5.6	45	1	1	3	7	13	20	32
50-64	277	6.0	45	1	1	4	7	13	20	34
65+	237	7.9	75	1	2	4	10	18	27	46
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	51	3.8	13	<1	<1	3	5	8	13	16
B. Operated	1759	3.0	10	<1	1	2	3	6	8	15
2. MULTIPLE DX										
A. Not Operated	102	5.2	31	<1	1	4	7	10	11	33
B. Operated	1143	5.6	49	1	1	3	7	12	19	36
1. SINGLE DX	1810	3.0	10	<1	1	2	3	6	8	15
2. MULTIPLE DX	1245	5.6	47	1	1	3	7	12	19	36
A. NOT OPERATED	153	4.7	25	<1	1	3	6	10	11	29
B. OPERATED	2902	4.1	27	1	1	2	4	9	12	28
TOTAL 0-19 YRS	1057	2.7	9	<1	1	2	3	5	7	18
20-34	556	3.6	19	<1	1	2	4	7	9	21
35-49	506	4.4	27	1	1	2	5	9	14	25
50-64	550	4.9	29	1	1	3	6	10	14	29
65+	386	7.1	67	1	1	4	9	17	25	39
GRAND TOTAL	3055	4.1	27	1	1	2	4	9	12	28

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	6	2.2	2	<1	<1	2	2	5	5	5
35-49	5	3.8	14	1	1	3	5	10	10	10
50-64	5	2.0	1	1	1	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	330	2.0	1	<1	1	2	2	3	3	6
20-34	778	2.0	1	<1	1	2	2	3	4	5
35-49	517	2.6	26	<1	1	2	2	3	4	10
50-64	212	2.5	1	1	2	2	3	4	4	7
65+	132	2.6	2	1	2	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.6	7	<1	<1	4	5	7	7	7
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	6	6.8	35	2	2	5	8	17	18	18
65+	2	6.0	32	2	2	6	10	10	10	10
B. *Operated*										
0-19 YRS	53	3.1	6	1	1	2	3	5	8	15
20-34	263	3.0	6	1	1	2	3	5	8	13
35-49	357	3.4	9	1	1	2	4	6	9	18
50-64	234	4.2	21	1	2	3	4	8	11	25
65+	173	4.8	16	2	2	3	6	10	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.5	4	<1	1	2	3	5	8	10
B. *Operated*	1969	2.3	8	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	18	4.5	18	<1	1	3	6	9	15	18
B. *Operated*	1080	3.7	12	1	2	2	4	8	10	19
1. SINGLE DX	1988	2.3	8	<1	1	2	2	3	4	7
2. MULTIPLE DX	1098	3.7	12	1	2	2	4	8	10	19
A. NOT OPERATED	37	3.5	12	<1	1	2	4	8	10	18
B. OPERATED	3049	2.8	10	<1	1	2	3	4	7	14
TOTAL 0-19 YRS	386	2.2	2	<1	1	2	2	3	4	8
20-34	1052	2.3	2	<1	1	2	2	3	5	9
35-49	883	2.9	19	1	1	2	3	5	7	17
50-64	457	3.4	12	1	2	2	3	6	9	20
65+	308	3.9	11	1	2	3	4	8	10	19
GRAND TOTAL	3086	2.8	10	<1	1	2	3	4	7	14

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	36	2.4	1	<1	1	2	3	4	5	5
35-49	49	3.4	6	1	1	3	5	7	8	9
50-64	7	5.6	15	2	2	6	7	12	13	13
65+	4	4.3	4	3	3	4	5	7	7	7
B. *Operated*										
0-19 YRS	6	7.5	42	2	2	6	9	18	19	19
20-34	678	6.2	8	1	2	6	8	9	10	14
35-49	1935	6.5	9	1	2	7	8	9	10	15
50-64	371	6.4	10	1	2	7	8	10	11	15
65+	29	8.1	17	2	2	8	12	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	89	3.4	7	<1	1	3	5	7	9	11
35-49	180	4.5	16	1	1	4	6	9	11	22
50-64	41	4.0	12	1	1	3	5	9	13	15
65+	21	6.9	34	1	2	5	8	13	20	27
B. *Operated*										
0-19 YRS	8	6.9	30	<1	1	6	8	16	19	19
20-34	2148	6.7	11	2	2	7	8	10	12	17
35-49	9041	7.6	12	2	4	7	9	11	13	21
50-64	2085	8.0	19	2	3	8	9	12	15	23
65+	258	11.2	45	2	6	9	14	20	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	3.2	5	<1	1	3	4	7	8	11
B. *Operated*	3019	6.4	9	1	2	7	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	333	4.3	15	1	1	3	6	9	11	21
B. *Operated*	13540	7.6	14	2	3	7	9	11	14	21
1. SINGLE DX	3115	6.3	10	1	2	7	8	9	10	15
2. MULTIPLE DX	13873	7.5	15	2	3	7	9	11	14	21
A. NOT OPERATED	429	4.0	13	1	1	3	5	8	10	17
B. OPERATED	16559	7.4	14	2	2	7	9	11	13	20
TOTAL 0-19 YRS	16	6.4	32	<1	1	5	8	18	19	19
20-34	2951	6.4	11	1	2	7	8	10	11	17
35-49	11205	7.3	12	2	3	7	8	11	13	20
50-64	2504	7.7	18	2	2	7	9	12	14	22
65+	312	10.6	43	2	4	9	13	19	22	32
GRAND TOTAL	16988	7.3	14	2	2	7	9	11	13	20

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	28	5.0	28	1	1	4	6	7	12	29
35-49	43	5.0	10	1	1	4	7	9	11	12
50-64	9	2.6	2	<1	1	2	3	5	5	5
65+	11	2.5	4	1	1	2	3	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	2	7.0	2	6	6	7	8	8	8	8
65+										
B. *Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	70	6.0	12	2	2	6	7	10	13	18
35-49	153	7.3	30	2	2	7	8	11	17	25
50-64	70	7.1	24	2	2	7	9	11	14	29
65+	23	7.1	24	2	2	8	10	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	93	4.4	15	1	1	3	6	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	8	3.8	6	1	1	3	5	7	8	8
B. *Operated*	319	6.9	24	2	2	7	8	11	15	25
1. SINGLE DX	93	4.4	15	1	1	3	6	8	10	22
2. MULTIPLE DX	327	6.9	24	2	2	7	8	11	14	25
A. NOT OPERATED	8	3.8	6	1	1	3	5	7	8	8
B. OPERATED	412	6.4	23	1	2	6	8	10	14	25
TOTAL 0-19 YRS	6	2.2	2	1	1	2	2	5	5	5
20-34	99	5.7	16	1	2	5	7	9	12	24
35-49	200	6.8	26	1	2	6	8	11	14	24
50-64	81	6.6	23	1	2	7	8	10	13	29
65+	34	5.6	22	1	2	3	9	12	15	19
GRAND TOTAL	420	6.3	23	1	2	6	8	10	13	25

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.8	9	<1	<1	3	5	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	153	6.0	3	4	4	6	7	8	9	12
20-34	599	5.9	3	4	4	6	7	8	9	12
35-49	168	6.8	6	4	4	6	8	9	11	15
50-64	106	7.6	7	5	5	7	9	11	13	18
65+	80	9.2	10	5	6	9	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	5.0	13	1	1	5	8	9	9	9
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+	2	8.0	18	5	5	8	11	11	11	11
B. *Operated*										
0-19 YRS	130	6.6	6	4	4	6	7	9	10	17
20-34	610	6.7	6	4	5	6	7	9	11	17
35-49	416	8.2	13	5	5	7	9	12	18	23
50-64	286	9.7	23	5	6	8	11	15	18	26
65+	222	13.1	50	6	7	11	16	21	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.6	5	<1	1	3	4	7	9	9
B. *Operated*	1106	6.5	5	4	4	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	8	5.1	13	1	1	4	8	10	11	11
B. *Operated*	1664	8.4	21	4	5	7	9	14	17	25
1. SINGLE DX	1116	6.5	5	4	4	6	7	9	10	15
2. MULTIPLE DX	1672	8.4	21	4	5	7	9	14	17	25
A. NOT OPERATED	18	4.3	9	<1	1	4	5	9	10	11
B. OPERATED	2770	7.7	16	4	5	7	8	12	15	23
TOTAL 0-19 YRS	283	6.3	4	4	4	6	7	9	10	12
20-34	1219	6.3	5	4	4	6	7	9	10	15
35-49	587	7.7	11	4	5	7	9	11	13	21
50-64	393	9.2	19	5	6	8	10	14	17	25
65+	306	12.0	42	6	6	10	15	19	23	38
GRAND TOTAL	2788	7.6	16	4	5	7	8	12	15	23

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	25	3.2	6	<1	1	2	6	7	8	8
35-49	25	2.3	3	<1	1	2	3	5	6	7
50-64	18	3.0	4	<1	1	2	4	7	8	8
65+	8	4.1	6	2	2	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	8	3.6	3	2	2	3	4	6	7	7
20-34	43	5.1	11	1	2	5	7	9	11	16
35-49	37	5.2	9	1	2	5	7	9	10	14
50-64	19	6.1	21	1	2	4	8	13	16	18
65+	23	8.3	44	2	2	6	11	17	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	79	3.0	5	<1	1	2	4	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	4	2.5	3	1	1	2	4	5	5	5
B. *Operated*	130	5.8	18	1	2	5	8	11	15	23
1. SINGLE DX	80	3.0	5	<1	1	2	4	7	7	9
2. MULTIPLE DX	134	5.7	18	1	2	5	7	10	15	23
A. NOT OPERATED	5	2.4	2	1	1	2	3	5	5	5
B. OPERATED	209	4.7	15	1	1	3	7	9	12	20
TOTAL 0-19 YRS	11	3.5	3	2	2	3	5	6	7	7
20-34	70	4.4	10	1	1	3	7	8	9	15
35-49	63	4.0	9	1	1	3	6	8	9	13
50-64	39	4.4	15	1	1	3	7	9	13	18
65+	31	7.2	37	2	2	5	9	16	22	26
GRAND TOTAL	214	4.7	15	1	1	3	7	9	12	19

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	32	3.0	5	1	1	2	4	5	7	12
35-49	21	3.4	4	1	2	3	4	5	8	10
50-64	14	3.7	7	1	2	3	5	7	10	11
65+	12	3.2	5	1	1	3	4	6	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8		<1	<1	2	2	2	2	2
20-34	15	3.1	5	1	1	3	4	4	9	10
35-49	17	4.2	10	1	2	3	5	9	12	13
50-64	21	3.9	9	1	1	3	4	6	11	18
65+	22	9.8	98	2	2	7	15	22	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	82	3.2	5	1	1	3	4	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	79	5.3	29	1	1	3	6	13	17	27
1. SINGLE DX	84	3.2	4	1	1	3	4	5	8	12
2. MULTIPLE DX	79	5.3	29	1	1	3	6	13	17	27
A. NOT OPERATED	2	3.0	2	2	2	3	4	4	4	4
B. OPERATED	161	4.3	18	1	1	3	4	9	13	23
TOTAL 0-19 YRS	7	2.3	1	<1	<1	2	3	4	4	4
20-34	48	3.0	5	1	1	3	4	5	7	12
35-49	39	3.7	6	1	2	3	4	7	10	13
50-64	35	3.8	8	1	1	3	5	7	10	18
65+	34	7.4	49	1	2	6	9	19	23	29
GRAND TOTAL	163	4.3	17	1	1	3	4	9	13	23

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	18	3.4	9	1	1	2	4	9	10	11
35-49	19	4.3	10	1	2	3	6	9	11	12
50-64	57	4.5	28	1	1	2	4	11	18	25
65+	47	3.2	6	1	1	3	3	5	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-19 YRS	4	4.3	27	1	1	2	7	12	12	12
20-34	15	6.1	31	1	1	4	9	15	18	19
35-49	16	8.6	83	1	1	5	13	24	29	31
50-64	59	6.7	41	2	2	4	9	16	21	31
65+	92	6.5	34	1	2	5	8	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	145	3.9	16	1	1	2	4	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	6	5.0	17	1	1	4	9	11	11	11
B. *Operated*	186	6.6	40	1	2	4	9	16	20	31
1. SINGLE DX	147	3.8	15	1	1	2	4	9	12	23
2. MULTIPLE DX	192	6.6	39	1	2	4	9	15	20	31
A. NOT OPERATED	8	4.5	13	1	1	3	7	10	11	11
B. OPERATED	331	5.4	31	1	1	3	7	12	17	31
TOTAL 0-19 YRS	8	3.4	13	1	1	2	3	10	12	12
20-34	34	4.9	21	1	1	3	8	11	14	19
35-49	36	6.1	46	1	1	3	8	15	22	31
50-64	120	5.5	35	1	1	3	7	13	19	28
65+	141	5.4	27	1	2	3	6	12	16	31
GRAND TOTAL	339	5.4	31	1	1	3	7	12	17	31

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	27	1.7	1	<1	1	1	2	2	3	7
20-34	11	2.0		1	1	2	2	3	3	3
35-49	8	1.9	1	<1	<1	2	3	3	3	3
50-64	8	2.1	1	<1	<1	2	3	3	3	3
65+	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	4	4.3	21	1	1	2	7	11	11	11
20-34	4	2.0		2	2	2	2	2	2	2
35-49	4	2.3	2	1	1	3	3	4	4	4
50-64	4	4.8	18	2	2	3	7	11	11	11
65+	5	3.8	7	<1	<1	3	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	10.0	50	5	5	10	15	15	15	15
B. *Operated*	58	1.9	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*	2	8.0	8	6	6	8	10	10	10	10
B. *Operated*	21	3.4	9	<1	1	2	4	9	11	11
1. SINGLE DX	60	2.1	4	<1	1	2	2	3	4	14
2. MULTIPLE DX	23	3.8	10	<1	1	2	4	10	11	11
A. NOT OPERATED	4	9.0	21	5	5	8	12	15	15	15
B. OPERATED	79	2.3	3	<1	1	2	2	3	6	11
TOTAL 0-19 YRS	31	2.0	4	<1	1	2	2	3	7	11
20-34	16	2.8	11	1	1	2	2	3	11	15
35-49	13	2.6	6	<1	1	2	3	5	9	10
50-64	13	3.2	7	<1	1	2	3	6	10	11
65+	10	3.4	4	<1	1	3	4	7	8	8
GRAND TOTAL	83	2.6	6	<1	1	2	3	4	9	14

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	2.4	3	1	1	2	3	5	5	5
35-49	11	3.2	31	1	1	2	2	9	19	20
50-64	23	5.4	63	1	1	3	5	11	22	39
65+	21	9.5	109	1	2	7	12	19	34	48
B. *Operated*										
0-19 YRS	12	9.5	48	1	2	9	14	19	23	24
20-34	50	12.0	51	3	4	10	16	20	24	37
35-49	87	13.4	86	3	5	12	16	21	29	57
50-64	144	14.9	104	4	6	13	19	24	31	63
65+	73	20.8	181	4	8	17	25	38	51	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	5.2	11	1	2	5	6	9	13	14
35-49	13	8.1	32	1	2	7	11	17	18	18
50-64	27	6.9	27	1	1	5	11	14	16	19
65+	80	10.7	78	2	3	9	14	19	30	44
B. *Operated*										
0-19 YRS	7	21.9	252	2	3	21	33	43	46	46
20-34	25	18.4	200	4	6	16	21	30	53	70
35-49	66	20.7	235	4	9	18	23	37	57	82
50-64	148	23.7	276	6	9	19	30	48	66	99+
65+	137	28.3	446	5	7	22	37	55	77	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	6.0	71	1	1	3	7	14	21	47
B. *Operated*	366	15.2	114	3	5	13	18	26	33	61
2. MULTIPLE DX										
A. *Not Operated*	134	9.1	60	1	2	7	12	18	19	44
B. *Operated*	383	24.4	332	5	8	19	31	49	66	95
1. SINGLE DX	428	13.9	118	2	2	12	18	25	32	55
2. MULTIPLE DX	517	20.5	306	3	4	16	27	45	57	93
A. NOT OPERATED	196	8.1	65	1	1	6	11	17	20	44
B. OPERATED	749	19.9	247	4	6	16	24	39	53	86
TOTAL 0-19 YRS	21	12.9	150	1	1	10	18	32	39	46
20-34	94	12.2	103	2	3	9	16	23	29	60
35-49	177	15.1	159	1	3	13	19	29	32	76
50-64	342	17.5	207	2	4	14	22	36	48	82
65+	311	20.7	324	3	4	16	26	46	55	92
GRAND TOTAL	945	17.5	232	2	4	14	21	36	49	83

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	6	3.3	4	1	1	3	5	6	6	6
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	9.0	18	6	6	9	12	12	12	12
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	36	4.1	3	3	3	4	5	5	7	11
20-34	349	4.1	2	2	3	4	5	6	6	10
35-49	339	4.5	3	2	3	4	5	6	7	11
50-64	268	4.6	4	3	3	4	5	6	7	11
65+	107	5.4	6	3	3	5	6	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	4.3	5	2	2	4	6	7	7	7
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	10	4.4	13	1	1	4	5	10	14	14
65+	14	8.4	54	1	1	6	9	24	25	28
B. *Operated*										
0-19 YRS	16	5.5	13	2	3	4	6	13	14	14
20-34	134	4.6	4	3	3	4	5	7	9	12
35-49	193	5.1	9	3	3	4	6	8	10	15
50-64	206	6.7	23	3	3	5	7	12	17	27
65+	128	7.9	31	3	4	6	9	15	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.9	9	1	1	3	5	7	11	12
B. *Operated*	1099	4.4	3	3	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	32	6.1	31	1	2	5	7	11	23	28
B. *Operated*	677	6.0	18	3	3	5	6	10	14	23
1. SINGLE DX	1113	4.4	3	2	3	4	5	6	7	11
2. MULTIPLE DX	709	6.0	18	3	3	5	6	10	14	24
A. NOT OPERATED	46	5.4	25	1	1	4	6	10	16	28
B. OPERATED	1776	5.0	9	3	3	4	5	7	10	18
TOTAL 0-19 YRS	55	4.4	6	2	3	4	5	6	11	14
20-34	493	4.2	3	2	3	4	5	6	7	11
35-49	537	4.7	5	2	3	4	5	7	8	12
50-64	486	5.5	14	3	3	5	6	8	12	23
65+	251	6.8	23	3	3	5	8	12	17	29
GRAND TOTAL	1822	5.1	10	3	3	4	5	8	10	19

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	40	2	2	4	12	17	17	17
20-34	10	4.1	3	2	2	4	5	6	7	7
35-49	4	7.3	11	3	3	7	9	11	11	11
50-64	7	5.0	13	1	1	5	7	10	11	11
65+	2	8.0	32	4	4	8	12	12	12	12
B. *Operated*										
0-19 YRS	6	8.5	24	3	3	8	11	15	16	16
20-34	51	9.7	28	3	4	9	12	17	21	25
35-49	28	10.0	48	2	3	9	14	21	26	27
50-64	47	11.8	71	3	4	9	15	22	31	42
65+	37	15.6	179	3	4	12	22	28	32	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	6.0	19	1	2	5	7	14	15	16
35-49	10	6.9	27	1	1	6	11	14	16	16
50-64	23	7.4	28	1	2	6	9	15	18	22
65+	17	13.2	210	2	3	9	15	22	50	65
B. *Operated*										
0-19 YRS	6	12.8	37	6	6	11	16	22	23	23
20-34	38	11.7	85	4	5	9	12	24	27	53
35-49	62	13.2	183	4	5	9	17	23	34	91
50-64	106	15.1	181	4	4	10	20	32	42	70
65+	77	13.8	98	4	4	10	19	29	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.6	14	2	2	5	7	11	12	17
B. *Operated*	169	11.6	80	3	4	9	15	23	27	40
2. MULTIPLE DX										
A. *Not Operated*	71	8.3	74	1	2	6	10	15	16	56
B. *Operated*	289	13.8	144	4	5	10	18	27	35	53
1. SINGLE DX	197	10.7	75	3	3	9	14	22	26	38
2. MULTIPLE DX	360	12.7	134	3	4	9	16	25	34	53
A. NOT OPERATED	99	7.5	58	1	2	6	9	15	16	44
B. OPERATED	458	13.0	121	4	4	9	16	25	32	53
TOTAL 0-19 YRS	17	9.6	35	2	3	10	14	17	21	23
20-34	120	9.2	47	2	3	8	11	17	23	35
35-49	104	11.5	128	3	4	9	14	21	26	65
50-64	183	12.9	136	3	4	9	17	26	34	52
65+	133	14.1	133	4	4	10	19	28	33	67
GRAND TOTAL	557	12.0	114	3	4	9	15	24	31	53

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.0		1	1	1	1	1	1	1
35-49	4	2.5	4	<1	<1	2	4	5	5	5
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	17	2.2	1	1	1	2	3	3	4	4
20-34	1113	4.3	9	1	1	3	6	8	9	12
35-49	400	5.2	9	1	2	5	7	8	9	15
50-64	111	5.0	7	1	2	6	7	8	9	10
65+	43	5.0	11	1	2	4	7	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	3.2	12	<1	<1	1	6	9	9	9
35-49	7	1.4	1	<1	<1	1	1	3	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	3.0	5	1	1	2	4	7	7	7
20-34	786	5.5	13	1	2	6	7	9	12	17
35-49	475	7.2	24	2	2	7	8	10	13	24
50-64	162	8.0	20	2	2	8	9	13	17	22
65+	76	9.2	60	2	2	9	11	14	18	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.1	4	<1	<1	1	3	6	7	7
B. *Operated*	1684	4.5	9	1	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	21	2.3	6	<1	<1	1	2	6	9	9
B. *Operated*	1508	6.5	21	2	2	6	8	10	13	22
1. SINGLE DX	1695	4.5	9	1	2	4	6	8	9	13
2. MULTIPLE DX	1529	6.4	21	1	2	6	8	10	13	22
A. NOT OPERATED	32	2.2	6	<1	<1	1	2	6	9	9
B. OPERATED	3192	5.4	16	1	2	5	7	9	11	19
TOTAL 0-19 YRS	28	2.4	2	1	1	2	3	4	6	7
20-34	1914	4.8	11	1	2	4	7	8	10	15
35-49	886	6.2	18	1	2	6	8	10	11	22
50-64	275	6.7	17	1	2	7	8	11	15	22
65+	121	7.6	46	2	2	7	10	13	15	35
GRAND TOTAL	3224	5.4	16	1	2	5	7	9	11	18

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	7	4.3	8	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	41	4.8	12	1	1	4	7	9	12	15
35-49	70	5.4	20	1	1	5	7	10	12	24
50-64	175	5.9	27	1	1	5	9	11	16	26
65+	171	6.4	41	1	2	4	8	14	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	7	3.4	4	<1	<1	3	4	6	7	7
50-64	8	7.0	26	2	2	6	10	15	16	16
65+	16	8.4	68	1	3	7	11	12	29	36
B. *Operated*										
0-19 YRS	4	4.5	7	4	4	6	8	10	10	10
20-34	40	5.3	14	1	1	4	8	10	11	20
35-49	126	7.4	24	2	2	7	10	14	17	24
50-64	245	8.5	58	2	2	6	12	18	23	34
65+	317	10.6	102	2	2	8	14	22	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	6	1	1	3	5	8	9	9
B. *Operated*	459	5.9	30	1	1	4	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	34	6.5	43	<1	1	4	9	12	15	36
B. *Operated*	732	9.0	71	2	2	7	12	19	25	39
1. SINGLE DX	470	5.9	29	1	1	4	8	12	16	29
2. MULTIPLE DX	766	8.9	70	2	2	7	11	19	25	38
A. NOT OPERATED	45	5.8	35	<1	1	4	8	12	14	36
B. OPERATED	1191	7.8	57	1	2	6	10	17	23	33
TOTAL 0-19 YRS	7	4.4	10	1	1	4	6	9	10	10
20-34	83	5.0	13	1	1	4	7	9	11	18
35-49	204	6.6	23	1	2	6	9	12	16	24
50-64	431	7.4	46	1	2	6	9	16	20	32
65+	511	9.0	83	1	2	6	12	20	26	45
GRAND TOTAL	1236	7.8	57	1	2	6	10	16	22	34

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.1	4	1	1	3	4	6	8	10
20-34	83	3.7	7	1	1	3	5	7	9	13
35-49	63	3.9	6	<1	1	4	5	7	9	10
50-64	109	4.2	12	<1	1	3	6	8	10	18
65+	153	5.7	31	1	1	4	7	14	17	28
B. *Operated*										
0-19 YRS	210	4.4	25	1	1	3	8	10	12	28
20-34	397	4.7	20	1	2	3	6	9	13	19
35-49	358	5.2	45	1	1	3	6	10	14	23
50-64	485	5.3	25	1	2	3	7	11	15	24
65+	519	6.3	48	1	2	4	8	15	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	5.3	45	1	1	4	6	11	15	45
20-34	111	5.0	15	1	1	4	7	9	12	20
35-49	134	5.6	27	1	1	4	7	11	14	30
50-64	255	6.7	30	1	2	5	9	14	17	30
65+	601	8.6	62	1	2	6	11	18	22	41
B. *Operated*										
0-19 YRS	87	9.2	134	1	1	6	10	19	[illegible]	62
20-34	267	7.8	61	1	2	6	9	15	22	57
35-49	354	9.2	103	2	2	6	11	18	27	53
50-64	692	9.3	73	2	2	7	12	19	26	41
65+	1072	11.6	107	2	2	9	16	23	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	4.5	17	1	1	3	6	9	12	19
B. *Operated*	1969	5.3	34	1	1	3	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	1154	7.3	47	1	1	5	9	15	20	36
B. *Operated*	2472	10.1	96	2	2	7	13	21	29	50
1. SINGLE DX	2414	5.2	31	1	1	3	6	11	15	26
2. MULTIPLE DX	3626	9.2	81	1	2	7	12	19	26	46
A. NOT OPERATED	1599	6.5	40	1	1	5	8	14	18	31
B. OPERATED	4441	8.0	74	1	2	5	10	17	23	45
TOTAL 0-19 YRS	387	5.5	54	1	1	3	6	11	17	41
20-34	858	5.6	33	1	1	4	7	11	15	29
35-49	909	6.7	66	1	2	4	8	14	18	44
50-64	1541	7.2	50	1	2	5	9	16	20	36
65+	2345	9.3	83	1	2	6	12	20	26	46
GRAND TOTAL	6040	7.6	65	1	2	5	10	16	22	41

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	37	3.8	6	1	1	3	5	8	9	10
35-49	22	3.7	9	<1	1	3	4	6	10	15
50-64	26	3.5	8	1	1	3	4	7	9	14
65+	16	5.3	11	1	2	4	7	9	13	14
B. *Operated*										
0-19 YRS	32	4.6	4	3	3	4	5	7	10	10
20-34	251	4.5	4	3	3	4	5	6	8	15
35-49	354	4.5	4	3	3	4	5	6	8	12
50-64	362	5.0	5	3	3	5	6	7	9	13
65+	149	5.6	5	3	3	5	6	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.4	3	<1	2	5	5	6	7	7
20-34	48	4.7	9	1	1	4	6	9	11	14
35-49	49	4.6	8	1	2	4	6	9	11	13
50-64	75	6.2	20	1	1	6	9	12	15	20
65+	117	6.6	23	2	3	5	8	13	17	27
B. *Operated*										
0-19 YRS	16	4.3	1	3	3	4	5	6	6	6
20-34	126	5.4	7	3	3	5	6	9	11	16
35-49	193	6.5	12	3	4	5	7	12	14	18
50-64	297	7.2	43	3	4	5	8	12	16	25
65+	199	9.4	59	3	4	7	11	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	3.8	8	1	1	3	5	7	9	15
B. *Operated*	1148	4.8	4	3	3	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	302	5.8	18	1	2	5	7	11	14	22
B. *Operated*	831	7.2	35	3	4	5	8	13	16	28
1. SINGLE DX	1257	4.7	5	2	3	4	5	7	9	13
2. MULTIPLE DX	1133	6.8	31	2	3	5	8	12	16	26
A. NOT OPERATED	411	5.3	16	1	1	4	7	10	13	20
B. OPERATED	1979	5.8	19	3	3	5	6	10	13	21
TOTAL 0-19 YRS	69	4.2	3	1	2	4	5	6	7	10
20-34	462	4.7	6	2	3	4	5	7	9	15
35-49	618	5.1	8	2	3	4	6	8	12	16
50-64	760	6.0	23	2	3	5	7	10	13	20
65+	481	7.4	35	3	3	6	8	13	18	34
GRAND TOTAL	2390	5.7	18	2	3	5	6	10	13	21

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	6.2	16	2	2	5	8	11	13	23
20-34	256	5.5	11	1	2	5	7	10	12	17
35-49	172	5.6	14	2	2	5	7	9	11	22
50-64	137	5.9	14	2	2	5	7	11	14	21
65+	73	6.8	20	2	2	5	9	14	16	20
B. *Operated*										
0-19 YRS	77	6.5	43	2	3	5	6	10	21	39
20-34	266	5.7	15	3	3	5	6	9	13	20
35-49	197	5.1	5	3	3	5	6	7	9	15
50-64	150	5.5	11	3	3	5	6	8	10	23
65+	49	6.7	41	3	3	5	6	12	16	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	6.0	27	1	2	5	7	12	15	31
20-34	363	6.3	21	2	2	5	8	11	13	22
35-49	464	7.3	22	2	3	6	9	13	15	26
50-64	642	8.1	32	2	3	7	10	15	19	29
65+	735	11.0	77	3	3	9	14	21	28	39
B. *Operated*										
0-19 YRS	25	6.4	9	3	3	5	8	11	12	14
20-34	131	7.5	25	3	3	5	9	14	18	24
35-49	168	9.2	53	3	4	7	12	18	23	36
50-64	246	10.9	105	3	3	8	13	21	32	46
65+	177	15.5	225	4	4	12	19	29	43	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	718	5.8	14	2	2	5	7	11	13	20
B. *Operated*	739	5.6	16	3	3	5	6	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	2293	8.5	46	2	3	7	10	16	20	35
B. *Operated*	747	10.9	112	3	4	8	13	21	29	63
1. SINGLE DX	1457	5.7	15	2	3	5	7	9	12	22
2. MULTIPLE DX	3040	9.1	63	2	3	7	11	17	22	38
A. NOT OPERATED	3011	7.9	39	2	3	6	10	15	19	33
B. OPERATED	1486	8.3	71	3	3	5	9	16	22	41
TOTAL 0-19 YRS	271	6.2	27	2	2	5	7	11	14	30
20-34	1016	6.1	18	2	3	5	7	11	13	21
35-49	1001	6.9	24	2	3	6	8	12	16	26
50-64	1175	8.1	45	2	3	6	9	15	20	36
65+	1034	11.3	102	3	3	9	14	21	29	53
GRAND TOTAL	4497	8.0	50	2	3	6	9	15	20	36

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	593	6.8	15	2	3	6	9	11	14	19
20-34	567	6.4	15	2	3	6	8	11	13	19
35-49	540	6.8	14	2	3	6	8	11	13	19
50-64	896	7.3	13	3	3	7	9	12	14	18
65+	682	8.0	22	3	3	7	10	14	17	24
B. *Operated*										
0-19 YRS										
20-34	8	6.5	5	3	3	6	8	10	10	10
35-49	7	4.3	7	1	1	5	7	8	8	8
50-64	20	9.4	43	2	2	9	13	16	22	29
65+	15	10.0	33	2	2	8	14	18	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	432	6.4	22	1	2	6	9	12	14	21
20-34	1053	6.6	27	1	2	6	8	12	14	22
35-49	2319	8.1	31	3	3	7	10	14	17	29
50-64	5150	8.6	28	3	4	7	11	15	18	28
65+	6059	9.8	51	3	4	8	12	17	22	37
B. *Operated*										
0-19 YRS	21	9.0	33	2	2	8	13	15	20	25
20-34	150	10.8	65	2	3	9	15	19	26	48
35-49	359	12.8	99	3	4	10	15	24	32	59
50-64	829	13.9	116	4	5	11	17	24	32	72
65+	830	17.2	151	4	6	14	22	33	40	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3278	7.1	16	2	3	6	9	12	14	20
B. *Operated*	50	8.4	32	2	2	7	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	15013	8.8	39	3	3	8	11	15	19	32
B. *Operated*	2189	14.7	127	3	5	12	18	28	36	65
1. SINGLE DX	3328	7.1	16	2	3	6	9	12	14	20
2. MULTIPLE DX	17202	9.5	54	3	3	8	12	17	22	39
A. NOT OPERATED	18291	8.5	35	3	3	7	10	15	18	30
B. OPERATED	2239	14.6	125	3	5	12	18	27	36	64
TOTAL 0-19 YRS	1046	6.6	18	2	2	6	9	12	14	20
20-34	1778	6.9	28	2	2	6	9	12	15	25
35-49	3225	8.4	38	2	3	7	10	14	19	31
50-64	6895	9.1	40	3	4	8	11	16	20	37
65+	7586	10.5	66	3	4	9	13	19	24	42
GRAND TOTAL	20530	9.2	48	3	3	8	11	16	21	36

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	900	5.8	15	1	2	5	8	11	13	19
20-34	651	5.6	14	2	2	5	7	10	13	21
35-49	193	6.5	15	2	3	6	8	11	13	21
50-64	147	7.2	14	2	3	6	10	11	14	17
65+	135	8.3	23	2	3	7	11	14	18	25
B. *Operated*										
0-19 YRS	6	4.7	11	1	1	5	6	10	10	10
20-34	13	11.1	45	5	5	9	15	21	27	28
35-49										
50-64	2	8.0	50	3	3	8	13	13	13	13
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	743	6.6	33	2	2	5	8	12	15	28
20-34	929	7.0	30	2	2	6	9	13	17	29
35-49	465	9.2	47	2	3	8	11	18	23	35
50-64	580	11.0	44	3	5	10	14	19	23	31
65+	651	12.0	64	3	4	10	15	21	26	46
B. *Operated*										
0-19 YRS	22	12.3	133	2	3	10	15	20	38	57
20-34	86	17.1	193	5	5	13	21	38	44	73
35-49	86	19.0	210	6	7	15	22	37	53	75
50-64	86	22.1	225	6	7	20	29	43	52	99
65+	98	26.1	238	8	11	21	36	50	58	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2026	6.1	15	2	2	5	8	11	14	20
B. *Operated*	22	8.7	41	1	2	6	12	18	23	28
2. MULTIPLE DX										
A. *Not Operated*	3368	8.9	47	2	3	7	11	17	21	35
B. *Operated*	378	20.7	226	5	7	16	27	43	52	78
1. SINGLE DX	2048	6.1	16	2	2	5	8	11	14	20
2. MULTIPLE DX	3746	10.1	77	2	3	8	13	19	25	46
A. NOT OPERATED	5394	7.8	37	2	2	6	10	15	19	29
B. OPERATED	400	20.1	223	5	6	16	25	42	51	76
TOTAL 0-19 YRS	1671	6.2	25	2	2	5	8	12	15	23
20-34	1679	7.0	35	2	2	5	9	13	17	33
35-49	744	9.6	70	2	3	8	12	18	25	43
50-64	815	11.5	73	3	4	9	14	21	26	48
65+	885	13.0	100	3	4	11	16	24	33	62
GRAND TOTAL	5794	8.7	59	2	2	7	11	17	22	43

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	462	6.7	20	2	2	6	8	11	15	26
20-34	720	6.6	17	2	3	6	8	11	14	23
35-49	747	7.1	16	3	3	6	9	12	14	20
50-64	1143	7.6	15	3	4	7	9	13	15	21
65+	824	8.4	22	3	3	7	11	14	17	24
B. Operated										
0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	32	7.5	86	<1	1	5	8	17	22	49
35-49	45	9.7	219	2	2	5	9	23	30	91
50-64	132	6.8	40	2	2	4	9	14	19	32
65+	146	8.0	126	2	2	4	9	19	28	66
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	423	7.1	32	1	2	6	9	13	18	31
20-34	1558	7.6	30	2	2	6	10	14	19	27
35-49	3063	8.7	34	3	4	7	11	15	19	30
50-64	6914	9.5	37	3	4	8	12	16	20	33
65+	7279	10.5	49	3	4	9	13	18	23	37
B. Operated										
0-19 YRS	21	9.3	25	1	2	9	12	16	17	18
20-34	399	13.6	154	3	3	10	17	28	43	65
35-49	874	15.1	140	3	4	12	19	30	38	62
50-64	1840	18.2	234	3	5	13	23	40	50	89
65+	2095	21.0	251	4	5	17	28	44	56	97
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	3896	7.4	18	2	3	7	9	12	15	23
B. Operated	359	7.7	101	2	2	4	9	18	26	49
2. MULTIPLE DX										
A. Not Operated	19237	9.5	41	3	4	8	12	17	21	34
B. Operated	5229	18.4	224	3	5	14	24	40	51	86
1. SINGLE DX	4255	7.4	25	2	3	6	9	13	16	25
2. MULTIPLE DX	24466	11.4	94	3	4	9	14	22	30	54
A. NOT OPERATED	23133	9.2	38	3	4	8	11	16	20	32
B. OPERATED	5588	17.7	223	3	4	13	23	38	50	85
TOTAL 0-19 YRS	910	6.9	26	2	2	6	9	12	16	28
20-34	2709	8.2	50	2	3	6	10	15	21	38
35-49	4729	9.7	59	3	4	8	11	18	24	43
50-64	10029	10.8	83	3	4	8	13	20	27	50
65+	10344	12.4	108	3	4	9	15	24	33	59
GRAND TOTAL	28721	10.8	88	3	4	8	13	20	28	52

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	9	4.0	2	1	2	4	5	6	6	6
20-34	34	3.7	7	1	1	4	5	8	9	12
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. Operated										
0-19 YRS	63	3.8	6	<1	1	3	5	7	9	12
20-34	276	4.4	8	1	2	4	6	8	8	13
35-49	17	4.2	11	<1	<1	4	6	8	11	13
50-64	2	6.5	1	6	6	6	7	7	7	7
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	4.2	3	1	2	4	5	6	7	7
20-34	40	4.3	8	1	2	3	6	8	10	12
35-49	10	3.8	3	1	1	4	5	6	7	7
50-64	2	4.0	2	3	3	4	5	5	5	5
65+										
B. Operated										
0-19 YRS	66	5.2	7	2	2	5	7	9	10	12
20-34	430	4.8	10	1	2	4	6	8	10	16
35-49	54	5.5	12	<1	2	6	7	10	13	15
50-64	5	6.0	22	<1	<1	6	10	12	12	12
65+	2	9.5	13	7	7	9	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	46	4.0	7	1	1	3	5	8	10	12
B. Operated	358	4.3	8	1	1	4	6	7	8	13
2. MULTIPLE DX										
A. Not Operated	63	4.2	6	1	2	4	6	7	9	12
B. Operated	557	4.9	10	1	2	5	7	9	11	15
1. SINGLE DX	404	4.3	8	1	1	4	6	8	9	13
2. MULTIPLE DX	620	4.9	10	1	2	4	7	9	11	15
A. NOT OPERATED	109	4.1	6	1	2	3	5	8	9	12
B. OPERATED	915	4.7	9	1	2	4	6	8	10	14
TOTAL 0-19 YRS	149	4.5	7	1	2	4	6	8	10	12
20-34	780	4.6	9	1	2	4	6	8	10	15
35-49	83	5.0	11	<1	1	5	7	9	12	15
50-64	10	6.3	15	<1	1	6	9	12	12	12
65+	2	9.5	13	7	7	9	12	12	12	12
GRAND TOTAL	1024	4.6	9	1	2	4	6	8	10	14

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	3.7	20	1	1	2	4	7	11	25
20-34	248	5.3	18	1	2	4	6	10	12	20
35-49	169	5.2	20	1	1	4	7	10	13	21
50-64	178	4.8	12	1	1	4	6	9	11	17
65+	139	6.2	27	1	1	4	9	13	16	29
B. *Operated*										
0-19 YRS	18	6.2	33	1	1	4	8	11	20	25
20-34	52	6.9	33	1	2	6	9	14	15	35
35-49	32	7.8	77	1	1	6	8	14	20	49
50-64	61	8.3	37	2	3	6	10	17	19	35
65+	25	8.7	49	2	3	7	10	12	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	4.5	28	1	1	3	5	8	12	32
20-34	637	5.8	41	1	2	4	7	11	14	34
35-49	706	7.1	47	2	2	5	9	13	18	35
50-64	873	7.2	40	1	2	5	9	13	18	35
65+	1523	8.8	57	2	3	7	11	17	23	36
B. *Operated*										
0-19 YRS	32	7.6	86	1	2	4	8	17	28	48
20-34	139	9.5	97	1	2	7	13	19	24	81
35-49	162	10.7	94	2	2	8	14	23	28	45
50-64	214	12.4	128	2	4	10	15	25	34	76
65+	170	17.8	162	5	6	15	24	36	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	951	4.9	20	1	1	4	6	10	13	21
B. *Operated*	188	7.7	43	1	2	6	9	15	18	37
2. MULTIPLE DX										
A. *Not Operated*	4076	7.3	48	1	2	5	9	14	20	35
B. *Operated*	717	12.5	130	2	3	9	16	27	36	71
1. SINGLE DX	1139	5.4	25	1	1	4	7	11	14	23
2. MULTIPLE DX	4793	8.1	64	1	2	6	10	16	23	43
A. NOT OPERATED	5027	6.9	44	1	2	5	8	13	18	34
B. OPERATED	905	11.5	116	2	3	8	15	25	34	66
TOTAL 0-19 YRS	604	4.5	29	1	1	3	5	8	12	32
20-34	1076	6.2	44	1	2	5	7	12	16	35
35-49	1069	7.4	53	1	2	5	9	14	20	38
50-64	1326	7.7	55	1	2	6	10	15	20	40
65+	1857	9.4	72	2	2	7	12	19	26	45
GRAND TOTAL	5932	7.6	58	1	2	5	9	15	21	40

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.0	9	1	2	4	6	9	11	13
20-34	6	5.8	13	1	1	6	9	10	10	10
35-49	8	10.1	69	3	3	8	13	24	28	28
50-64	7	9.0	24	2	3	10	10	16	18	18
65+	26	9.0	30	2	2	8	12	17	20	21
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	6	5.0	18	1	1	4	6	12	12	12
35-49	1	19.0		19	19	19	19	19	19	19
50-64	4	13.0	49	4	4	13	17	21	21	21
65+	5	4.8	6	1	1	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	9.0	55	2	2	7	12	19	23	37
20-34	46	8.9	52	3	3	7	12	20	31	99+
35-49	50	10.9	72	2	3	8	14	20	30	41
50-64	110	12.3	74	3	4	10	16	23	30	48
65+	539	13.0	89	4	5	10	16	25	30	93
B. *Operated*										
0-19 YRS	6	18.5	308	5	5	9	39	43	43	43
20-34	18	20.4	260	2	5	15	36	52	82	99+
35-49	30	17.1	151	2	4	14	24	37	40	48
50-64	60	21.9	297	4	6	20	39	48	69	98
65+	126	19.8	194	4	7	18	36	35	49	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	7.3	27	1	2	6	10	15	18	26
B. *Operated*	18	7.4	36	1	1	5	13	17	20	21
2. MULTIPLE DX										
A. *Not Operated*	814	12.2	82	3	4	10	15	23	30	90
B. *Operated*	240	20.0	220	4	6	17	26	39	51	99+
1. SINGLE DX	95	7.3	28	1	2	6	10	15	19	25
2. MULTIPLE DX	1054	14.0	124	3	4	11	18	28	36	60
A. NOT OPERATED	891	11.8	79	3	4	9	15	23	30	46
B. OPERATED	258	19.1	217	3	4	16	26	39	49	99+
TOTAL 0-19 YRS	107	8.3	62	2	2	6	10	17	24	41
20-34	76	11.1	121	2	3	8	13	29	41	99+
35-49	89	13.0	105	2	4	10	17	29	38	48
50-64	181	15.4	165	3	4	11	21	31	41	85
65+	696	14.1	113	4	5	11	18	27	34	57
GRAND TOTAL	1149	13.4	120	3	4	10	17	27	38	89

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	11.6	39	2	4	10	14	18	20	37
20-34	27	10.9	18	4	5	11	14	16	17	20
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	25.7	85	15	15	31	31	31	31	31
20-34	3	4.7	30	1	1	2	9	11	11	11
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	11.1	37	3	4	10	14	18	23	31
20-34	52	13.2	93	3	5	10	15	23	39	46
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	15	16.8	390	3	5	11	18	26	69	84
20-34	7	14.1	84	3	3	13	21	27	28	28
35-49	3	3.0	3	2	2	2	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	11.5	35	3	5	11	14	18	20	37
B. *Operated*	7	13.9	161	1	1	11	27	31	31	31
2. MULTIPLE DX										
A. *Not Operated*	219	11.6	51	3	4	10	15	19	25	41
B. *Operated*	25	14.4	268	2	3	10	17	26	42	84
1. SINGLE DX	151	11.6	40	2	4	11	14	18	20	37
2. MULTIPLE DX	244	11.9	73	3	4	10	15	20	26	43
A. NOT OPERATED	363	11.6	44	3	4	10	14	18	23	38
B. OPERATED	32	14.3	239	2	2	10	18	29	31	84
TOTAL 0-19 YRS	300	11.8	58	3	4	10	15	19	25	34
20-34	89	12.3	69	3	4	11	15	21	28	45
35-49	6	4.8	9	2	2	4	6	10	10	10
50-64										
65+										
GRAND TOTAL	**395**	**11.8**	**60**	**3**	**4**	**10**	**15**	**19**	**26**	**39**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.3	27	1	1	4	6	11	19	24
20-34	35	4.0	9	1	1	3	6	8	10	11
35-49	28	3.7	6	1	1	3	5	7	8	11
50-64	8	4.4	6	2	2	4	6	8	9	9
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	35	9.3	40	5	6	7	9	13	21	40
20-34	499	8.4	9	5	5	8	10	12	13	18
35-49	338	8.7	11	5	6	8	10	12	14	20
50-64	41	9.6	20	5	6	8	11	15	19	26
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.6	6	2	2	4	6	9	10	97
20-34	137	5.3	46	<1	1	3	6	10	13	46
35-49	169	6.0	29	1	2	4	7	13	17	28
50-64	151	7.3	35	2	3	6	9	12	17	34
65+	70	9.6	41	2	3	8	13	19	22	30
B. *Operated*										
0-19 YRS	35	10.7	45	5	6	9	10	17	28	36
20-34	823	9.6	45	4	5	8	10	13	18	44
35-49	978	9.9	36	5	5	9	11	15	19	39
50-64	244	9.9	36	4	5	9	11	15	21	35
65+	22	9.2	39	2	3	7	11	21	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	4.4	14	1	1	3	6	8	11	22
B. *Operated*	914	8.6	11	5	6	8	10	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	579	6.5	36	1	2	5	8	13	18	33
B. *Operated*	2102	9.8	40	4	5	9	11	14	19	41
1. SINGLE DX	1021	8.1	13	3	5	8	10	12	13	21
2. MULTIPLE DX	2681	9.1	41	3	4	8	10	14	19	40
A. NOT OPERATED	686	6.2	33	1	2	5	8	12	16	31
B. OPERATED	3016	9.4	31	5	5	8	10	13	17	36
TOTAL 0-19 YRS	157	7.2	33	2	2	6	9	11	19	40
20-34	1494	8.6	34	3	4	8	10	12	15	37
35-49	1513	9.1	31	3	4	8	10	14	17	33
50-64	444	8.9	35	3	4	8	10	14	20	34
65+	94	9.5	40	2	3	7	12	19	22	29
GRAND TOTAL	**3702**	**8.8**	**33**	**3**	**4**	**8**	**10**	**13**	**17**	**35**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	4.2	88	<1	<1	2	4	6	9	54
20-34	73	5.3	23	1	1	4	7	9	10	31
35-49	67	6.3	30	2	2	4	8	13	19	27
50-64	68	5.1	13	2	2	4	6	10	14	18
65+	51	5.6	11	1	1	5	8	10	13	14
B. *Operated*										
0-19 YRS	39	5.7	70	1	1	3	6	10	26	43
20-34	98	5.9	16	1	2	5	8	12	15	17
35-49	90	5.2	14	1	1	4	7	12	13	17
50-64	75	5.9	25	1	2	4	9	14	15	23
65+	48	7.8	55	1	2	5	10	17	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	5.5	61	<1	<1	4	6	11	14	54
20-34	242	6.5	50	1	2	5	8	12	15	36
35-49	278	6.6	30	1	2	5	8	13	17	30
50-64	328	8.3	37	2	3	6	11	17	20	31
65+	423	9.1	48	2	3	7	12	17	21	39
B. *Operated*										
0-19 YRS	48	9.0	79	<1	1	6	12	23	33	99+
20-34	204	9.8	56	2	3	8	12	18	28	46
35-49	273	8.9	37	2	2	9	12	15	19	40
50-64	250	9.9	95	2	2	8	12	19	29	53
65+	221	12.9	115	2	3	10	17	26	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	5.1	45	<1	1	4	6	9	13	28
B. *Operated*	350	6.0	29	1	1	5	8	13	15	29
2. MULTIPLE DX										
A. *Not Operated*	1445	7.6	46	1	2	6	9	15	19	35
B. *Operated*	996	10.2	77	2	2	9	12	20	28	48
1. SINGLE DX	754	5.5	37	1	1	4	7	11	14	29
2. MULTIPLE DX	2441	8.6	60	1	2	7	11	17	23	42
A. NOT OPERATED	1849	7.0	46	1	2	5	9	14	18	34
B. OPERATED	1346	9.1	68	1	2	7	12	18	25	44
TOTAL 0-19 YRS	406	5.5	75	<1	<1	3	6	10	15	55
20-34	617	7.3	46	1	2	6	9	13	17	36
35-49	708	7.3	32	1	2	6	10	13	18	31
50-64	721	8.3	56	2	2	6	11	16	21	40
65+	743	9.9	70	2	3	8	12	20	26	42
GRAND TOTAL	**3195**	**7.9**	**56**	**1**	**2**	**6**	**10**	**15**	**21**	**40**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	27	4.4	6	1	2	4	5	8	9	12
35-49	53	4.9	8	1	2	4	6	9	11	12
50-64	78	5.2	10	2	2	5	7	9	12	17
65+	80	5.8	13	1	2	5	8	11	12	18
B. *Operated*										
0-19 YRS										
20-34	5	2.8	9	<1	<1	<1	4	8	8	8
35-49	4	8.0	35	2	2	8	13	14	14	14
50-64	19	5.8	36	2	2	3	5	17	20	22
65+	15	5.5	20	1	2	4	7	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	5.5	11	2	3	4	7	10	13	16
35-49	105	6.0	22	1	2	5	7	12	16	24
50-64	293	6.6	23	2	3	6	8	11	13	23
65+	522	8.3	38	2	3	7	10	15	19	37
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	9.3	34	3	3	9	14	16	16	16
35-49	20	8.8	67	1	2	7	10	16	27	38
50-64	60	11.5	127	3	3	8	15	23	25	69
65+	78	13.0	97	2	4	11	16	21	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	5.2	11	1	2	4	7	10	12	16
B. *Operated*	43	5.6	27	<1	1	3	7	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	943	7.4	31	2	3	6	9	13	18	30
B. *Operated*	163	11.8	103	2	3	10	15	22	29	67
1. SINGLE DX	283	5.3	13	1	2	4	7	10	12	18
2. MULTIPLE DX	1106	8.1	44	2	3	6	10	15	20	37
A. NOT OPERATED	1183	7.0	28	2	2	6	9	12	16	27
B. OPERATED	206	10.5	93	2	2	8	14	21	25	57
TOTAL 0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	59	5.0	12	1	2	4	6	9	12	16
35-49	182	6.0	24	1	2	5	8	11	15	27
50-64	450	7.0	38	2	3	5	8	12	17	25
65+	695	8.4	44	2	3	7	10	16	20	37
GRAND TOTAL	**1389**	**7.5**	**39**	**2**	**2**	**6**	**9**	**14**	**18**	**32**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.1	5	1	1	3	4	6	7	13
20-34	63	4.6	18	1	1	3	5	10	16	21
35-49	60	5.5	33	1	2	4	6	11	16	34
50-64	82	6.0	18	1	2	5	8	12	15	19
65+	215	7.0	27	1	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	3	4.0	3	2	2	5	5	5	5	5
20-34										
35-49	6	6.7	6	4	4	6	8	11	11	11
50-64	4	5.0	13	2	2	4	7	10	10	10
65+	6	18.3	89	8	8	17	25	31	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	863	4.3	20	1	2	3	5	7	10	23
20-34	627	4.6	11	1	1	4	6	9	11	17
35-49	712	6.5	26	2	2	5	8	12	16	27
50-64	1555	7.8	38	2	3	6	10	15	19	31
65+	6027	10.1	51	3	4	8	13	19	24	37
B. *Operated*										
0-19 YRS	29	9.0	99	1	2	6	9	21	34	45
20-34	56	10.8	117	2	2	8	13	23	38	56
35-49	95	13.8	112	1	3	10	20	29	39	79
50-64	194	16.1	193	2	3	11	20	38	50	57
65+	531	20.1	190	4	7	17	27	37	46	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	568	5.4	22	1	1	4	7	11	15	25
B. *Operated*	19	9.6	67	2	3	6	11	24	29	32
2. MULTIPLE DX										
A. *Not Operated*	9784	8.6	47	2	3	7	11	17	21	35
B. *Operated*	905	17.6	185	3	4	14	24	37	46	77
1. SINGLE DX	587	5.5	24	1	1	4	7	11	15	26
2. MULTIPLE DX	10689	9.4	65	2	3	7	12	19	25	41
A. NOT OPERATED	10352	8.5	46	2	2	7	11	16	21	34
B. OPERATED	924	17.5	184	3	4	14	23	37	45	76
TOTAL 0-19 YRS	1043	4.3	21	1	1	3	5	7	10	23
20-34	746	5.1	22	1	2	4	6	10	13	21
35-49	873	7.2	41	2	2	5	9	14	20	35
50-64	1835	8.6	60	2	3	6	10	17	22	44
65+	6779	10.8	69	3	4	9	14	21	27	42
GRAND TOTAL	**11276**	**9.2**	**63**	**2**	**2**	**7**	**12**	**18**	**24**	**41**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	105	4.7	9	1	2	4	6	8	11	14
20-34	38	4.6	6	1	2	4	6	8	10	11
35-49	66	4.2	7	1	1	4	5	7	9	14
50-64	59	4.8	10	1	1	4	7	9	11	14
65+	181	5.9	12	1	2	5	8	10	13	17
B. *Operated*										
0-19 YRS	19	5.7	6	2	2	6	7	9	11	12
20-34	9	6.0	9	2	2	5	9	10	10	10
35-49	27	5.6	7	2	3	5	8	10	11	11
50-64	31	9.3	41	2	3	8	12	15	27	30
65+	57	8.6	28	2	3	8	11	17	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	5.2	9	1	2	5	7	9	11	17
20-34	177	5.7	22	1	2	5	7	10	13	25
35-49	291	6.2	20	2	2	5	8	11	15	24
50-64	473	7.4	27	2	2	6	9	13	16	29
65+	1921	8.2	37	2	3	7	10	15	18	29
B. *Operated*										
0-19 YRS	18	10.9	200	1	2	5	10	33	49	56
20-34	89	8.0	21	2	3	7	10	15	16	23
35-49	205	9.6	38	2	4	8	11	17	21	33
50-64	271	10.7	36	3	5	10	13	19	22	34
65+	766	12.7	81	4	5	10	15	22	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	5.1	10	1	2	5	7	9	11	15
B. *Operated*	143	7.6	25	2	3	6	10	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	3043	7.6	32	2	2	6	9	14	17	28
B. *Operated*	1349	11.5	65	3	5	9	14	20	25	45
1. SINGLE DX	592	5.7	15	1	2	5	7	10	12	20
2. MULTIPLE DX	4392	8.8	46	2	3	7	11	16	21	35
A. NOT OPERATED	3492	7.3	30	2	2	6	9	13	17	27
B. OPERATED	1492	11.1	63	3	4	9	13	20	24	45
TOTAL 0-19 YRS	323	5.4	21	1	2	5	7	9	11	19
20-34	313	6.2	21	1	2	5	8	11	15	22
35-49	589	7.1	28	2	2	6	9	13	17	29
50-64	834	8.3	33	2	3	7	11	15	20	31
65+	2925	9.3	51	2	3	8	11	17	21	39
GRAND TOTAL	**4984**	**8.4**	**43**	**2**	**3**	**7**	**11**	**15**	**20**	**34**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	5.1	14	1	2	4	6	9	12	18
20-34	566	6.5	33	1	2	5	8	12	15	25
35-49	80	7.2	24	2	3	6	8	15	17	27
50-64	6	9.2	141	1	1	5	7	30	33	33
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	4	6.3	2	5	5	6	7	8	8	8
20-34	4	12.8	340	1	1	5	24	40	40	40
35-49	6	10.3	59	3	3	9	16	21	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	275	7.0	36	1	2	5	9	13	17	37
20-34	525	8.0	43	2	3	6	10	15	21	36
35-49	112	9.5	50	2	3	8	11	17	20	41
50-64	20	9.5	30	3	4	8	13	15	20	26
65+	2	18.5	145	10	10	18	27	27	27	27
B. *Operated*										
0-19 YRS	23	13.7	136	4	5	8	17	30	40	52
20-34	64	16.9	204	2	3	12	27	36	44	67
35-49	11	16.5	114	2	4	18	22	32	37	37
50-64	4	20.0	89	12	12	18	27	32	32	32
65+	3	15.0	148	7	7	9	24	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	954	6.1	28	1	2	5	7	11	14	25
B. *Operated*	14	9.9	108	1	2	6	12	24	36	40
2. MULTIPLE DX										
A. *Not Operated*	934	7.9	42	2	3	6	10	15	20	36
B. *Operated*	105	16.2	171	2	4	12	23	33	42	60
1. SINGLE DX	968	6.2	29	1	2	5	7	11	15	25
2. MULTIPLE DX	1039	8.8	62	2	3	7	10	17	23	42
A. NOT OPERATED	1888	7.0	36	1	2	6	9	13	17	32
B. OPERATED	119	15.5	167	2	3	11	22	33	41	58
TOTAL 0-19 YRS	603	6.3	32	1	2	5	7	12	16	32
20-34	1159	7.8	53	2	2	6	9	14	21	39
35-49	209	9.0	48	2	3	7	11	17	21	33
50-64	30	10.8	66	2	3	8	13	24	32	33
65+	6	14.8	106	7	7	9	27	29	29	29
GRAND TOTAL	**2007**	**7.5**	**47**	**1**	**2**	**6**	**9**	**14**	**20**	**37**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.5	6	<1	<1	1	3	5	8	13
20-34	94	4.6	22	1	1	3	6	8	10	28
35-49	99	4.8	23	1	1	3	6	10	15	26
50-64	152	3.6	12	<1	<1	2	5	8	11	17
65+	523	4.3	17	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	62	5.8	16	1	2	5	7	11	15	20
20-34	39	7.9	40	2	2	7	9	14	18	36
35-49	42	8.3	43	2	3	7	11	15	18	40
50-64	75	8.8	45	2	3	7	11	17	21	39
65+	172	9.1	32	2	4	8	11	16	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	4.5	13	1	1	3	6	10	13	16
20-34	229	6.8	49	1	1	5	8	13	20	39
35-49	309	6.3	35	1	1	5	8	13	17	25
50-64	799	7.1	40	1	1	5	9	15	19	31
65+	3096	7.7	51	1	2	6	10	16	20	36
B. *Operated*										
0-19 YRS	72	8.5	86	2	2	6	10	14	30	55
20-34	122	11.3	127	3	3	8	13	21	30	64
35-49	194	11.1	72	2	3	9	14	21	25	47
50-64	407	12.7	102	3	4	10	16	25	30	48
65+	1289	13.5	86	3	4	11	17	24	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	4.0	16	<1	1	3	5	9	12	20
B. *Operated*	390	8.3	35	2	2	7	11	15	18	33
2. MULTIPLE DX										
A. *Not Operated*	4622	7.4	47	1	1	5	10	15	19	35
B. *Operated*	2084	12.8	92	3	4	10	16	24	30	49
1. SINGLE DX	1413	5.2	25	<1	1	4	7	11	15	23
2. MULTIPLE DX	6706	9.1	67	1	2	7	12	18	24	40
A. NOT OPERATED	5645	6.7	43	1	1	5	9	14	18	32
B. OPERATED	2474	12.1	85	3	4	10	15	23	29	47
TOTAL 0-19 YRS	478	4.6	26	<1	1	3	6	10	13	26
20-34	484	7.6	68	1	2	5	9	15	22	40
35-49	644	7.7	50	1	1	6	10	16	20	33
50-64	1433	8.4	64	1	1	6	11	17	23	41
65+	5080	8.9	64	1	2	7	12	18	24	39
GRAND TOTAL	**8119**	**8.4**	**62**	**1**	**1**	**6**	**11**	**17**	**23**	**38**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	19	<1	<1	2	4	11	15	16
20-34	11	6.2	31	1	1	4	9	16	16	16
35-49	5	5.8	25	1	1	5	8	14	14	14
50-64	7	8.4	50	2	2	5	12	20	22	22
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	9.3	86	3	3	5	16	20	20	20
35-49										
50-64										
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.4	5	<1	1	3	5	6	8	10
20-34	31	5.8	18	2	2	5	8	9	10	25
35-49	19	7.3	44	<1	1	5	10	18	23	26
50-64	11	9.0	54	<1	2	7	10	23	24	24
65+										
B. *Operated*										
0-19 YRS	7	16.3	39	8	8	19	21	23	23	23
20-34	3	17.7	310	7	7	8	30	38	38	38
35-49	3	30.0	1453	7	7	9	58	74	74	74
50-64	2	18.5	85	12	12	18	25	25	25	25
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	5.4	30	<1	1	3	7	15	16	22
B. *Operated*	5	12.8	126	3	3	7	22	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	108	5.4	24	1	1	4	7	10	15	25
B. *Operated*	15	19.6	304	7	7	13	23	38	65	74
1. SINGLE DX	44	6.3	44	<1	1	4	8	16	21	29
2. MULTIPLE DX	123	7.1	78	1	1	5	8	15	23	48
A. NOT OPERATED	147	5.4	25	1	1	4	7	10	16	25
B. OPERATED	20	17.9	260	4	6	12	22	33	56	74
TOTAL 0-19 YRS	71	4.7	26	<1	1	3	6	11	19	23
20-34	48	6.9	44	1	2	5	8	14	20	38
35-49	27	9.6	200	1	1	6	10	19	33	74
50-64	20	9.8	58	1	2	7	13	23	24	25
65+	1	29.0		29	29	29	29	29	29	29
GRAND TOTAL	**167**	**6.9**	**69**	**1**	**1**	**5**	**8**	**16**	**22**	**36**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	4.7	20	1	2	3	6	9	10	24
20-34	76	4.6	13	1	1	4	6	9	11	20
35-49	98	3.6	18	1	1	1	5	9	13	20
50-64	55	5.0	14	1	2	4	6	11	13	15
65+	93	5.8	34	1	1	4	8	13	18	31
B. *Operated*										
0-19 YRS	167	6.4	18	2	2	6	8	12	14	21
20-34	122	8.1	22	2	3	8	10	14	18	25
35-49	58	8.7	50	2	2	7	11	17	22	36
50-64	96	9.4	43	2	4	8	12	21	24	29
65+	79	11.1	76	2	2	8	15	20	31	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	4.9	26	1	1	4	6	9	13	23
20-34	210	5.8	24	1	2	5	7	11	14	21
35-49	226	6.8	23	1	2	6	9	12	15	25
50-64	448	7.1	31	1	2	6	9	14	18	26
65+	669	8.3	60	1	2	6	10	18	23	40
B. *Operated*										
0-19 YRS	116	9.3	119	2	2	6	11	17	25	69
20-34	167	11.0	120	2	2	8	13	20	31	68
35-49	184	12.6	148	2	3	9	15	28	39	82
50-64	387	12.5	117	3	3	10	15	25	32	64
65+	574	14.0	133	3	4	11	18	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	4.7	20	1	1	3	6	9	12	21
B. *Operated*	522	8.3	38	2	3	7	11	16	20	33
2. MULTIPLE DX										
A. *Not Operated*	1783	7.1	41	1	2	5	9	14	19	35
B. *Operated*	1428	12.7	130	2	3	10	16	25	35	65
1. SINGLE DX	1136	6.4	32	1	1	5	8	13	17	29
2. MULTIPLE DX	3211	9.6	88	1	2	7	12	19	27	49
A. NOT OPERATED	2397	6.5	37	1	[illegible]	5	8	13	18	32
B. OPERATED	1950	11.5	109	2	3	9	14	22	31	55
TOTAL 0-19 YRS	805	5.8	38	1	2	4	7	11	14	32
20-34	575	7.7	56	1	2	6	9	15	19	40
35-49	566	8.3	76	1	1	6	10	16	24	48
50-64	986	9.3	72	2	2	7	12	18	24	44
65+	1415	10.6	97	1	2	8	14	22	30	49
GRAND TOTAL	**4347**	**8.7**	**75**	**1**	**2**	**6**	**11**	**18**	**24**	**46**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1515	2.5	2	1	1	2	3	4	5	8
20-34	292	2.4	2	1	1	2	3	4	5	7
35-49	33	2.8	2	1	1	3	4	5	5	7
50-64	5	4.8	1	4	4	5	5	6	6	6
65+	8	3.1	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	526	4.2	4	2	3	4	5	6	7	10
20-34	157	4.8	6	2	3	4	6	8	10	13
35-49	21	4.4	3	1	2	4	6	7	7	7
50-64	6	3.8		3	3	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	764	3.0	3	1	1	3	4	5	6	9
20-34	138	3.4	7	1	1	3	4	7	8	15
35-49	18	4.2	7	2	2	3	5	8	10	11
50-64	12	4.8	2	3	3	5	6	7	7	7
65+	9	6.7	20	1	1	7	8	13	16	16
B. *Operated*										
0-19 YRS	230	5.6	11	3	3	5	6	9	11	19
20-34	117	6.6	22	3	3	5	8	13	16	27
35-49	13	6.5	9	3	3	7	9	10	12	12
50-64	5	9.0	32	3	3	9	11	18	18	18
65+	2	4.5	1	4	4	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1853	2.5	2	1	1	2	3	4	5	7
B. *Operated*	710	4.4	5	2	3	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	941	3.1	4	1	1	3	4	5	7	9
B. *Operated*	367	6.0	15	3	3	5	7	10	13	19
1. SINGLE DX	2563	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	1308	3.9	9	1	1	3	5	7	9	16
A. NOT OPERATED	2794	2.7	3	1	1	2	3	5	6	8
B. OPERATED	1077	4.9	9	2	3	4	6	8	10	16
TOTAL 0-19 YRS	3035	3.1	5	1	1	3	4	5	7	10
20-34	704	3.8	9	1	1	3	5	7	9	16
35-49	85	4.0	6	1	1	3	5	7	9	12
50-64	28	5.3	9	3	3	5	6	8	10	18
65+	19	4.9	12	1	1	4	7	9	13	16
GRAND TOTAL	3871	3.3	6	1	1	3	4	6	7	11

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	4.5	6	1	2	4	6	7	9	15
20-34	33	3.6	3	1	1	3	5	6	7	7
35-49	12	3.6	5	1	1	3	5	7	8	8
50-64	7	4.6	5	2	2	4	5	8	9	9
65+	5	4.2	9	<1	<1	3	6	9	9	9
B. *Operated*										
0-19 YRS	162	4.0	11	1	1	3	5	9	11	16
20-34	134	4.1	22	1	1	3	5	7	13	26
35-49	54	5.6	48	1	1	3	5	14	23	37
50-64	36	4.4	11	1	2	4	5	8	12	17
65+	18	4.8	12	2	2	4	5	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	4.4	6	1	2	4	6	7	10	13
20-34	36	4.4	8	<1	1	4	6	8	9	15
35-49	17	7.4	31	1	2	7	9	15	21	24
50-64	16	7.7	96	1	2	5	7	15	34	42
65+	11	6.8	29	1	2	5	9	16	17	17
B. *Operated*										
0-19 YRS	106	5.4	40	1	1	4	7	11	14	35
20-34	60	6.2	30	2	2	4	9	12	18	26
35-49	51	5.9	23	2	2	5	7	13	16	23
50-64	53	7.4	50	2	2	5	10	18	23	35
65+	26	7.8	22	2	2	7	9	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	4.4	6	1	2	4	6	7	9	14
B. *Operated*	404	4.3	20	1	1	3	5	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	228	5.0	17	1	2	4	6	8	11	19
B. *Operated*	296	6.2	35	1	2	4	8	12	17	28
1. SINGLE DX	694	4.3	14	1	1	3	5	8	11	17
2. MULTIPLE DX	524	5.7	27	1	2	4	7	11	15	25
A. NOT OPERATED	518	4.7	11	1	2	4	6	8	10	16
B. OPERATED	700	5.1	27	1	2	3	6	11	15	24
TOTAL 0-19 YRS	649	4.5	13	1	2	4	6	8	11	16
20-34	263	4.6	20	1	1	3	6	9	13	23
35-49	134	5.8	33	1	2	4	7	13	17	27
50-64	112	6.3	43	1	2	4	7	12	20	38
65+	60	6.4	21	1	2	5	9	14	17	17
GRAND TOTAL	1218	4.9	20	1	2	4	6	9	13	23

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.4	17	1	1	3	7	11	12	12
20-34	59	12.5	151	1	2	9	17	27	36	67
35-49	20	11.0	81	2	3	7	15	25	31	35
50-64	16	12.0	244	<1	1	6	12	46	50	51
65+	17	11.2	100	1	2	10	14	26	35	39
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	14.5	265	3	3	14	26	26	26	26
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	12.7	218	<1	1	7	12	43	46	47
20-34	57	13.7	136	2	2	11	20	28	37	55
35-49	41	13.1	171	2	3	8	16	32	44	54
50-64	64	15.5	284	3	4	9	19	39	52	82
65+	132	11.7	93	2	3	10	15	23	30	49
B. *Operated*										
0-19 YRS										
20-34	5	29.2	194	10	10	31	41	44	44	44
35-49	4	37.3	672	6	6	39	58	64	64	64
50-64	6	20.2	169	6	6	20	32	35	35	35
65+	20	14.1	110	5	6	10	18	27	38	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	11.5	136	1	2	7	15	27	37	57
B. *Operated*	2	14.5	265	3	3	14	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	314	13.1	157	2	3	9	17	28	41	55
B. *Operated*	35	19.9	237	6	6	13	29	44	51	64
1. SINGLE DX	121	11.6	136	1	2	7	15	27	37	56
2. MULTIPLE DX	349	13.8	169	2	3	10	18	30	44	56
A. NOT OPERATED	433	12.7	152	2	3	9	16	27	40	55
B. OPERATED	37	19.6	233	5	6	13	28	43	51	64
TOTAL 0-19 YRS	27	10.5	177	1	1	7	10	37	46	47
20-34	121	13.8	153	1	2	10	20	29	40	60
35-49	65	13.9	200	2	3	8	17	34	52	63
50-64	88	15.1	264	2	3	8	20	38	51	80
65+	169	11.9	95	2	3	10	15	24	30	48
GRAND TOTAL	**470**	**13.2**	**161**	**2**	**3**	**9**	**17**	**28**	**41**	**56**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	3.2	35	1	1	2	3	5	7	31
20-34	191	4.5	24	1	1	3	5	9	14	26
35-49	72	7.9	74	1	2	5	9	22	28	39
50-64	121	11.5	130	1	2	8	16	25	36	69
65+	674	10.9	94	2	3	8	14	22	30	47
B. *Operated*										
0-19 YRS	6	4.7	39	<1	<1	2	4	16	17	17
20-34	7	4.1	8	1	1	4	7	8	8	8
35-49	5	6.2	26	2	2	3	8	15	15	15
50-64	12	11.0	107	2	3	7	17	26	35	36
65+	22	13.8	146	3	4	8	22	28	39	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	5.5	74	1	1	3	5	11	20	50
20-34	358	8.7	117	1	2	5	9	19	31	66
35-49	234	10.6	103	2	3	7	12	23	31	53
50-64	517	13.5	166	2	3	10	16	31	41	65
65+	4251	12.2	103	3	4	9	15	24	31	54
B. *Operated*										
0-19 YRS	15	11.4	394	<1	1	4	11	31	65	77
20-34	34	15.3	359	1	3	8	15	43	64	81
35-49	24	13.8	58	4	6	13	18	25	51	99+
50-64	71	19.4	204	3	5	16	25	38	48	67
65+	392	20.0	196	4	7	17	26	39	47	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1323	8.3	86	1	1	5	10	19	27	47
B. *Operated*	52	10.1	106	1	2	6	16	23	30	52
2. MULTIPLE DX										
A. *Not Operated*	5637	11.7	111	2	3	9	15	24	31	56
B. *Operated*	536	19.1	209	3	5	15	25	38	49	80
1. SINGLE DX	1375	8.4	86	1	1	5	10	19	27	47
2. MULTIPLE DX	6173	12.3	124	2	3	9	15	25	34	59
A. NOT OPERATED	6960	11.0	108	2	2	8	14	23	31	55
B. OPERATED	588	18.3	207	2	4	14	24	37	47	79
TOTAL 0-19 YRS	563	4.6	66	1	1	2	4	8	17	44
20-34	590	7.7	106	1	1	5	8	16	26	64
35-49	335	10.2	95	2	2	7	12	24	31	53
50-64	721	13.7	166	2	3	10	17	31	41	66
65+	5339	12.6	113	3	4	10	16	25	33	56
GRAND TOTAL	**7548**	**11.6**	**119**	**2**	**2**	**8**	**15**	**24**	**33**	**57**

91: Arteriosclerotic dementia (290.4)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	35.0		35	35	35	35	35	35	35
65+	21	9.0	29	2	3	8	12	15	20	25
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	12.5	61	7	7	12	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	18.5	5	17	17	18	20	20	20	20
50-64	13	19.8	302	4	6	13	25	50	56	57
65+	204	13.0	82	3	4	11	16	23	29	46
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	19.5	41	15	15	19	24	24	24	24
65+	11	21.0	469	2	3	15	21	61	68	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	10.2	59	2	3	8	13	18	29	35
B. *Operated*	2	12.5	61	7	7	12	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	220	13.4	96	3	4	11	17	23	35	51
B. *Operated*	13	20.8	395	2	3	15	22	59	67	69
1. SINGLE DX	24	10.4	57	2	4	8	13	19	28	35
2. MULTIPLE DX	233	13.8	114	3	4	11	17	24	38	58
A. NOT OPERATED	242	13.1	93	3	4	11	16	23	35	49
B. OPERATED	15	19.7	351	2	4	15	21	56	66	69
TOTAL 0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	18.5	5	17	17	18	20	20	20	20
50-64	16	20.7	259	4	7	15	29	47	54	57
65+	238	13.0	97	3	4	11	16	23	30	57
GRAND TOTAL	**257**	**13.5**	**109**	**3**	**4**	**11**	**17**	**24**	**36**	**57**

92: Alcoholic psychoses (291)

				PERCENTILES						
TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	26	<1	<1	2	3	12	16	16
20-34	69	6.6	133	<1	1	3	5	13	27	74
35-49	129	5.8	39	1	1	4	6	11	17	37
50-64	80	8.4	74	1	2	6	10	17	25	49
65+	29	8.3	57	<1	1	6	9	20	25	33
B. *Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49										
50-64	2	30.5	41	26	26	30	35	35	35	35
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.5	150	1	1	3	5	31	37	37
20-34	356	6.1	33	1	2	4	7	12	20	29
35-49	722	7.3	47	2	2	5	9	14	22	31
50-64	699	8.6	58	2	2	6	11	18	26	38
65+	238	11.7	108	2	3	8	15	23	31	57
B. *Operated*										
0-19 YRS										
20-34	18	9.8	57	2	2	7	10	22	27	30
35-49	41	14.8	169	3	4	10	19	30	44	65
50-64	43	16.7	139	4	6	14	19	34	42	56
65+	24	24.6	235	8	9	19	31	48	59	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	6.8	71	1	1	4	8	14	24	38
B. *Operated*	3	24.3	134	12	12	26	33	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	2025	8.1	58	2	2	6	10	17	24	37
B. *Operated*	126	16.6	172	3	4	13	22	33	47	61
1. SINGLE DX	318	7.0	74	1	1	4	8	15	24	38
2. MULTIPLE DX	2151	8.6	69	2	2	6	10	19	26	42
A. NOT OPERATED	2340	7.9	60	2	2	5	9	17	24	37
B. OPERATED	129	16.8	171	3	4	13	22	34	47	61
TOTAL 0-19 YRS	18	6.3	96	<1	1	3	4	22	32	37
20-34	444	6.3	50	1	2	4	7	12	22	30
35-49	892	7.4	54	1	2	5	9	14	23	36
50-64	824	9.0	68	2	2	6	11	19	26	41
65+	291	12.4	127	2	3	9	15	27	35	59
GRAND TOTAL	**2469**	**8.3**	**70**	**2**	**2**	**6**	**10**	**18**	**25**	**42**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	10.1	121	1	1	7	12	27	36	46
20-34	87	8.2	91	<1	1	5	10	20	27	50
35-49	23	6.3	38	1	1	3	9	15	20	25
50-64	8	5.9	47	2	2	3	6	18	22	22
65+	8	5.8	9	<1	1	6	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	10.8	177	<1	1	6	15	25	42	61
20-34	151	8.6	86	1	1	6	10	19	27	50
35-49	55	8.5	53	1	2	6	12	18	23	37
50-64	64	9.3	62	2	3	6	10	24	28	31
65+	81	11.0	85	2	3	8	13	22	30	50
B. *Operated*										
0-19 YRS										
20-34	10	19.8	201	3	5	18	31	38	42	42
35-49	2	15.0	200	5	5	15	25	25	25	25
50-64	5	16.2	508	2	2	6	23	56	56	56
65+	4	16.5	40	7	7	19	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	8.2	87	1	1	5	10	21	27	46
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	388	9.4	86	1	2	6	11	22	28	50
B. *Operated*	21	17.9	212	3	4	12	27	37	48	56
1. SINGLE DX	173	8.2	87	1	1	5	10	21	27	46
2. MULTIPLE DX	409	9.8	96	1	2	6	12	22	30	51
A. NOT OPERATED	560	9.0	86	1	1	6	11	22	28	49
B. OPERATED	22	17.2	210	3	4	11	26	36	48	56
TOTAL 0-19 YRS	83	10.4	144	1	1	6	13	26	37	57
20-34	249	8.9	96	1	1	6	10	21	30	50
35-49	80	8.0	52	1	2	5	11	18	23	34
50-64	77	9.4	87	2	3	6	10	24	29	49
65+	93	10.8	80	2	3	8	13	21	29	50
GRAND TOTAL	**582**	**9.3**	**93**	**1**	**2**	**6**	**11**	**22**	**29**	**50**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	23.0	349	2	4	20	31	52	64	98
20-34	1753	17.1	194	2	3	14	23	35	45	70
35-49	790	17.1	174	3	4	14	23	34	42	69
50-64	323	17.4	178	3	5	14	21	36	46	66
65+	60	16.8	150	2	4	15	24	35	48	95
B. *Operated*										
0-19 YRS	2	48.5	1	48	48	48	49	49	49	49
20-34	5	16.2	76	10	10	12	20	31	31	31
35-49	4	22.5	25	16	16	23	26	28	28	28
50-64	1	41.0		41	41	41	41	41	41	41
65+	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	26.8	495	3	5	19	42	64	90	99+
20-34	738	20.2	247	2	4	17	27	43	53	77
35-49	473	17.6	152	3	5	15	23	35	43	61
50-64	295	19.9	187	4	6	16	27	39	48	67
65+	104	18.6	153	3	5	16	28	35	40	57
B. *Operated*										
0-19 YRS	3	39.7	282	25	25	36	52	58	58	58
20-34	42	21.4	197	4	7	18	27	44	51	63
35-49	39	31.1	436	8	12	25	38	54	86	98
50-64	22	26.1	242	4	7	23	37	50	55	60
65+	4	29.3	485	6	6	26	43	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3097	17.5	196	2	4	14	23	36	45	74
B. *Operated*	13	26.5	185	10	11	24	36	48	49	49
2. MULTIPLE DX										
A. *Not Operated*	1682	19.6	217	3	5	16	26	41	50	76
B. *Operated*	110	26.6	314	6	8	21	35	50	59	92
1. SINGLE DX	3110	17.5	197	2	4	14	23	36	46	74
2. MULTIPLE DX	1792	20.0	226	3	5	17	27	42	51	77
A. NOT OPERATED	4779	18.2	205	2	4	15	24	38	47	75
B. OPERATED	123	26.6	299	6	9	22	35	49	58	91
TOTAL 0-19 YRS	248	24.5	395	2	4	20	36	55	76	99+
20-34	2538	18.1	211	2	4	15	24	38	48	72
35-49	1306	17.8	179	3	4	15	23	35	43	71
50-64	641	18.9	187	4	6	15	25	38	48	66
65+	169	18.3	160	3	5	16	26	35	42	68
GRAND TOTAL	**4902**	**18.4**	**209**	**2**	**4**	**15**	**25**	**38**	**48**	**75**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	21.1	278	3	4	16	36	54	83	99+
20-34	126	15.9	149	3	4	13	20	31	40	68
35-49	33	15.4	152	3	4	11	20	30	31	64
50-64	14	13.1	42	4	6	13	16	24	26	26
65+	5	17.4	151	1	1	22	25	32	32	32
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	29.6	440	5	6	23	42	67	73	75
20-34	56	17.8	124	5	7	15	21	35	42	50
35-49	17	15.8	267	4	5	11	16	29	59	74
50-64	11	12.9	45	4	4	15	17	20	25	25
65+	5	13.4	174	2	2	6	23	34	34	34
B. *Operated*										
0-19 YRS	1	45.0		45	45	45	45	45	45	45
20-34	1	41.0		41	41	41	41	41	41	41
35-49										
50-64	1	10.0		10	10	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	16.6	166	3	4	13	21	34	44	85
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	105	18.6	206	5	6	16	22	40	44	74
B. *Operated*	3	32.0	367	10	10	41	44	45	45	45
1. SINGLE DX	214	16.6	166	3	4	13	21	34	44	85
2. MULTIPLE DX	108	18.9	212	5	6	16	23	41	45	74
A. NOT OPERATED	319	17.2	180	3	5	14	21	35	44	76
B. OPERATED	3	32.0	367	10	10	41	44	45	45	45
TOTAL 0-19 YRS	53	24.1	337	3	5	22	41	56	73	99+
20-34	183	16.6	144	3	5	14	20	34	41	60
35-49	50	15.5	186	4	5	11	19	30	31	74
50-64	26	12.9	40	4	5	14	16	23	25	26
65+	10	15.4	149	1	1	14	23	33	34	34
GRAND TOTAL	**322**	**17.4**	**182**	**3**	**5**	**14**	**21**	**36**	**44**	**76**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	23.0	348	2	4	19	33	49	68	99
20-34	2909	17.9	217	2	3	14	25	39	49	76
35-49	1354	16.5	181	2	3	13	22	34	43	65
50-64	672	17.5	194	3	4	14	23	36	45	79
65+	128	17.4	151	3	5	14	24	32	45	74
B. *Operated*										
0-19 YRS	4	28.8	125	19	19	27	38	42	42	42
20-34	6	23.7	37	13	14	26	28	29	29	29
35-49	8	10.9	35	4	5	10	13	20	23	23
50-64	1	45.0		45	45	45	45	45	45	45
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	211	21.9	293	3	4	18	34	51	60	99+
20-34	1474	18.6	230	2	4	15	25	40	50	80
35-49	867	16.8	191	3	4	13	22	35	44	74
50-64	655	18.8	204	3	5	15	25	37	49	75
65+	254	16.6	155	3	5	14	22	31	39	72
B. *Operated*										
0-19 YRS	11	39.6	398	14	16	36	54	69	77	78
20-34	117	25.8	257	5	7	25	38	48	63	99+
35-49	67	28.7	304	7	9	25	38	51	67	81
50-64	64	30.0	417	4	8	26	44	59	67	93
65+	19	21.8	280	7	8	16	29	52	62	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5495	17.9	216	2	3	14	24	38	48	77
B. *Operated*	19	20.5	138	5	7	20	28	39	44	45
2. MULTIPLE DX										
A. *Not Operated*	3461	18.2	215	3	4	15	24	38	50	79
B. *Operated*	278	27.8	319	6	8	25	39	53	65	91
1. SINGLE DX	5514	17.9	216	2	3	14	24	38	48	77
2. MULTIPLE DX	3739	18.9	229	3	4	15	25	39	51	79
A. NOT OPERATED	8956	18.0	216	2	4	14	24	38	49	78
B. OPERATED	297	27.3	310	6	8	24	38	51	65	89
TOTAL 0-19 YRS	658	23.0	334	2	4	19	34	50	64	99+
20-34	4506	18.3	223	2	3	15	25	40	50	78
35-49	2296	16.9	192	2	4	13	22	35	44	70
50-64	1392	18.7	215	3	4	15	25	37	49	78
65+	401	17.1	160	3	5	14	23	32	41	71
GRAND TOTAL	**9253**	**18.3**	**222**	**2**	**4**	**15**	**25**	**39**	**49**	**78**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	32.4	634	3	4	29	49	70	75	75
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	22.7	455	2	3	19	39	71	92	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	32.4	634	3	4	29	49	70	75	75
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	22.7	455	2	3	19	39	71	92	99+
B. *Operated*	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX	8	32.4	634	3	4	29	49	70	75	75
2. MULTIPLE DX	17	21.5	450	2	3	16	37	68	90	99+
A. NOT OPERATED	24	25.9	512	2	3	24	41	75	82	99+
B. OPERATED	1	3.0		3	3	3	3	3	3	3
TOTAL 0-19 YRS	25	25.0	512	2	3	21	39	73	81	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**25**	**25.0**	**512**	**2**	**3**	**21**	**39**	**73**	**81**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	21.4	336	2	3	16	33	49	58	97
20-34	1149	14.6	176	1	2	11	20	31	42	66
35-49	1009	16.2	169	2	3	14	22	33	41	67
50-64	948	18.5	202	1	4	16	25	37	48	68
65+	596	20.3	204	2	4	18	27	39	48	61
B. *Operated*										
0-19 YRS										
20-34	9	16.1	132	5	5	13	23	35	39	39
35-49	8	30.9	281	11	12	31	38	56	63	63
50-64	10	29.0	387	5	6	23	52	57	62	62
65+	7	25.1	258	5	5	26	33	48	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	17.4	275	2	2	13	25	42	57	99+
20-34	1554	16.4	198	2	3	13	23	35	44	74
35-49	1500	16.9	183	2	4	13	23	35	44	70
50-64	1372	19.0	189	3	5	16	25	37	45	73
65+	1181	20.6	260	3	5	16	28	43	52	80
B. *Operated*										
0-19 YRS	13	39.5	660	8	9	38	64	76	80	81
20-34	125	24.4	261	7	7	21	35	49	60	99+
35-49	162	23.5	264	5	8	20	33	44	55	89
50-64	150	25.6	189	8	9	25	33	45	58	99
65+	120	32.1	371	8	10	28	46	66	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3869	17.2	197	1	3	14	23	36	45	68
B. *Operated*	34	25.2	279	5	6	23	35	52	60	63
2. MULTIPLE DX										
A. *Not Operated*	5807	18.0	210	2	4	15	25	37	47	74
B. *Operated*	570	26.4	287	7	9	23	35	54	67	99+
1. SINGLE DX	3903	17.2	198	1	3	14	23	36	46	68
2. MULTIPLE DX	6377	18.8	222	2	4	15	26	39	49	78
A. NOT OPERATED	9676	17.7	205	2	3	14	24	37	46	71
B. OPERATED	604	26.3	286	6	8	23	35	53	66	99+
TOTAL 0-19 YRS	380	19.9	330	2	3	15	30	48	67	99+
20-34	2837	16.0	195	1	3	12	22	35	44	70
35-49	2679	17.1	186	2	3	14	23	35	44	71
50-64	2480	19.3	197	3	5	16	26	37	48	71
65+	1904	21.2	257	3	5	18	29	43	53	78
GRAND TOTAL	**10280**	**18.2**	**213**	**2**	**4**	**15**	**25**	**37**	**48**	**73**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	21.9	346	3	5	16	29	50	60	87
20-34	1410	17.1	177	2	4	14	22	35	43	63
35-49	1049	16.5	163	2	4	14	22	33	40	64
50-64	588	18.8	171	3	5	16	25	36	44	60
65+	184	20.4	233	3	5	16	28	42	47	79
B. *Operated*										
0-19 YRS										
20-34	3	12.0	84	2	2	14	18	20	20	20
35-49	7	12.7	40	5	6	10	18	22	22	22
50-64	7	40.1	1190	10	10	28	70	93	95	95
65+	5	23.2	147	10	10	22	32	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	24.4	330	4	4	20	35	50	61	88
20-34	841	18.5	204	3	4	15	24	38	48	71
35-49	813	17.9	159	3	5	15	24	36	44	61
50-64	625	19.9	217	4	6	17	25	37	49	85
65+	314	21.3	238	5	7	17	29	41	49	80
B. *Operated*										
0-19 YRS	10	24.6	366	7	7	18	37	56	65	65
20-34	55	28.0	230	7	9	28	39	49	54	64
35-49	89	26.5	282	7	9	23	36	46	62	81
50-64	65	29.1	307	8	10	26	39	52	61	89
65+	38	25.4	186	3	9	24	33	44	51	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3431	17.7	186	2	4	14	23	36	44	68
B. *Operated*	22	23.7	538	4	8	17	28	53	88	95
2. MULTIPLE DX										
A. *Not Operated*	2724	19.2	206	3	5	16	25	39	47	76
B. *Operated*	257	27.2	264	7	9	24	37	49	59	74
1. SINGLE DX	3453	17.7	189	2	4	14	23	36	44	69
2. MULTIPLE DX	2981	19.9	216	3	5	17	26	40	49	76
A. NOT OPERATED	6155	18.4	196	3	4	15	24	37	46	72
B. OPERATED	279	27.0	285	7	9	23	37	49	60	85
TOTAL 0-19 YRS	341	22.9	340	3	5	18	32	50	62	86
20-34	2309	17.9	191	2	4	15	23	36	46	64
35-49	1958	17.5	171	3	4	14	23	35	42	64
50-64	1285	20.0	211	4	6	17	26	39	47	84
65+	541	21.3	232	4	6	17	28	42	49	79
GRAND TOTAL	**6434**	**18.7**	**202**	**3**	**4**	**15**	**25**	**38**	**46**	**73**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	18.2	275	1	2	14	28	43	54	99+
20-34	733	14.3	170	1	2	11	20	32	43	62
35-49	433	12.9	130	1	2	10	18	28	35	61
50-64	315	16.1	183	2	3	13	21	34	46	60
65+	204	14.8	161	2	3	12	21	30	36	61
B. *Operated*										
0-19 YRS	2	36.0	1682	7	7	36	65	65	65	65
20-34	1	37.0		37	37	37	37	37	37	37
35-49	3	7.0	19	2	2	9	10	10	10	10
50-64	10	18.9	333	3	3	11	38	46	52	52
65+	8	7.9	39	2	2	7	10	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	20.6	398	1	2	13	32	51	78	99+
20-34	583	15.5	168	2	3	12	20	33	40	64
35-49	439	15.5	158	2	3	12	22	35	41	62
50-64	454	15.8	157	3	3	13	22	31	42	67
65+	941	13.6	124	2	3	10	18	27	34	54
B. *Operated*										
0-19 YRS	5	15.8	108	2	2	17	25	27	27	27
20-34	33	18.6	243	3	5	17	26	32	57	73
35-49	30	25.6	239	5	7	24	37	53	64	99+
50-64	43	21.6	235	5	6	20	30	43	59	99+
65+	115	20.7	258	4	5	16	29	43	51	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1831	14.7	172	1	2	11	20	32	42	63
B. *Operated*	24	15.9	308	2	3	9	20	42	56	65
2. MULTIPLE DX										
A. *Not Operated*	2532	15.1	161	2	3	12	20	31	40	65
B. *Operated*	226	21.1	246	4	5	18	29	43	56	89
1. SINGLE DX	1855	14.7	173	1	2	11	20	32	42	65
2. MULTIPLE DX	2758	15.6	170	2	3	12	21	33	42	67
A. NOT OPERATED	4363	14.9	165	2	3	11	20	32	41	65
B. OPERATED	250	20.6	253	3	5	17	28	43	56	86
TOTAL 0-19 YRS	268	19.3	331	1	2	14	29	44	65	99+
20-34	1350	15.0	172	1	3	11	20	33	41	63
35-49	905	14.6	152	2	3	11	20	31	39	63
50-64	822	16.3	174	2	3	13	22	34	44	67
65+	1268	14.4	146	2	3	11	19	29	38	57
GRAND TOTAL	**4613**	**15.2**	**172**	**2**	**3**	**12**	**20**	**32**	**42**	**67**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	198	7.9	187	<1	1	3	6	21	41	80
20-34	706	6.2	52	1	1	4	7	13	21	34
35-49	498	6.4	56	1	1	4	7	13	24	43
50-64	271	6.4	43	1	1	4	8	14	19	35
65+	107	5.7	39	1	2	4	7	10	20	37
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	9	6.1	10	2	2	5	8	11	12	12
35-49	5	4.4	11	2	2	3	6	10	10	10
50-64	8	8.1	25	4	4	6	11	16	17	17
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	9.4	158	1	1	5	11	27	36	68
20-34	1323	8.3	82	1	2	5	10	22	27	44
35-49	1240	7.8	60	1	2	5	9	19	22	39
50-64	986	7.0	47	1	2	5	8	15	22	33
65+	847	7.1	53	1	2	5	9	14	20	36
B. *Operated*										
0-19 YRS	11	11.2	155	2	3	7	10	35	40	40
20-34	61	13.7	142	2	3	9	18	35	41	43
35-49	80	13.6	141	2	3	10	17	27	41	59
50-64	58	12.4	95	2	4	10	15	27	35	43
65+	37	13.8	86	3	3	11	21	26	32	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1780	6.4	66	1	1	4	7	13	22	42
B. *Operated*	26	6.0	16	1	2	5	8	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	4657	7.7	68	1	2	5	9	19	22	42
B. *Operated*	247	13.3	121	2	3	10	17	30	40	44
1. SINGLE DX	1806	6.4	65	1	1	4	7	13	22	42
2. MULTIPLE DX	4904	8.0	72	1	2	5	10	20	24	43
A. NOT OPERATED	6437	7.4	68	1	1	5	8	18	22	42
B. OPERATED	273	12.6	116	2	3	9	16	29	38	43
TOTAL 0-19 YRS	472	8.8	169	1	1	4	8	25	39	75
20-34	2099	7.8	75	1	1	5	9	20	25	42
35-49	1823	7.6	64	1	2	5	9	19	23	42
50-64	1323	7.1	49	1	2	5	9	15	22	37
65+	993	7.2	55	1	2	5	9	14	21	36
GRAND TOTAL	**6710**	**7.6**	**71**	**1**	**2**	**5**	**9**	**18**	**24**	**43**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	539	19.1	334	1	2	13	29	46	62	87
20-34	2294	11.2	107	1	2	8	15	25	32	47
35-49	1678	12.6	117	2	3	9	17	27	35	50
50-64	843	13.7	128	2	3	11	18	28	35	59
65+	341	15.1	137	2	3	12	22	33	39	47
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	7	18.1	159	3	4	18	27	37	39	39
35-49	17	15.8	111	3	6	9	25	32	33	34
50-64	5	21.8	169	7	7	22	28	42	42	42
65+	5	25.0	387	8	8	23	34	57	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	687	20.8	318	2	3	16	31	47	63	99+
20-34	3028	13.4	142	2	3	10	18	30	39	56
35-49	2479	13.0	115	2	3	10	18	27	35	51
50-64	1567	14.3	135	3	4	10	19	31	39	53
65+	1103	13.8	136	3	4	10	18	30	38	58
B. *Operated*										
0-19 YRS	18	29.8	678	5	6	22	36	68	86	98
20-34	218	22.0	223	4	6	19	31	42	52	67
35-49	221	22.0	210	5	8	19	29	40	48	78
50-64	127	21.3	251	4	6	17	29	42	51	80
65+	77	22.7	286	4	6	17	32	44	55	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5695	13.0	142	2	3	9	17	29	38	58
B. *Operated*	35	18.3	159	4	7	15	25	34	41	57
2. MULTIPLE DX										
A. *Not Operated*	8864	14.1	150	2	3	10	19	31	40	60
B. *Operated*	661	22.1	243	5	6	19	30	43	52	80
1. SINGLE DX	5730	13.0	142	2	3	9	18	29	38	58
2. MULTIPLE DX	9525	14.6	161	2	3	11	20	32	41	62
A. NOT OPERATED	14559	13.6	147	2	3	10	19	30	39	60
B. OPERATED	696	21.9	240	4	6	19	29	42	52	80
TOTAL 0-19 YRS	1245	20.2	331	2	3	15	30	47	63	98
20-34	5547	12.8	136	2	2	9	18	29	37	53
35-49	4395	13.3	125	2	3	10	18	28	36	53
50-64	2542	14.5	141	3	4	11	19	31	39	55
65+	1526	14.6	148	3	4	11	20	32	40	60
GRAND TOTAL	**15255**	**14.0**	**154**	**2**	**3**	**10**	**19**	**31**	**40**	**61**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	413	13.8	257	1	1	7	20	38	54	99+
20-34	954	10.6	149	1	1	6	15	27	35	61
35-49	455	9.7	109	1	1	6	14	22	29	48
50-64	199	8.0	85	1	1	5	12	20	28	42
65+	81	12.0	228	1	1	7	14	30	48	75
B. *Operated*										
0-19 YRS	7	11.0	301	2	2	5	8	42	50	50
20-34	31	10.4	115	3	3	7	12	16	26	61
35-49	20	8.5	18	2	3	8	11	15	16	16
50-64	29	5.4	8	2	2	5	6	9	11	14
65+	6	5.7	4	3	3	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	588	15.1	319	1	2	8	21	41	61	99+
20-34	1627	11.7	150	1	2	8	16	27	37	61
35-49	817	12.3	155	1	2	8	17	28	38	64
50-64	479	11.7	139	1	2	8	16	25	33	56
65+	275	12.3	142	2	2	8	16	28	35	62
B. *Operated*										
0-19 YRS	19	20.5	475	1	2	13	37	66	94	99+
20-34	104	20.3	316	2	3	13	32	47	56	71
35-49	64	15.9	258	1	1	9	24	44	51	61
50-64	68	10.3	91	2	3	7	13	20	27	48
65+	45	14.6	188	3	3	9	21	37	45	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2102	10.9	161	1	1	6	15	27	37	64
B. *Operated*	93	8.2	69	2	3	6	9	14	16	56
2. MULTIPLE DX										
A. *Not Operated*	3786	12.4	176	1	2	8	17	29	39	72
B. *Operated*	300	16.2	255	2	3	10	23	42	50	71
1. SINGLE DX	2195	10.7	157	1	1	6	14	27	37	63
2. MULTIPLE DX	4086	12.7	183	1	2	8	17	30	42	72
A. NOT OPERATED	5888	11.9	171	1	1	7	16	28	38	70
B. OPERATED	393	14.3	223	2	3	9	17	39	48	66
TOTAL 0-19 YRS	1027	14.7	297	1	2	8	21	41	58	99+
20-34	2716	11.7	158	1	1	7	16	28	37	62
35-49	1356	11.6	145	1	2	7	16	26	37	62
50-64	775	10.4	119	1	1	7	14	24	31	50
65+	407	12.4	163	1	2	8	15	29	37	61
GRAND TOTAL	**6281**	**12.0**	**175**	**1**	**2**	**7**	**16**	**29**	**39**	**70**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	392	14.7	177	<1	1	11	27	31	36	48
20-34	3137	15.5	123	1	2	14	27	29	31	38
35-49	2923	14.3	118	1	2	12	25	29	30	37
50-64	1488	14.6	130	1	2	13	26	29	31	38
65+	294	12.9	124	1	2	8	22	28	30	41
B. *Operated*										
0-19 YRS										
20-34	7	19.1	132	5	6	25	29	30	30	30
35-49	2	15.0	392	1	1	15	29	29	29	29
50-64	5	12.8	77	1	1	11	21	22	22	22
65+	1	27.0		27	27	63	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	858	21.8	251	1	2	22	33	42	48	63
20-34	5304	15.1	139	1	2	12	26	30	34	44
35-49	6015	12.6	121	2	2	8	21	29	32	40
50-64	4709	12.8	129	2	2	8	21	30	33	46
65+	1515	13.5	128	2	3	9	21	29	34	50
B. *Operated*										
0-19 YRS	24	19.9	254	<1	1	19	31	44	45	46
20-34	182	19.3	124	3	5	19	28	34	37	44
35-49	311	20.2	150	4	6	20	29	36	44	65
50-64	297	19.8	158	5	6	17	28	35	41	57
65+	122	21.0	145	4	7	21	30	34	40	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8234	14.8	125	1	2	13	26	29	31	38
B. *Operated*	15	17.0	123	1	2	21	29	30	79	99+
2. MULTIPLE DX										
A. *Not Operated*	18401	13.9	139	2	2	9	23	30	34	46
B. *Operated*	936	20.0	149	4	6	19	29	35	41	58
1. SINGLE DX	8249	14.8	125	1	2	13	26	29	31	38
2. MULTIPLE DX	19337	14.2	141	2	2	10	24	30	35	47
A. NOT OPERATED	26635	14.1	135	1	2	10	24	30	33	44
B. OPERATED	951	20.0	149	4	6	19	29	35	41	58
TOTAL 0-19 YRS	1274	19.6	239	1	1	20	30	40	46	59
20-34	8630	15.3	133	1	2	14	26	30	33	42
35-49	9251	13.4	123	1	2	9	23	29	32	40
50-64	6499	13.6	133	2	2	9	23	30	33	46
65+	1932	13.8	132	2	3	10	21	30	34	50
GRAND TOTAL	**27586**	**14.3**	**137**	**1**	**2**	**11**	**24**	**30**	**34**	**45**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	15.6	97	3	4	18	22	29	30	30
20-34	137	13.0	86	3	3	11	18	28	31	42
35-49	28	11.9	110	1	2	8	19	28	32	36
50-64	3	16.3	110	6	6	16	24	27	27	27
65+	2	14.0	8	12	12	14	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34	2	7.5	1	7	7	7	8	8	8	8
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	15.4	143	2	3	13	22	34	41	42
20-34	176	13.8	120	2	3	11	19	28	35	47
35-49	53	12.6	94	3	3	8	15	28	33	38
50-64	18	14.2	96	2	3	11	21	29	33	35
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	9	14.8	54	5	6	13	20	26	29	29
35-49	3	10.3	8	7	7	12	12	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	13.1	89	2	3	11	19	28	31	40
B. *Operated*	3	6.0	7	3	3	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	259	13.6	112	2	3	11	19	28	34	42
B. *Operated*	12	13.7	45	5	6	12	17	23	28	29
1. SINGLE DX	184	13.0	88	2	3	11	19	28	30	40
2. MULTIPLE DX	271	13.6	109	2	3	11	19	28	34	42
A. NOT OPERATED	440	13.4	103	2	3	11	19	28	31	42
B. OPERATED	15	12.1	46	3	5	12	13	21	27	29
TOTAL 0-19 YRS	22	15.5	114	2	3	14	22	29	35	42
20-34	324	13.5	103	2	3	11	19	28	31	43
35-49	84	12.3	95	2	3	9	16	28	32	37
50-64	22	14.0	95	2	3	11	21	29	32	35
65+	3	12.0	16	8	8	12	15	16	16	16
GRAND TOTAL	**455**	**13.4**	**101**	**2**	**3**	**11**	**19**	**28**	**31**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	20.8	239	1	2	21	31	41	45	67
20-34	330	17.0	130	2	3	15	28	32	35	42
35-49	69	12.7	116	1	2	9	22	29	31	39
50-64	22	19.4	208	3	4	15	28	36	48	61
65+	5	12.4	119	<1	<1	7	23	26	26	26
B. *Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	24.9	237	3	5	27	36	44	47	67
20-34	653	16.5	140	2	3	13	28	32	35	45
35-49	142	17.2	180	1	3	14	28	35	42	51
50-64	64	20.7	152	5	7	19	28	37	42	59
65+	27	15.0	131	3	3	13	19	28	39	51
B. *Operated*										
0-19 YRS	4	65.5	92	53	53	68	73	73	73	73
20-34	25	24.4	222	5	9	21	31	40	51	73
35-49	6	15.0	216	2	3	11	13	41	44	44
50-64	5	20.2	453	7	7	13	24	58	58	58
65+	2	31.5	13	29	29	31	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	17.5	165	1	2	14	28	34	37	50
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1162	18.8	180	2	3	16	29	36	42	51
B. *Operated*	42	26.8	384	4	8	21	37	59	73	73
1. SINGLE DX	576	17.5	165	1	2	14	28	34	37	50
2. MULTIPLE DX	1204	19.1	189	2	3	16	29	36	42	57
A. NOT OPERATED	1736	18.4	175	2	3	15	29	35	41	51
B. OPERATED	44	25.8	389	3	6	20	35	58	73	73
TOTAL 0-19 YRS	428	23.8	256	2	4	25	35	43	48	69
20-34	1010	16.9	140	2	3	14	28	32	36	45
35-49	217	15.7	163	1	2	11	27	34	40	50
50-64	91	20.3	175	4	6	17	28	38	45	61
65+	34	15.6	135	2	3	13	22	29	36	51
GRAND TOTAL	**1780**	**18.5**	**182**	**2**	**3**	**15**	**29**	**36**	**41**	**56**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	401	1.7	8	<1	<1	1	1	2	4	15
20-34	229	3.2	38	<1	<1	1	2	5	20	30
35-49	127	4.0	47	<1	<1	1	3	8	26	30
50-64	73	4.7	48	<1	1	2	4	12	21	35
65+	29	3.3	16	1	1	2	3	8	10	21
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	2.9	33	<1	<1	1	2	5	10	31
20-34	424	3.5	24	<1	<1	2	4	8	12	28
35-49	269	4.6	32	<1	1	3	5	9	15	33
50-64	237	4.8	35	<1	1	3	5	10	15	29
65+	136	4.9	22	1	1	4	6	10	15	24
B. *Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	5	5
20-34	29	5.1	40	<1	<1	2	5	17	19	24
35-49	15	7.8	109	<1	<1	3	12	17	34	39
50-64	7	11.1	72	1	1	13	18	21	22	22
65+	18	9.1	168	1	1	4	11	19	42	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	2.7	27	<1	<1	1	2	4	11	29
B. *Operated*	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1335	4.0	29	<1	<1	2	4	9	13	29
B. *Operated*	82	6.4	82	<1	<1	3	8	17	21	51
1. SINGLE DX	861	2.7	27	<1	<1	1	2	4	11	29
2. MULTIPLE DX	1417	4.1	33	<1	<1	2	4	9	14	29
A. NOT OPERATED	2194	3.5	29	<1	<1	2	4	7	13	29
B. OPERATED	84	6.3	80	<1	<1	2	7	17	21	50
TOTAL 0-19 YRS	684	2.1	18	<1	<1	1	2	3	6	23
20-34	682	3.5	29	<1	<1	1	3	8	15	29
35-49	411	4.5	39	<1	<1	2	5	9	19	32
50-64	318	4.9	39	<1	1	3	5	11	18	29
65+	183	5.0	36	1	1	4	6	10	16	25
GRAND TOTAL	**2278**	**3.6**	**31**	**<1**	**<1**	**2**	**4**	**8**	**14**	**29**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	11.7	170	1	1	5	22	30	38	50
20-34	184	10.7	116	1	1	5	19	29	30	37
35-49	25	10.8	120	<1	<1	5	18	29	32	36
50-64	11	14.0	363	1	1	4	27	46	53	54
65+	4	9.8	42	2	2	10	15	16	16	16
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	13.9	180	1	1	8	23	34	39	55
20-34	458	11.5	109	1	1	8	17	28	32	40
35-49	102	13.0	158	1	2	8	20	31	36	58
50-64	43	11.1	138	2	2	7	11	30	34	57
65+	29	10.0	100	2	2	5	12	29	30	39
B. *Operated*										
0-19 YRS	4	29.0	130	13	13	31	36	40	40	40
20-34	21	15.7	139	1	2	12	22	32	40	44
35-49	8	17.3	177	2	3	15	27	36	38	38
50-64	5	10.0	40	2	2	10	15	18	18	18
65+	4	15.3	119	6	6	13	24	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332	11.1	139	<1	1	5	19	30	34	44
B. *Operated*	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	772	12.1	130	1	2	8	18	30	34	46
B. *Operated*	42	16.5	141	2	2	13	23	34	39	44
1. SINGLE DX	334	11.1	139	<1	1	5	18	30	34	43
2. MULTIPLE DX	814	12.3	132	1	2	8	19	30	34	45
A. NOT OPERATED	1104	11.8	133	1	1	7	18	30	34	45
B. OPERATED	44	16.2	138	2	2	13	23	33	39	44
TOTAL 0-19 YRS	252	13.2	179	1	1	7	24	34	40	51
20-34	664	11.4	112	1	1	7	18	29	31	40
35-49	135	12.8	151	<1	1	8	20	31	36	50
50-64	60	11.6	164	2	2	6	13	31	40	57
65+	37	10.5	94	2	2	6	15	29	30	39
GRAND TOTAL	**1148**	**11.9**	**134**	**1**	**1**	**7**	**19**	**30**	**34**	**44**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	3.7	6	1	1	3	5	7	8	12
20-34	171	4.6	33	1	1	3	5	8	10	38
35-49	141	5.1	31	1	1	3	6	10	15	27
50-64	81	4.5	8	1	2	4	5	8	9	16
65+	40	5.3	22	1	1	4	7	14	15	24
B. *Operated*										
0-19 YRS	21	5.2	9	1	2	5	7	9	11	14
20-34	19	6.1	42	<1	<1	4	8	14	21	27
35-49	11	4.3	13	2	2	3	5	10	14	14
50-64	4	9.0	51	2	2	7	13	19	19	19
65+	5	10.8	53	4	4	9	14	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	4.8	17	1	1	4	6	9	10	31
20-34	366	5.9	44	1	2	4	7	10	14	34
35-49	383	5.9	24	1	2	5	7	11	15	28
50-64	354	5.6	17	1	2	4	7	10	13	23
65+	279	6.6	29	2	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	14	6.0	23	<1	1	4	8	13	16	17
20-34	45	8.0	38	1	1	6	13	17	19	26
35-49	44	9.4	61	2	3	8	11	19	30	37
50-64	46	8.7	57	2	2	7	10	14	25	44
65+	20	13.3	207	2	4	8	13	34	50	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	638	4.5	20	1	1	3	5	8	11	24
B. *Operated*	60	6.0	28	1	1	5	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	1589	5.8	27	1	2	4	7	11	14	27
B. *Operated*	169	9.0	69	1	2	7	11	18	26	43
1. SINGLE DX	698	4.6	21	1	1	3	6	8	11	25
2. MULTIPLE DX	1758	6.1	32	1	2	5	7	12	15	29
A. NOT OPERATED	2227	5.4	26	1	2	4	7	10	13	26
B. OPERATED	229	8.2	60	1	2	6	10	16	23	42
TOTAL 0-19 YRS	447	4.3	12	1	1	4	6	8	10	17
20-34	601	5.7	41	1	1	4	7	11	15	36
35-49	579	5.9	29	1	2	4	7	12	15	30
50-64	485	5.7	21	1	2	5	7	11	14	25
65+	344	6.9	41	2	2	5	8	13	17	41
GRAND TOTAL	**2456**	**5.7**	**30**	**1**	**2**	**4**	**7**	**11**	**14**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	919	15.8	278	1	2	9	22	40	50	86
20-34	844	6.9	63	<1	1	4	8	16	21	41
35-49	389	7.8	79	1	1	5	9	20	26	42
50-64	115	7.5	90	1	1	5	9	15	24	54
65+	63	8.3	75	1	1	5	10	17	30	45
B. *Operated*										
0-19 YRS	3	18.3	481	<1	<1	11	35	43	43	43
20-34	4	8.3	19	2	2	9	11	12	12	12
35-49	3	14.3	40	7	7	18	18	18	18	18
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	889	15.6	298	1	2	9	22	41	54	91
20-34	1226	8.2	79	1	1	5	10	20	25	46
35-49	720	9.0	96	1	2	6	11	21	29	50
50-64	347	8.7	79	1	2	6	10	19	26	51
65+	237	11.1	153	2	2	7	13	22	39	69
B. *Operated*										
0-19 YRS	30	27.5	700	1	3	15	47	77	94	99+
20-34	53	12.2	102	<1	2	8	17	28	34	37
35-49	26	19.2	256	6	8	15	22	29	60	80
50-64	24	16.0	187	3	4	11	23	37	47	49
65+	12	22.2	237	5	6	20	29	40	59	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2330	10.6	170	1	1	6	13	27	39	71
B. *Operated*	11	12.5	133	<1	1	10	16	28	42	43
2. MULTIPLE DX										
A. *Not Operated*	3419	10.6	154	1	2	6	13	25	37	66
B. *Operated*	145	18.1	304	2	3	13	24	40	60	95
1. SINGLE DX	2341	10.6	170	1	1	6	13	27	39	71
2. MULTIPLE DX	3564	10.9	162	1	2	6	13	26	38	68
A. NOT OPERATED	5749	10.6	160	1	1	6	13	26	38	68
B. OPERATED	156	17.7	293	1	3	12	24	40	58	94
TOTAL 0-19 YRS	1841	15.9	296	1	2	9	23	41	54	89
20-34	2127	7.8	74	1	1	5	10	18	24	44
35-49	1138	8.8	96	1	1	5	11	21	29	49
50-64	487	8.8	89	1	2	6	10	20	27	51
65+	312	11.0	145	1	2	7	13	22	33	67
GRAND TOTAL	**5905**	**10.8**	**165**	**1**	**1**	**6**	**13**	**26**	**38**	**68**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1239	21.9	564	2	2	12	36	67	84	99+
20-34	1197	9.3	119	1	1	5	11	23	33	53
35-49	675	9.8	92	1	2	6	13	22	30	42
50-64	334	11.2	100	2	2	8	15	26	30	44
65+	198	13.2	124	2	3	9	19	30	38	51
B. *Operated*										
0-19 YRS	18	5.3	36	1	1	4	5	21	67	99+
20-34	27	11.4	152	2	2	7	13	27	47	50
35-49	17	12.7	97	3	4	10	17	21	36	43
50-64	9	11.2	91	3	4	11	12	26	35	35
65+	11	12.9	88	3	3	8	21	25	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1285	19.1	479	2	2	10	28	60	80	99+
20-34	2073	10.3	119	1	2	6	13	24	32	53
35-49	1561	9.8	92	2	2	7	12	22	29	48
50-64	1139	11.2	114	2	3	7	14	24	33	51
65+	1010	12.2	133	2	3	8	14	26	37	57
B. *Operated*										
0-19 YRS	59	29.9	701	2	4	24	52	81	94	99+
20-34	142	16.6	185	3	4	13	23	33	41	97
35-49	166	14.4	94	3	4	11	20	28	34	40
50-64	134	19.2	254	2	4	15	26	45	52	70
65+	115	18.1	233	4	5	13	24	39	53	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3643	14.0	296	1	2	7	18	39	59	94
B. *Operated*	82	10.5	104	2	2	7	14	23	38	83
2. MULTIPLE DX										
A. *Not Operated*	7068	12.2	191	2	2	7	15	29	42	81
B. *Operated*	616	18.1	250	3	4	13	25	39	53	91
1. SINGLE DX	3725	14.0	292	1	2	7	18	38	58	95
2. MULTIPLE DX	7584	12.7	198	2	2	8	16	29	43	82
A. NOT OPERATED	10711	12.8	227	1	2	7	16	31	47	88
B. OPERATED	698	17.2	238	3	4	12	23	37	52	92
TOTAL 0-19 YRS	2601	20.6	526	2	2	11	32	63	83	99+
20-34	3439	10.2	124	1	2	6	13	24	33	54
35-49	2419	10.1	93	1	2	7	13	23	30	46
50-64	1616	11.8	127	2	3	8	15	27	35	53
65+	1334	12.9	142	2	3	9	16	28	38	59
GRAND TOTAL	**11409**	**13.1**	**229**	**2**	**2**	**7**	**16**	**32**	**47**	**88**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.0	21	<1	1	7	10	14	15	15
20-34	18	11.4	287	<1	1	7	14	25	54	72
35-49	6	8.5	63	<1	<1	7	14	19	20	20
50-64	5	12.8	44	5	5	12	16	23	23	23
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	8.1	60	1	2	6	11	20	23	71
20-34	139	10.9	105	1	2	8	15	19	29	60
35-49	73	11.2	71	2	2	10	14	22	27	45
50-64	36	13.3	201	2	4	8	17	23	32	82
65+	9	8.7	53	<1	1	8	11	20	25	25
B. *Operated*										
0-19 YRS	17	10.4	208	1	1	4	11	40	46	46
20-34	12	13.8	502	1	1	4	14	44	75	80
35-49	6	18.0	297	3	3	15	18	48	51	51
50-64	3	25.0	399	2	2	35	37	38	38	38
65+	2	8.5	13	6	6	8	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	9.9	144	<1	1	8	14	21	24	72
B. *Operated*	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	358	10.4	95	1	2	8	14	21	28	57
B. *Operated*	40	13.6	305	1	1	6	17	41	48	80
1. SINGLE DX	43	9.7	139	<1	1	8	13	21	24	72
2. MULTIPLE DX	398	10.7	117	1	2	8	14	22	30	66
A. NOT OPERATED	399	10.3	100	1	2	8	14	21	27	65
B. OPERATED	42	13.1	293	1	2	5	17	40	48	80
TOTAL 0-19 YRS	130	8.3	75	1	2	5	10	20	23	56
20-34	170	11.1	148	1	2	8	14	21	29	74
35-49	85	11.5	86	2	2	11	15	22	27	51
50-64	44	14.0	195	2	4	10	18	31	38	82
65+	12	8.6	40	<1	1	8	11	15	24	25
GRAND TOTAL	**441**	**10.6**	**119**	**1**	**2**	**8**	**14**	**21**	**29**	**72**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	480	10.7	30	1	3	11	14	16	18	24
20-34	100	7.6	39	2	2	6	11	14	17	35
35-49	57	10.1	58	2	3	8	12	18	22	42
50-64	38	11.3	57	2	4	10	15	23	26	34
65+	8	20.1	216	8	9	14	24	45	53	53
B. *Operated*										
0-19 YRS	68	15.4	111	2	8	13	16	23	37	66
20-34	40	11.8	216	2	3	6	14	23	36	84
35-49	55	7.6	56	2	2	5	10	16	23	34
50-64	28	14.0	135	2	2	12	23	37	46	99+
65+	9	12.2	51	2	3	11	15	23	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	11.9	45	2	3	12	15	18	21	27
20-34	102	11.1	117	2	3	9	12	21	33	64
35-49	86	11.2	72	3	3	10	14	19	26	49
50-64	83	16.0	186	3	4	14	21	27	46	79
65+	79	17.5	120	4	5	15	23	33	36	55
B. *Operated*										
0-19 YRS	97	20.5	140	9	10	18	25	34	40	71
20-34	51	22.9	410	2	4	16	34	54	70	99+
35-49	70	20.6	367	3	5	14	24	47	69	92
50-64	84	19.4	201	3	4	17	28	37	55	99+
65+	42	34.4	647	4	5	30	51	77	84	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	683	10.3	39	2	3	11	13	17	19	34
B. *Operated*	200	12.2	125	2	2	11	16	23	33	76
2. MULTIPLE DX										
A. *Not Operated*	725	12.8	87	2	3	12	15	21	27	51
B. *Operated*	344	22.3	320	4	5	17	29	50	66	99
1. SINGLE DX	883	10.8	59	2	2	11	14	18	22	43
2. MULTIPLE DX	1069	15.9	181	3	4	13	19	30	42	81
A. NOT OPERATED	1408	11.6	65	2	3	11	14	19	23	44
B. OPERATED	544	18.6	272	2	4	14	23	37	58	95
TOTAL 0-19 YRS	1020	12.4	59	2	3	12	15	19	23	42
20-34	293	12.1	180	2	2	9	13	27	39	82
35-49	268	12.7	165	2	3	10	15	24	35	76
50-64	233	16.2	171	3	4	14	22	33	45	99+
65+	138	22.4	342	4	5	17	29	51	64	86
GRAND TOTAL	**1952**	**13.5**	**133**	**2**	**3**	**12**	**16**	**24**	**35**	**69**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	6.3	15	2	2	6	9	10	10	10
35-49	16	6.8	16	2	2	7	8	9	16	19
50-64	105	10.2	96	2	3	8	12	20	26	56
65+	292	11.5	71	3	4	9	15	21	28	45
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34										
35-49	4	9.8	22	3	3	11	13	14	14	14
50-64	13	12.1	69	5	6	9	13	25	33	35
65+	11	17.3	317	4	4	8	26	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	21.5	113	14	14	21	29	29	29	29
20-34	7	8.4	20	5	5	8	8	16	18	18
35-49	26	10.3	97	2	3	8	10	27	32	44
50-64	330	11.7	89	3	4	10	15	23	31	54
65+	1624	12.2	78	3	4	10	15	23	30	46
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	57	16.9	149	3	5	14	23	37	48	97
65+	234	20.1	238	4	5	16	26	42	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	10.9	76	2	3	9	14	21	27	45
B. *Operated*	29	13.7	154	4	5	11	14	33	50	50
2. MULTIPLE DX										
A. *Not Operated*	1989	12.1	80	3	4	10	15	23	30	46
B. *Operated*	291	19.5	222	4	5	15	25	41	50	96
1. SINGLE DX	447	11.1	81	2	3	9	14	21	28	50
2. MULTIPLE DX	2280	13.1	104	3	4	11	16	26	33	53
A. NOT OPERATED	2407	11.9	80	3	4	10	15	23	29	46
B. OPERATED	320	18.9	218	4	5	15	25	41	50	94
TOTAL 0-19 YRS	4	13.8	134	1	1	12	21	29	29	29
20-34	11	7.6	17	2	3	8	9	13	18	18
35-49	46	9.0	64	2	3	8	9	19	28	44
50-64	505	12.1	99	3	3	10	15	24	32	57
65+	2161	13.0	102	3	4	10	16	25	33	51
GRAND TOTAL	**2727**	**12.8**	**101**	**3**	**4**	**10**	**16**	**25**	**33**	**52**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	9.8	21	4	4	10	11	17	19	20
20-34	440	9.8	47	2	3	9	14	18	22	38
35-49	420	10.9	60	2	3	10	14	19	22	47
50-64	166	12.4	76	2	3	12	16	23	29	50
65+	18	10.9	21	3	4	11	14	16	18	19
B. *Operated*										
0-19 YRS	8	9.0	40	3	3	8	11	20	22	22
20-34	64	10.3	99	2	2	8	14	19	21	64
35-49	76	10.3	75	2	3	8	15	18	20	53
50-64	29	9.4	57	3	3	7	13	21	24	33
65+	2	15.0	200	5	5	15	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	12.3	195	2	3	7	13	33	48	51
20-34	288	11.4	74	2	4	9	14	22	26	44
35-49	517	12.5	97	3	4	10	15	23	29	57
50-64	330	12.7	93	3	4	10	16	24	29	57
65+	90	12.6	59	3	5	11	15	23	29	34
B. *Operated*										
0-19 YRS										
20-34	114	15.5	158	2	4	13	19	29	49	99+
35-49	191	19.0	213	4	5	16	23	41	58	99+
50-64	126	20.5	296	5	7	15	25	52	63	99+
65+	33	19.2	307	3	7	13	18	55	61	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1061	10.7	57	2	3	9	14	19	23	43
B. *Operated*	179	10.1	79	2	3	8	14	19	23	52
2. MULTIPLE DX										
A. *Not Operated*	1238	12.3	89	3	4	10	15	23	29	49
B. *Operated*	464	18.6	230	4	5	14	23	42	60	99+
1. SINGLE DX	1240	10.6	60	2	3	9	14	19	23	43
2. MULTIPLE DX	1702	14.0	135	3	4	11	17	26	36	72
A. NOT OPERATED	2299	11.6	75	2	3	10	15	21	27	47
B. OPERATED	643	16.2	202	3	4	13	19	35	54	99+
TOTAL 0-19 YRS	38	10.5	82	3	3	8	11	21	26	51
20-34	906	11.1	76	2	3	9	14	21	25	52
35-49	1204	12.8	109	3	4	10	16	23	32	71
50-64	651	14.0	136	3	4	11	17	27	34	66
65+	143	13.9	119	3	5	12	16	25	31	62
GRAND TOTAL	**2942**	**12.6**	**106**	**3**	**4**	**10**	**16**	**23**	**31**	**64**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	772	3.7	11	1	1	3	5	7	8	20
20-34	649	4.2	13	1	1	3	5	9	11	17
35-49	306	4.3	12	1	1	3	6	8	11	19
50-64	191	4.0	7	1	1	4	5	7	9	14
65+	94	6.6	35	2	2	5	7	14	16	32
B. *Operated*										
0-19 YRS	12	8.2	171	1	2	5	7	21	45	46
20-34	30	6.0	36	2	2	4	8	12	13	32
35-49	20	6.1	11	3	3	5	8	10	13	15
50-64	16	4.9	12	1	2	4	6	11	13	13
65+	6	5.3	9	2	2	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	816	5.6	49	1	1	4	6	10	17	37
20-34	921	6.7	36	1	2	5	8	14	19	30
35-49	701	7.0	46	1	2	5	9	14	19	36
50-64	691	7.4	39	2	2	6	9	15	19	33
65+	772	8.4	43	2	3	7	10	16	21	38
B. *Operated*										
0-19 YRS	42	9.7	86	2	2	6	13	27	35	99+
20-34	106	10.2	86	2	2	7	12	24	35	67
35-49	88	14.1	174	2	2	11	18	29	42	64
50-64	90	16.3	143	4	5	13	23	33	42	51
65+	82	18.8	258	4	5	15	22	39	55	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2012	4.1	13	1	1	3	5	8	10	19
B. *Operated*	84	6.1	41	2	2	4	7	11	13	43
2. MULTIPLE DX										
A. *Not Operated*	3901	7.0	43	1	2	5	8	14	19	34
B. *Operated*	408	14.1	162	2	3	10	18	32	42	65
1. SINGLE DX	2096	4.2	14	1	1	3	5	8	11	20
2. MULTIPLE DX	4309	7.6	58	1	2	5	9	16	22	41
A. NOT OPERATED	5913	6.0	35	1	1	4	7	12	17	29
B. OPERATED	492	12.7	150	2	2	8	17	29	39	63
TOTAL 0-19 YRS	1642	4.8	34	1	1	3	5	9	13	33
20-34	1706	6.0	32	1	1	4	7	12	17	30
35-49	1115	6.8	52	1	2	5	8	14	19	41
50-64	988	7.5	51	1	2	5	9	16	22	38
65+	954	9.1	69	2	3	7	11	18	24	43
GRAND TOTAL	**6405**	**6.5**	**47**	**1**	**2**	**5**	**8**	**13**	**19**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	5.0	36	1	1	3	5	10	15	27
20-34	467	6.0	27	1	2	4	8	12	16	25
35-49	387	6.6	38	1	2	5	8	13	17	31
50-64	326	8.2	75	1	2	6	11	16	20	52
65+	362	9.2	56	2	3	7	11	18	22	35
B. *Operated*										
0-19 YRS	239	6.2	34	1	2	4	8	14	19	31
20-34	287	8.6	75	1	2	6	11	17	26	44
35-49	259	7.9	46	2	2	6	10	17	22	34
50-64	280	8.9	71	2	2	6	12	17	26	50
65+	202	12.6	173	2	2	9	16	28	38	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	582	7.1	87	1	2	4	8	14	23	62
20-34	759	8.7	105	1	2	6	10	18	27	67
35-49	705	10.4	118	2	2	7	12	21	30	61
50-64	1192	11.2	113	2	3	8	14	22	31	65
65+	2705	12.7	109	3	4	10	16	26	33	56
B. *Operated*										
0-19 YRS	384	9.6	168	1	2	5	11	23	40	97
20-34	519	13.4	225	1	2	9	16	37	56	99+
35-49	493	13.8	223	2	3	10	16	30	56	99+
50-64	744	15.6	233	2	3	11	20	37	56	99+
65+	1100	18.0	241	3	4	13	24	40	53	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1866	6.9	47	1	2	5	9	14	18	33
B. *Operated*	1267	8.7	80	2	2	6	11	18	26	47
2. MULTIPLE DX										
A. *Not Operated*	5943	11.1	112	2	3	8	14	23	31	60
B. *Operated*	3240	15.1	232	2	3	10	20	37	53	99+
1. SINGLE DX	3133	7.7	61	1	2	5	10	16	22	40
2. MULTIPLE DX	9183	12.5	158	2	3	9	15	27	39	78
A. NOT OPERATED	7809	10.1	99	2	2	7	12	21	28	56
B. OPERATED	4507	13.3	197	2	2	9	17	32	46	94
TOTAL 0-19 YRS	1529	7.1	91	1	1	4	8	16	23	64
20-34	2032	9.3	121	1	2	6	11	19	33	79
35-49	1844	10.2	126	2	2	7	12	21	30	75
50-64	2542	11.8	145	2	3	8	15	25	37	79
65+	4369	13.7	148	3	3	10	17	29	38	64
GRAND TOTAL	**12316**	**11.3**	**138**	**2**	**2**	**8**	**14**	**25**	**35**	**70**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	494	3.2	5	1	1	3	4	6	7	13
20-34	974	4.0	10	1	1	3	5	7	10	17
35-49	593	4.7	16	1	1	4	6	8	11	18
50-64	196	4.3	9	1	1	3	5	8	11	15
65+	44	4.2	7	1	2	4	5	8	10	12
B. *Operated*										
0-19 YRS	19	4.4	8	1	2	3	5	9	11	12
20-34	92	5.2	11	2	2	5	6	9	12	18
35-49	59	5.1	13	2	2	4	7	9	13	19
50-64	31	5.5	9	2	2	4	7	10	12	13
65+	5	3.2	1	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	4.0	6	1	1	3	5	8	8	12
20-34	981	5.2	14	1	2	4	7	10	12	19
35-49	866	6.2	20	2	2	5	8	11	14	23
50-64	525	5.9	17	2	2	5	7	11	14	21
65+	159	7.1	20	2	2	6	9	14	16	23
B. *Operated*										
0-19 YRS	19	5.4	12	2	2	4	7	10	13	15
20-34	85	9.6	60	2	3	8	11	21	28	35
35-49	123	9.0	45	2	3	8	10	17	21	34
50-64	71	8.3	33	3	3	7	10	15	20	33
65+	22	14.7	400	3	3	9	19	25	60	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2301	4.0	10	1	1	3	5	8	10	15
B. *Operated*	206	5.1	11	2	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	2749	5.7	17	1	2	5	7	11	13	20
B. *Operated*	320	9.2	70	2	3	7	10	18	24	36
1. SINGLE DX	2507	4.1	11	1	1	3	5	8	10	16
2. MULTIPLE DX	3069	6.0	23	2	2	5	8	11	14	24
A. NOT OPERATED	5050	4.9	14	1	2	4	6	9	12	19
B. OPERATED	526	7.6	51	2	2	6	9	15	20	32
TOTAL 0-19 YRS	750	3.5	6	1	1	3	4	7	8	13
20-34	2132	4.9	15	1	2	4	6	9	12	20
35-49	1641	5.8	22	1	2	5	7	11	14	24
50-64	823	5.7	17	1	2	5	7	11	14	21
65+	230	7.2	59	2	2	6	9	13	17	29
GRAND TOTAL	**5576**	**5.2**	**18**	**1**	**2**	**4**	**7**	**10**	**13**	**21**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	3	2	2	3	4	6	6	6
20-34	29	4.1	13	1	1	3	5	8	11	18
35-49	39	2.9	8	<1	1	2	3	5	8	16
50-64	28	4.0	10	1	1	3	6	8	12	13
65+	13	4.2	11	1	1	3	5	9	12	13
B. *Operated*										
0-19 YRS	52	2.3	1	1	1	2	3	4	4	5
20-34	1403	2.3	2	1	1	2	3	3	4	8
35-49	2148	2.4	2	1	1	2	3	3	4	8
50-64	2154	2.6	3	1	1	2	3	4	5	10
65+	981	2.8	5	1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	35	4.1	10	1	1	3	6	8	10	14
35-49	81	5.4	15	<1	1	4	8	11	13	18
50-64	116	5.8	22	1	2	5	8	11	14	25
65+	47	5.7	16	1	1	5	8	11	14	19
B. *Operated*										
0-19 YRS	15	4.7	58	1	2	3	4	5	25	32
20-34	418	3.6	10	1	2	3	4	7	9	19
35-49	849	4.0	16	1	2	3	4	8	11	19
50-64	1297	4.0	21	1	2	3	4	8	11	19
65+	885	4.5	21	1	2	3	5	9	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.6	10	1	1	3	4	7	11	17
B. *Operated*	6738	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	280	5.5	17	1	1	4	8	11	13	21
B. *Operated*	3464	4.1	19	1	2	3	4	8	11	21
1. SINGLE DX	6852	2.5	3	1	1	2	3	4	5	10
2. MULTIPLE DX	3744	4.2	19	1	2	3	5	9	11	21
A. NOT OPERATED	394	4.9	16	1	1	4	7	10	13	19
B. OPERATED	10202	3.0	9	1	1	2	3	5	8	15
TOTAL 0-19 YRS	73	2.9	13	1	1	2	3	4	5	26
20-34	1885	2.6	4	1	1	2	3	4	6	11
35-49	3117	2.9	7	1	1	2	3	5	7	14
50-64	3595	3.2	11	1	1	2	3	6	8	16
65+	1926	3.6	14	1	1	3	4	7	10	19
GRAND TOTAL	**10596**	**3.1**	**9**	**1**	**1**	**2**	**3**	**5**	**8**	**16**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	8.7	115	1	1	5	10	18	35	54
20-34	375	6.5	41	1	1	5	8	13	17	36
35-49	441	6.8	52	1	2	5	8	11	18	37
50-64	453	6.5	50	1	2	5	8	12	18	39
65+	290	7.6	40	2	2	6	9	15	20	29
B. *Operated*										
0-19 YRS	190	4.0	18	1	2	3	5	7	9	19
20-34	1190	4.5	25	1	2	3	5	8	11	24
35-49	1305	4.5	15	1	2	3	5	9	11	21
50-64	1311	4.5	25	1	2	3	5	9	12	26
65+	454	5.2	28	2	2	3	5	10	17	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	6.5	33	1	1	4	9	15	17	26
20-34	426	7.3	59	1	2	5	9	14	19	41
35-49	783	7.9	48	2	3	6	10	14	19	41
50-64	1049	8.7	51	2	3	7	11	17	21	39
65+	1269	9.8	78	2	3	8	12	19	25	49
B. *Operated*										
0-19 YRS	105	6.1	76	1	2	4	6	17	35	99+
20-34	616	7.4	83	2	2	5	9	15	23	60
35-49	900	7.3	48	2	2	5	9	16	22	32
50-64	1149	8.5	83	2	2	6	10	18	23	51
65+	704	12.0	145	2	3	8	16	29	41	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1671	6.9	51	1	2	5	8	13	19	40
B. *Operated*	4450	4.5	22	1	2	3	5	9	12	24
2. MULTIPLE DX										
A. *Not Operated*	3636	8.7	61	2	3	7	11	16	22	42
B. *Operated*	3474	8.7	89	2	2	5	10	19	27	54
1. SINGLE DX	6121	5.2	31	1	2	3	6	10	14	30
2. MULTIPLE DX	7110	8.7	75	2	2	6	11	18	24	50
A. NOT OPERATED	5307	8.1	59	2	2	6	10	15	21	40
B. OPERATED	7924	6.3	56	2	2	4	7	13	20	41
TOTAL 0-19 YRS	516	6.0	57	1	2	4	6	13	19	53
20-34	2607	5.9	48	1	2	4	7	12	16	38
35-49	3429	6.3	38	2	2	4	8	12	17	32
50-64	3962	7.0	55	2	2	5	9	14	20	39
65+	2717	9.4	88	2	2	7	11	20	28	53
GRAND TOTAL	**13231**	**7.1**	**58**	**2**	**2**	**5**	**9**	**14**	**20**	**41**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	7	3.3	7	<1	<1	2	6	7	7	7
65+	12	4.4	12	<1	1	3	6	10	12	12
B. *Operated*										
0-19 YRS	85	4.7	5	1	2	5	6	7	9	13
20-34	157	4.6	7	2	2	4	6	8	9	15
35-49	139	4.7	9	2	2	4	6	7	8	21
50-64	518	4.7	7	2	2	4	6	8	10	14
65+	557	5.3	7	2	2	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	3	<1	<1	2	4	5	5	5
20-34	3	4.7	21	2	2	2	8	10	10	10
35-49	5	2.0	1	1	1	2	2	3	3	3
50-64	12	4.3	8	1	1	4	6	8	9	9
65+	14	4.8	11	<1	1	4	6	10	12	13
B. *Operated*										
0-19 YRS	41	6.6	23	2	2	6	8	14	18	23
20-34	95	5.6	7	2	2	5	7	9	11	15
35-49	97	6.4	20	2	2	5	7	12	16	25
50-64	453	5.7	11	2	2	5	7	9	11	17
65+	579	6.0	17	2	2	5	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.9	9	<1	<1	3	6	8	10	12
B. *Operated*	1456	4.9	7	2	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	41	3.9	9	<1	1	3	5	8	10	13
B. *Operated*	1265	5.9	15	2	2	5	7	10	13	21
1. SINGLE DX	1480	4.9	7	2	2	4	6	8	10	14
2. MULTIPLE DX	1306	5.8	15	2	2	5	7	10	13	20
A. NOT OPERATED	65	3.9	9	<1	1	3	5	8	10	13
B. OPERATED	2721	5.4	11	2	2	5	7	9	11	18
TOTAL 0-19 YRS	134	5.1	12	1	2	5	6	8	12	20
20-34	257	5.0	7	2	2	5	6	8	10	15
35-49	243	5.3	14	2	2	5	6	9	12	21
50-64	990	5.1	10	2	2	5	6	9	10	16
65+	1162	5.7	12	2	2	5	7	10	12	18
GRAND TOTAL	**2786**	**5.3**	**11**	**2**	**2**	**5**	**7**	**9**	**11**	**18**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	4	3.3	3	1	1	3	4	5	5	5
50-64	19	2.6	4	1	1	2	4	6	7	7
65+	46	3.1	6	<1	1	2	4	7	9	11
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	23	3.7	1	2	2	4	4	5	5	5
35-49	89	3.6	5	2	2	3	4	6	7	12
50-64	351	3.3	4	1	2	3	4	6	7	13
65+	623	3.5	6	1	2	3	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	6	6.5	48	1	1	4	7	19	20	20
50-64	19	3.8	4	2	2	3	5	7	8	8
65+	58	4.9	18	1	1	4	7	11	15	20
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	6.1	8	2	2	6	8	10	10	10
35-49	32	5.3	11	1	2	4	8	9	13	14
50-64	204	4.7	42	2	2	3	5	8	11	16
65+	529	5.4	25	2	2	4	7	11	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.9	5	1	1	2	4	6	7	11
B. *Operated*	1089	3.4	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	88	4.8	17	1	1	3	7	10	14	20
B. *Operated*	778	5.3	28	2	2	4	7	10	13	21
1. SINGLE DX	1161	3.4	6	1	2	3	4	6	8	12
2. MULTIPLE DX	866	5.2	27	2	2	4	7	10	13	21
A. NOT OPERATED	160	3.9	12	1	1	3	5	8	11	19
B. OPERATED	1867	4.2	16	2	2	3	5	8	11	17
TOTAL 0-19 YRS	6	3.3	18	1	1	2	2	11	12	12
20-34	41	4.2	5	2	2	4	5	8	9	10
35-49	131	4.2	9	1	2	3	5	8	10	15
50-64	593	3.8	18	1	2	3	4	7	9	14
65+	1256	4.4	16	1	2	3	5	9	11	20
GRAND TOTAL	**2027**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	8	4.8	29	1	1	3	6	14	17	17
50-64	7	2.0	1	1	1	2	2	4	4	4
65+	18	2.7	3	<1	1	2	3	5	6	7
B. *Operated*										
0-19 YRS	11	2.6	2	1	1	2	4	5	5	5
20-34	32	3.7	4	1	2	3	5	7	7	8
35-49	45	3.9	4	1	2	3	5	6	8	11
50-64	141	3.6	5	1	2	3	4	6	9	12
65+	269	3.5	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	37	1	1	6	12	14	14	14
20-34	7	3.7	3	2	2	4	4	6	7	7
35-49	6	8.2	32	1	1	7	12	16	17	17
50-64	23	5.0	11	2	2	3	7	10	12	14
65+	55	6.3	23	1	2	4	8	13	16	22
B. *Operated*										
0-19 YRS	10	3.8	27	1	1	2	4	11	18	18
20-34	24	5.1	8	1	2	6	7	8	10	12
35-49	31	6.1	72	2	2	4	6	10	13	49
50-64	123	4.9	17	2	2	3	5	10	13	21
65+	304	5.5	21	2	2	4	6	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.9	8	<1	1	2	4	6	7	17
B. *Operated*	498	3.6	5	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	95	5.9	20	1	2	4	8	12	15	21
B. *Operated*	492	5.3	22	2	2	4	6	11	14	25
1. SINGLE DX	537	3.5	5	1	2	3	4	6	8	12
2. MULTIPLE DX	587	5.4	22	2	2	4	6	11	15	24
A. NOT OPERATED	134	5.0	18	1	1	4	7	11	15	20
B. OPERATED	990	4.4	14	1	2	3	5	8	11	19
TOTAL 0-19 YRS	29	3.6	16	1	1	2	4	8	14	18
20-34	65	4.2	5	1	2	4	6	7	8	12
35-49	90	5.0	32	1	2	4	6	9	12	36
50-64	294	4.2	11	2	2	3	5	9	11	16
65+	646	4.6	15	1	2	3	5	9	12	21
GRAND TOTAL	**1124**	**4.5**	**15**	**1**	**2**	**3**	**5**	**9**	**12**	**19**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	33	2.4	2	<1	<1	2	3	4	5	5
65+	71	2.4	3	<1	<1	2	3	4	6	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	934	2.7	1	2	2	2	3	4	5	8
50-64	5930	2.8	1	2	2	3	3	4	5	7
65+	20654	3.0	3	2	2	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	23	1.7	1	<1	<1	1	2	3	4	4
50-64	105	2.4	6	<1	<1	2	3	5	6	14
65+	491	3.1	12	<1	1	2	3	6	9	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	453	3.6	12	2	2	3	4	5	7	14
50-64	3898	3.7	9	2	2	3	4	6	8	15
65+	16383	4.0	10	2	2	3	4	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	2.4	3	<1	<1	2	3	4	5	10
B. *Operated*	27518	3.0	2	2	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	619	2.9	11	<1	1	2	3	6	9	18
B. *Operated*	20734	3.9	10	2	2	3	4	6	9	17
1. SINGLE DX	27624	3.0	2	2	2	3	3	4	5	8
2. MULTIPLE DX	21353	3.9	10	2	2	3	4	6	9	17
A. NOT OPERATED	725	2.8	9	<1	1	2	3	5	8	16
B. OPERATED	48252	3.4	6	2	2	3	4	5	7	13
TOTAL 0-19 YRS										
20-34										
35-49	1412	3.0	5	2	2	3	3	4	5	10
50-64	9966	3.1	5	2	2	3	3	4	6	11
65+	37599	3.4	6	2	2	3	4	5	7	13
GRAND TOTAL	**48977**	**3.4**	**6**	**2**	**2**	**3**	**4**	**5**	**7**	**13**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	106	2.4	1	1	1	2	3	4	4	5
20-34	93	2.4	1	1	1	2	3	4	4	6
35-49	137	2.7	3	1	2	2	3	4	6	10
50-64	249	2.6	2	1	1	2	3	4	5	8
65+	243	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+	4	2.5	6	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	50	2.9	2	2	2	3	3	5	6	7
20-34	90	3.2	2	2	2	3	4	5	5	10
35-49	93	3.3	8	1	2	3	3	5	7	19
50-64	207	3.3	11	1	2	3	4	5	6	13
65+	223	3.3	5	1	2	3	4	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6	2	<1	<1	1	2	4	4	4
B. *Operated*	828	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	11	2.7	5	<1	<1	1	5	6	7	7
B. *Operated*	663	3.2	7	1	2	3	4	5	7	13
1. SINGLE DX	833	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	674	3.2	7	1	2	3	4	5	7	13
A. NOT OPERATED	16	2.4	4	<1	<1	1	4	6	7	7
B. OPERATED	1491	2.8	4	1	1	2	3	4	6	11
TOTAL 0-19 YRS	160	2.5	1	1	1	2	3	4	5	6
20-34	186	2.8	2	1	2	2	3	4	5	8
35-49	233	2.9	5	1	2	2	3	5	6	11
50-64	456	2.9	6	1	1	2	3	4	6	11
65+	472	2.8	3	1	1	2	3	5	6	12
GRAND TOTAL	**1507**	**2.8**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.2	7	<1	<1	1	2	3	10	12
20-34	20	3.8	10	<1	1	3	5	6	10	14
35-49	12	4.3	3	2	2	5	6	6	6	6
56-64	18	5.3	13	1	1	4	8	11	12	12
65+	18	6.3	13	1	2	5	10	11	13	13
B. *Operated*										
0-19 YRS	2931	1.7		<1	1	2	2	2	2	3
20-34	519	2.2	8	1	1	2	2	3	3	5
35-49	224	2.2	2	1	1	2	2	3	4	8
50-64	147	2.4	4	1	1	2	2	3	5	12
65+	81	2.6	5	1	1	2	3	4	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	1.6	2	<1	<1	1	1	3	5	7
20-34	23	4.4	24	1	1	3	6	8	14	24
35-49	27	6.5	43	<1	1	4	9	13	18	32
50-64	48	5.8	9	2	2	5	8	11	12	13
65+	93	7.8	23	2	3	7	10	14	17	22
B. *Operated*										
0-19 YRS	444	1.9	1	1	1	2	2	2	3	4
20-34	191	2.6	6	1	1	2	3	3	5	17
35-49	123	2.8	5	1	1	2	3	5	6	14
50-64	130	3.9	17	2	2	2	4	8	12	26
65+	69	4.6	17	2	2	2	6	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	3.7	11	<1	1	2	5	9	11	13
B. *Operated*	3902	1.9	2	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	301	4.9	22	<1	<1	3	7	11	13	21
B. *Operated*	957	2.6	6	1	1	2	2	4	7	15
1. SINGLE DX	4026	1.9	2	<1	1	2	2	2	3	6
2. MULTIPLE DX	1258	3.1	11	1	1	2	3	7	10	17
A. NOT OPERATED	425	4.5	19	<1	<1	3	6	10	13	20
B. OPERATED	4859	2.0	3	1	1	2	2	2	3	8
TOTAL 0-19 YRS	3541	1.7	1	<1	1	2	2	2	2	3
20-34	753	2.4	8	1	1	2	2	3	4	11
35-49	386	2.7	7	1	1	2	3	5	6	14
50-64	343	3.6	12	1	2	2	4	7	11	17
65+	261	5.2	20	1	2	3	7	12	14	21
GRAND TOTAL	**5284**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**5**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	1.8	4	<1	<1	1	2	4	5	8
20-34	60	4.0	21	<1	1	3	5	9	11	28
35-49	47	4.4	14	<1	1	3	5	10	12	16
50-64	31	4.3	22	1	1	3	5	9	14	24
65+	83	6.0	24	1	1	5	8	12	15	26
B. *Operated*										
0-19 YRS	288	1.7	1	<1	<1	2	2	3	3	5
20-34	315	2.7	5	1	1	2	3	5	5	9
35-49	441	2.4	2	1	1	2	3	4	5	6
50-64	596	2.6	4	1	1	2	3	4	6	11
65+	904	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	3.7	7	<1	1	3	5	6	8	14
20-34	63	4.1	12	1	1	3	5	8	12	17
35-49	62	4.4	10	1	1	4	6	9	11	16
50-64	87	5.5	34	1	1	4	7	10	17	33
65+	189	7.2	42	1	1	6	10	14	18	39
B. *Operated*										
0-19 YRS	96	3.3	11	1	1	2	4	7	9	20
20-34	140	3.7	8	1	2	3	5	7	10	15
35-49	317	3.4	6	1	2	3	4	6	8	15
50-64	638	3.6	10	1	2	3	4	6	9	19
65+	1147	4.5	17	1	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	3.2	14	<1	<1	2	4	7	10	20
B. *Operated*	2544	2.5	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	605	5.2	25	1	1	4	6	10	14	24
B. *Operated*	2338	4.0	13	1	2	3	5	7	10	20
1. SINGLE DX	3048	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	2943	4.2	16	1	1	3	5	8	11	21
A. NOT OPERATED	1109	4.3	21	<1	1	3	5	9	12	23
B. OPERATED	4882	3.2	9	1	1	2	4	6	8	16
TOTAL 0-19 YRS	871	2.4	5	<1	<1	2	3	5	6	11
20-34	578	3.2	9	1	1	2	4	6	8	14
35-49	867	3.0	5	1	1	2	3	5	7	13
50-64	1352	3.3	10	1	1	2	4	6	8	19
65+	2323	4.1	16	1	1	3	5	8	11	21
GRAND TOTAL	**5991**	**3.4**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	4.1	5	1	2	4	5	7	9	11
20-34	166	5.3	19	1	2	4	7	11	13	21
35-49	83	4.7	11	1	1	4	6	8	13	15
50-64	84	4.5	9	1	1	4	6	9	11	14
65+	83	4.2	10	1	1	3	6	9	11	15
B. *Operated*										
0-19 YRS	74	3.6	9	<1	1	2	4	8	10	15
20-34	81	4.0	28	1	1	3	4	7	10	36
35-49	106	3.5	6	1	2	3	4	6	8	14
50-64	333	3.1	5	1	2	2	3	5	7	12
65+	797	3.3	6	1	2	3	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	5.3	18	1	2	4	6	9	12	30
20-34	136	5.1	15	1	1	4	7	10	12	22
35-49	140	6.3	25	1	2	5	8	12	15	25
50-64	193	6.0	21	1	2	4	8	12	14	24
65+	321	6.6	25	1	2	6	9	12	16	24
B. *Operated*										
0-19 YRS	105	5.0	13	2	2	4	6	10	12	18
20-34	153	5.5	27	2	2	4	6	9	14	30
35-49	176	5.9	31	2	2	4	7	11	15	23
50-64	482	5.7	28	2	2	4	7	12	13	27
65+	1038	5.3	30	2	2	3	6	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	773	4.5	10	1	1	4	6	8	11	15
B. *Operated*	1391	3.3	7	1	2	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1053	5.9	21	1	2	5	8	11	14	25
B. *Operated*	1954	5.4	29	2	2	4	6	11	15	27
1. SINGLE DX	2164	3.7	8	1	2	3	4	7	9	15
2. MULTIPLE DX	3007	5.6	26	2	2	4	7	11	15	26
A. NOT OPERATED	1826	5.3	17	1	2	4	7	10	13	23
B. OPERATED	3345	4.5	21	2	2	3	5	9	12	22
TOTAL 0-19 YRS	799	4.6	11	1	2	4	6	8	10	16
20-34	536	5.1	22	1	2	4	6	10	12	24
35-49	505	5.3	22	1	2	4	6	11	14	22
50-64	1092	4.9	20	1	2	3	6	10	13	22
65+	2239	4.7	22	1	2	3	5	10	14	23
GRAND TOTAL	**5171**	**4.8**	**20**	**1**	**2**	**3**	**6**	**10**	**13**	**22**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	6	<1	<1	2	4	6	7	13
20-34	33	4.2	10	1	1	3	6	9	11	12
35-49	24	3.3	3	<1	1	3	4	6	6	6
50-64	28	3.4	3	1	1	3	4	6	7	8
65+	26	4.3	5	2	2	4	6	8	8	9
B. *Operated*										
0-19 YRS	12	2.1	1	1	1	2	2	3	4	4
20-34	14	2.6	1	2	2	2	3	4	5	5
35-49	13	5.1	28	1	2	4	5	12	19	21
50-64	35	3.6	8	2	2	3	4	6	11	14
65+	28	3.4	5	1	1	3	4	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.0	4	<1	1	2	4	6	8	9
20-34	71	4.5	16	1	2	4	5	9	10	25
35-49	64	5.5	23	2	2	4	6	9	12	32
50-64	95	5.5	19	2	2	5	7	10	13	26
65+	123	7.1	24	2	2	6	9	15	17	21
B. *Operated*										
0-19 YRS	13	4.2	10	1	1	3	6	9	11	12
20-34	43	6.4	95	2	2	4	6	10	17	63
35-49	37	5.2	18	2	2	4	6	13	18	99+
50-64	82	6.6	53	2	2	4	8	15	20	41
65+	99	6.3	38	2	2	4	8	14	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	2.7	6	1	1	3	5	7	8	12
B. *Operated*	102	3.4	8	1	2	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	394	5.6	21	1	2	4	7	10	15	22
B. *Operated*	274	6.1	47	2	2	4	7	13	18	45
1. SINGLE DX	244	3.6	7	1	1	3	4	6	8	13
2. MULTIPLE DX	668	5.8	31	2	2	4	7	11	16	30
A. NOT OPERATED	536	5.1	17	1	2	4	6	10	13	21
B. OPERATED	376	5.4	38	2	2	3	6	11	16	40
TOTAL 0-19 YRS	97	3.1	5	<1	1	2	4	6	8	13
20-34	161	4.8	35	1	2	3	5	9	11	28
35-49	138	5.0	19	2	2	4	6	9	13	41
50-64	240	5.4	28	2	2	4	6	10	14	31
65+	276	6.2	26	2	2	5	8	13	16	22
GRAND TOTAL	**912**	**5.2**	**26**	**1**	**2**	**4**	**6**	**10**	**14**	**27**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1098	2.9	4	1	1	3	4	5	6	9
20-34	33	3.4	6	1	1	2	4	7	9	10
35-49	12	5.5	46	<1	1	4	5	13	24	26
50-64	12	5.3	16	1	1	5	6	11	15	16
65+	9	5.3	9	2	2	5	7	10	10	10
B. *Operated*										
0-19 YRS	4564	1.3	1	<1	<1	1	1	2	2	5
20-34	585	2.3	1	1	1	2	3	3	3	5
35-49	456	2.5	1	1	1	2	3	3	4	7
50-64	442	2.5	3	1	2	2	3	3	3	6
65+	175	2.4	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3807	3.7	6	1	1	3	5	6	8	12
20-34	123	4.7	14	1	1	4	6	8	10	22
35-49	84	5.8	22	1	2	5	7	10	13	28
50-64	81	5.3	14	1	1	4	7	10	12	17
65+	89	7.4	28	1	2	6	9	15	19	25
B. *Operated*										
0-19 YRS	3574	2.0	3	<1	1	2	2	3	4	8
20-34	610	2.8	12	1	2	2	3	4	5	12
35-49	485	3.2	14	1	2	2	3	5	7	18
50-64	533	3.0	7	1	2	2	3	4	6	16
65+	222	3.8	30	1	2	2	3	6	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1164	3.0	4	1	1	3	4	5	6	10
B. *Operated*	6222	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	4184	3.9	8	1	1	3	5	7	9	14
B. *Operated*	5424	2.3	7	<1	1	2	2	3	5	11
1. SINGLE DX	7386	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	9608	3.0	8	1	1	2	4	5	7	13
A. NOT OPERATED	5348	3.7	7	1	1	3	5	6	8	13
B. OPERATED	11646	2.0	4	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	13043	2.3	4	<1	<1	2	3	5	6	10
20-34	1351	2.8	8	1	1	2	3	4	6	10
35-49	1037	3.1	10	1	2	2	3	5	7	14
50-64	1068	3.0	6	1	2	2	3	4	6	15
65+	495	4.0	22	1	2	3	4	8	12	21
GRAND TOTAL	**16994**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.3	3	1	1	3	4	6	7	9
20-34	84	3.9	6	1	2	3	4	6	9	15
35-49	40	4.7	23	1	2	3	6	8	9	31
50-64	20	6.7	30	2	2	4	9	17	20	20
65+	10	9.5	64	2	2	7	14	22	28	28
B. *Operated*										
0-19 YRS	401	1.9	5	<1	<1	1	2	3	6	10
20-34	96	3.1	56	1	1	2	3	4	5	45
35-49	53	2.8	6	1	1	2	3	4	8	13
50-64	59	3.0	6	1	1	2	3	6	9	13
65+	44	3.6	9	1	1	3	4	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	321	4.0	7	1	1	3	5	7	9	14
20-34	102	5.5	13	2	2	5	7	9	12	21
35-49	83	6.6	28	2	3	5	8	11	20	28
50-64	77	6.6	10	3	3	5	8	11	15	26
65+	73	9.9	78	2	3	7	12	22	25	51
B. *Operated*										
0-19 YRS	586	2.3	5	1	1	2	2	3	7	12
20-34	135	4.5	33	1	1	3	5	9	13	42
35-49	97	4.7	60	1	2	3	4	7	18	50
50-64	112	6.2	77	1	2	3	6	12	23	47
65+	74	12.3	191	1	2	7	16	35	48	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	4.2	13	1	1	3	5	7	9	20
B. *Operated*	653	2.3	13	<1	1	2	2	4	7	13
2. MULTIPLE DX										
A. *Not Operated*	656	5.5	23	1	2	4	6	11	13	25
B. *Operated*	1004	4.0	43	1	1	2	3	8	13	42
1. SINGLE DX	922	2.9	14	<1	1	2	3	5	8	15
2. MULTIPLE DX	1660	4.6	36	1	1	3	5	9	13	35
A. NOT OPERATED	925	5.1	21	1	2	4	6	9	12	25
B. OPERATED	1657	3.3	32	<1	1	2	3	6	10	35
TOTAL 0-19 YRS	1423	2.6	6	<1	1	2	3	5	7	12
20-34	417	4.3	28	1	1	3	5	8	11	21
35-49	273	4.9	36	1	2	3	5	9	12	31
50-64	268	5.6	43	1	2	4	6	11	15	41
65+	201	9.4	113	1	2	6	11	22	32	56
GRAND TOTAL	**2582**	**4.0**	**29**	**1**	**1**	**2**	**4**	**8**	**11**	**28**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.2	6	1	2	4	6	8	8	13
20-34	260	4.1	11	1	2	3	5	7	10	20
35-49	397	4.1	7	1	2	4	5	7	8	13
50-64	610	4.2	9	1	1	4	5	7	9	14
65+	438	4.3	11	1	2	3	5	8	11	18
B. *Operated*										
0-19 YRS	10	2.6	2	<1	1	2	3	5	6	6
20-34	60	3.7	5	1	2	3	4	8	9	12
35-49	82	3.9	5	2	2	3	5	8	8	11
50-64	136	4.0	6	2	2	3	5	7	10	13
65+	40	4.1	5	2	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.0	8	2	2	4	6	10	11	14
20-34	310	5.2	13	2	2	4	7	10	11	20
35-49	578	5.5	12	2	2	5	7	10	12	19
50-64	1254	5.7	14	2	2	5	7	10	13	19
65+	1904	6.1	19	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	33	6.9	26	2	2	6	8	14	18	23
35-49	62	8.6	29	2	3	8	12	16	18	27
50-64	151	9.1	51	3	3	8	11	15	23	27
65+	143	9.8	49	3	3	8	13	17	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1759	4.2	9	1	2	3	5	8	9	16
B. *Operated*	328	3.9	5	2	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	4104	5.8	16	2	2	5	7	10	13	20
B. *Operated*	392	9.1	45	2	3	7	12	16	20	31
1. SINGLE DX	2087	4.1	9	1	2	3	5	7	9	15
2. MULTIPLE DX	4496	6.1	19	2	2	5	8	11	14	22
A. NOT OPERATED	5863	5.3	15	1	2	4	7	10	12	19
B. OPERATED	720	6.7	33	2	2	5	9	14	16	27
TOTAL 0-19 YRS	125	4.4	7	1	2	4	6	8	10	13
20-34	663	4.7	13	1	2	4	6	9	11	21
35-49	1119	5.1	12	1	2	4	7	9	11	18
50-64	2151	5.4	16	1	2	4	7	10	13	21
65+	2525	6.0	21	2	2	5	8	11	14	21
GRAND TOTAL	**6583**	**5.5**	**17**	**2**	**2**	**4**	**7**	**10**	**13**	**21**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. Operated										
0-19 YRS	46	2.9	7	1	2	2	3	3	4	20
20-34	365	2.5	1	1	2	2	3	3	4	5
35-49	514	2.5	1	1	2	2	3	3	4	5
50-64	587	2.7	1	2	2	3	3	4	4	6
65+	212	2.8	1	2	2	3	3	4	5	7
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	9	4.8	15	1	1	4	8	10	11	11
B. Operated										
0-19 YRS	13	2.7	1	<1	1	3	3	4	4	4
20-34	50	2.6	1	1	2	3	3	4	4	4
35-49	111	2.9	2	2	2	2	3	5	6	8
50-64	148	2.9	4	1	2	3	3	4	5	15
65+	70	3.2	3	2	2	3	4	6	8	81
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	7	1.9	1	<1	<1	1	3	3	3	3
B. Operated	1724	2.6	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	18	3.4	10	<1	<1	2	5	9	10	11
B. Operated	392	2.9	3	1	2	3	3	4	6	11
1. SINGLE DX	1731	2.6	1	1	2	2	3	3	4	6
2. MULTIPLE DX	410	2.9	3	1	2	3	3	5	6	11
A. NOT OPERATED	25	3.0	8	<1	<1	2	4	8	9	11
B. OPERATED	2116	2.7	1	1	2	3	3	4	4	7
TOTAL 0-19 YRS	59	2.8	6	1	2	2	3	4	4	19
20-34	419	2.5	1	1	2	2	3	3	4	5
35-49	632	2.6	1	1	2	2	3	4	4	6
50-64	739	2.7	1	1	2	3	3	4	5	7
65+	292	2.9	2	1	2	3	3	4	6	10
GRAND TOTAL	2141	2.7	1	1	2	3	3	4	4	7

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	46	2.2	2	<1	1	2	3	4	5	7
20-34	67	2.7	3	<1	1	3	4	5	6	8
35-49	67	3.4	3	1	1	4	4	6	7	8
50-64	85	3.7	5	1	1	4	4	6	7	15
65+	52	3.5	3	1	2	3	4	5	6	12
B. Operated										
0-19 YRS	961	2.0	1	1	1	2	2	3	3	5
20-34	696	2.2	1	1	1	2	3	3	4	7
35-49	472	2.4	8	1	1	2	3	3	4	7
50-64	455	2.4	2	1	1	2	3	4	4	7
65+	166	2.7	5	1	1	2	3	4	5	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	62	3.4	7	<1	1	3	4	8	9	12
20-34	69	3.7	13	1	1	3	5	8	10	22
35-49	73	4.9	18	1	1	3	6	10	16	21
50-64	109	5.6	17	1	2	4	8	11	14	20
65+	115	6.6	35	1	2	5	8	12	17	35
B. Operated										
0-19 YRS	683	2.0	1	1	1	2	2	3	3	6
20-34	523	2.7	6	1	1	2	3	4	5	14
35-49	413	3.0	7	1	2	2	3	4	6	15
50-64	466	3.1	8	1	2	2	3	5	8	16
65+	185	3.6	7	2	2	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	317	3.2	4	1	1	3	4	5	6	10
B. Operated	2750	2.2	3	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. Not Operated	428	5.1	21	1	1	4	7	10	13	22
B. Operated	2270	2.7	5	1	1	2	3	4	5	14
1. SINGLE DX	3067	2.3	3	1	1	2	3	4	4	7
2. MULTIPLE DX	2698	3.1	9	1	1	2	3	5	8	16
A. NOT OPERATED	745	4.3	15	1	1	3	5	8	11	20
B. OPERATED	5020	2.4	4	1	1	2	3	3	5	10
TOTAL 0-19 YRS	1752	2.0	1	1	1	2	2	3	4	7
20-34	1355	2.5	4	1	1	2	3	4	5	10
35-49	1025	2.9	9	1	1	2	3	4	6	15
50-64	1115	3.1	7	1	2	2	3	5	8	15
65+	518	4.0	14	1	2	3	4	8	11	19
GRAND TOTAL	5765	2.7	6	1	1	2	3	4	6	13

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	6.8	18	2	2	6	9	13	15	21
20-34	41	8.0	23	3	3	7	10	13	18	24
35-49	10	7.6	18	2	2	8	10	13	15	15
50-64	6	7.0	28	3	3	4	11	15	16	16
65+	2	16.0	50	11	11	16	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	4.7	14	2	2	3	7	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	7.3	32	2	2	6	10	14	18	32
20-34	42	7.1	45	2	3	5	8	12	22	36
35-49	18	12.9	164	3	4	9	13	35	44	48
50-64	46	8.7	39	1	3	7	10	21	23	24
65+	60	9.1	26	2	3	8	12	16	20	24
B. *Operated*										
0-19 YRS	5	9.4	26	1	1	10	13	14	14	14
20-34	9	7.9	18	2	2	9	12	13	13	13
35-49	19	10.8	91	3	3	9	11	29	35	35
50-64	26	19.0	205	2	3	16	27	39	47	60
65+	19	14.7	89	3	4	15	22	29	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	7.3	21	2	3	6	10	13	16	24
B. *Operated*	6	5.2	11	2	2	4	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	245	8.4	45	2	3	7	10	16	21	36
B. *Operated*	78	14.1	129	2	3	10	18	31	36	56
1. SINGLE DX	158	7.2	21	2	3	6	9	13	16	24
2. MULTIPLE DX	323	9.8	71	2	3	7	12	21	27	40
A. NOT OPERATED	397	8.0	36	2	3	6	10	15	20	34
B. OPERATED	84	13.4	126	2	3	10	18	30	35	55
TOTAL 0-19 YRS	177	7.1	25	2	2	6	9	14	16	21
20-34	94	7.6	32	2	3	6	9	12	17	33
35-49	48	10.8	103	2	3	9	11	29	35	48
50-64	81	11.7	115	2	3	8	16	25	33	55
65+	81	10.6	46	3	4	9	15	21	25	31
GRAND TOTAL	**481**	**8.9**	**56**	**2**	**3**	**7**	**11**	**17**	**24**	**37**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	5.1	8	1	2	5	6	8	11	12
20-34	32	4.7	14	1	2	4	6	8	11	20
35-49	48	5.1	13	2	2	4	7	9	12	21
50-64	29	4.7	14	1	2	3	6	11	12	17
65+	23	10.4	36	3	4	10	13	19	22	26
B. *Operated*										
0-19 YRS	4	7.8	25	1	1	9	11	12	12	12
20-34	45	6.5	27	1	2	5	11	13	16	20
35-49	142	7.0	34	2	2	4	11	16	19	22
50-64	191	8.1	52	2	2	5	12	17	21	35
65+	60	9.6	85	2	2	4	16	23	28	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.2	18	2	2	4	6	9	15	21
20-34	127	6.3	28	1	2	5	8	11	16	29
35-49	274	6.1	21	1	2	5	7	11	13	25
50-64	505	7.5	33	2	2	6	10	13	17	30
65+	572	10.2	58	2	3	8	13	20	26	36
B. *Operated*										
0-19 YRS	7	5.7	11	2	2	5	9	10	10	10
20-34	99	9.7	87	2	2	8	13	23	27	46
35-49	312	10.7	71	2	2	9	16	22	26	37
50-64	587	12.3	122	2	2	11	17	25	31	63
65+	399	15.3	192	2	2	12	20	32	42	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	5.8	20	1	2	5	7	12	15	21
B. *Operated*	442	7.8	48	2	2	4	12	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	1499	8.1	43	2	2	6	10	16	21	33
B. *Operated*	1404	12.6	131	2	2	11	17	26	34	64
1. SINGLE DX	588	7.3	42	2	2	4	11	16	20	28
2. MULTIPLE DX	2903	10.3	90	2	2	8	14	21	28	50
A. NOT OPERATED	1645	7.9	41	2	2	6	10	15	20	32
B. OPERATED	1846	11.5	115	2	2	10	16	24	30	59
TOTAL 0-19 YRS	46	5.5	14	1	2	5	7	10	12	21
20-34	303	7.3	46	1	2	5	10	16	21	35
35-49	776	8.1	48	2	2	6	11	18	22	32
50-64	1312	9.7	81	2	2	7	13	20	26	46
65+	1054	12.1	116	2	3	9	16	25	32	61
GRAND TOTAL	**3491**	**9.8**	**84**	**2**	**2**	**7**	**13**	**20**	**27**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	3.9	5	1	2	3	4	7	8	12
20-34	425	4.6	14	1	2	4	6	8	9	20
35-49	830	4.9	11	2	2	4	6	9	11	14
50-64	841	5.1	12	1	2	4	6	9	11	19
65+	538	5.4	15	2	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	20	4.2	16	1	2	3	4	7	13	19
20-34	79	4.1	11	1	1	3	6	9	11	17
35-49	70	4.8	16	1	2	3	7	12	14	16
50-64	81	4.6	20	1	2	3	5	9	12	24
65+	18	4.9	13	1	2	3	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	5.0	11	1	2	4	6	9	10	19
20-34	1176	5.7	15	1	2	5	7	10	13	21
35-49	3627	6.5	19	2	2	6	8	12	14	22
50-64	5642	7.0	23	2	3	6	9	12	16	25
65+	5818	7.9	34	2	3	6	10	15	18	29
B. *Operated*										
0-19 YRS	25	9.4	38	3	3	9	13	16	20	29
20-34	214	8.5	38	1	2	7	11	17	21	27
35-49	635	9.2	43	2	2	8	12	17	23	33
50-64	1060	10.8	76	2	3	9	14	21	27	45
65+	817	12.7	100	2	3	10	16	25	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2734	5.0	12	1	2	4	6	9	11	18
B. *Operated*	268	4.5	15	1	2	3	6	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	16403	7.1	26	2	3	6	9	13	16	26
B. *Operated*	2751	10.8	74	2	3	9	14	21	27	43
1. SINGLE DX	3002	5.0	12	1	2	4	6	9	11	18
2. MULTIPLE DX	19154	7.6	35	2	3	6	9	14	18	30
A. NOT OPERATED	19137	6.8	25	2	2	6	8	12	16	26
B. OPERATED	3019	10.3	72	2	2	8	13	20	26	43
TOTAL 0-19 YRS	285	4.9	13	1	2	4	6	9	12	19
20-34	1894	5.7	19	1	2	5	7	10	14	22
35-49	5162	6.6	22	2	2	5	8	12	15	25
50-64	7624	7.3	32	2	2	6	9	13	17	30
65+	7191	8.3	43	2	3	7	10	16	20	33
GRAND TOTAL	**22156**	**7.3**	**32**	**2**	**2**	**6**	**9**	**14**	**17**	**29**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	22	5.7	6	2	3	5	8	9	10	11
35-49	79	6.4	14	2	2	6	8	11	15	19
50-64	181	7.3	23	2	3	6	9	13	17	26
65+	241	7.8	47	2	3	6	9	13	20	33
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	24	5.1	25	2	2	2	7	13	17	19
50-64	40	5.1	20	1	2	3	8	11	15	20
65+	15	4.9	17	1	2	3	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	9	1	1	4	6	8	8	8
20-34	88	7.1	17	2	3	7	8	12	15	25
35-49	646	8.4	37	2	3	7	10	15	20	34
50-64	2192	9.3	39	3	3	8	12	17	21	33
65+	4419	10.6	61	3	4	8	13	20	25	40
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	16	11.3	39	2	3	11	14	21	24	25
35-49	137	11.5	74	2	2	10	14	23	31	40
50-64	388	12.5	109	2	2	10	16	25	31	55
65+	596	17.0	165	3	5	14	21	32	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	7.3	32	2	3	6	9	13	17	30
B. *Operated*	80	5.1	21	1	2	3	7	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	7349	9.9	53	3	4	8	12	19	24	37
B. *Operated*	1138	14.7	138	2	3	12	19	28	36	62
1. SINGLE DX	604	7.0	31	2	2	6	9	13	16	29
2. MULTIPLE DX	8487	10.6	67	3	4	8	13	20	26	42
A. NOT OPERATED	7873	9.8	52	3	3	8	12	18	23	36
B. OPERATED	1218	14.0	136	2	2	11	18	28	35	60
TOTAL 0-19 YRS	7	5.1	9	1	1	5	8	9	9	9
20-34	126	7.4	20	2	3	7	9	13	15	26
35-49	886	8.6	42	2	3	7	11	16	21	36
50-64	2801	9.5	49	2	3	8	12	18	22	36
65+	5271	11.2	77	3	4	9	14	21	27	46
GRAND TOTAL	**9091**	**10.3**	**65**	**3**	**3**	**8**	**13**	**20**	**25**	**41**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	7.0	20	3	3	5	10	13	17	18
35-49	25	7.2	23	2	3	6	9	11	17	25
50-64	35	7.6	20	1	3	6	11	14	17	18
65+	37	8.6	41	2	3	7	12	17	21	30
B. *Operated*										
0-19 YRS	4	5.3	27	2	2	3	8	13	13	13
20-34	26	8.3	102	<1	1	5	9	24	34	41
35-49	47	9.7	49	2	3	8	13	20	27	29
50-64	40	10.9	131	2	3	6	14	25	29	60
65+	16	14.6	103	2	4	15	21	26	35	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.2	8	2	2	7	8	9	10	10
20-34	51	6.5	28	1	2	5	9	13	21	98
35-49	90	7.8	32	2	3	6	11	16	20	25
50-64	288	8.9	69	1	1	7	11	19	25	45
65+	527	12.2	90	3	4	9	16	25	30	48
B. *Operated*										
0-19 YRS	22	6.9	19	2	3	6	8	13	17	18
20-34	79	9.4	96	<1	<1	7	13	20	28	56
35-49	122	11.7	89	1	2	10	15	25	28	47
50-64	244	13.4	107	2	3	11	18	25	35	56
65+	268	18.6	253	2	3	14	23	41	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	7.7	27	2	3	6	10	15	18	27
B. *Operated*	133	10.2	91	2	2	7	14	25	27	44
2. MULTIPLE DX										
A. *Not Operated*	969	10.4	78	1	3	8	13	22	27	47
B. *Operated*	735	14.4	165	2	3	11	19	29	41	66
1. SINGLE DX	245	9.1	63	2	3	6	12	20	25	39
2. MULTIPLE DX	1704	12.1	119	1	3	9	16	25	33	56
A. NOT OPERATED	1081	10.1	73	1	3	8	13	21	26	46
B. OPERATED	868	13.8	156	2	3	11	18	28	39	63
TOTAL 0-19 YRS	40	6.4	15	2	2	6	8	11	14	18
20-34	170	8.2	71	<1	1	5	10	18	28	61
35-49	284	9.8	61	2	2	7	14	20	26	41
50-64	607	10.8	90	1	2	8	14	22	28	51
65+	848	14.1	149	2	3	10	18	28	38	61
GRAND TOTAL	1949	11.7	113	1	3	9	15	25	32	54

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	11.0	37	5	5	11	13	20	21	21
20-34	89	11.0	19	3	4	12	14	16	17	20
35-49	1180	12.0	20	5	7	12	14	17	19	26
50-64	2623	12.6	21	6	8	12	15	18	20	27
65+	2188	13.3	27	6	8	13	16	19	22	30
B. *Operated*										
0-19 YRS	2	9.5	145	1	1	9	18	18	18	18
20-34	17	11.1	44	2	2	12	13	21	25	27
35-49	142	12.5	44	2	2	13	15	20	23	32
50-64	270	13.9	52	2	4	13	17	21	26	38
65+	95	17.7	84	6	9	16	22	29	37	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	13.6	87	1	6	12	15	25	38	40
20-34	193	12.2	22	5	6	13	15	17	21	26
35-49	2498	12.9	29	5	7	12	15	19	22	31
50-64	8478	13.8	34	6	8	13	16	20	24	33
65+	12480	15.4	55	6	8	14	18	24	29	43
B. *Operated*										
0-19 YRS	28	4.1	78	1	1	1	2	20	28	32
20-34	49	10.1	71	2	2	8	15	20	24	44
35-49	604	13.7	78	2	2	14	18	24	29	42
50-64	1821	16.6	122	2	3	15	21	29	36	62
65+	1701	21.0	129	7	10	18	26	35	43	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6086	12.7	23	6	7	12	15	18	21	28
B. *Operated*	526	14.1	58	2	3	13	17	22	27	39
2. MULTIPLE DX										
A. *Not Operated*	23661	14.5	46	6	8	14	17	22	26	39
B. *Operated*	4203	17.8	127	2	4	16	22	31	39	61
1. SINGLE DX	6612	12.8	26	5	7	12	15	19	21	30
2. MULTIPLE DX	27864	15.0	59	5	8	14	18	23	29	44
A. NOT OPERATED	29747	14.2	42	6	8	13	17	21	25	37
B. OPERATED	4729	17.4	120	2	4	16	22	31	38	57
TOTAL 0-19 YRS	48	7.6	90	1	1	2	12	20	28	40
20-34	348	11.5	30	2	4	12	14	17	20	26
35-49	4424	12.7	34	3	6	12	15	19	22	31
50-64	13192	14.0	45	5	7	13	16	21	25	38
65+	16464	15.7	63	6	8	14	19	25	30	45
GRAND TOTAL	34476	14.6	54	5	8	13	17	22	27	42

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	4	3	3	5	6	7	7	7
20-34	82	4.2	7	1	1	4	6	8	10	12
35-49	550	4.4	11	1	1	4	6	8	11	16
50-64	935	4.5	8	1	2	4	6	8	10	15
65+	767	5.2	13	2	2	4	6	9	12	17
B. *Operated*										
0-19 YRS										
20-34	16	4.7	17	2	2	2	9	14	70	99+
35-49	170	3.7	9	1	2	2	5	8	10	17
50-64	330	4.8	29	1	1	2	7	11	16	25
65+	95	5.2	24	1	1	3	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.2	6	1	2	5	7	8	9	12
20-34	282	5.4	14	2	2	5	7	9	11	23
35-49	2549	5.6	15	2	2	5	7	10	13	20
50-64	6946	6.0	16	2	2	5	8	11	13	20
65+	9155	7.0	25	2	3	6	9	13	16	26
B. *Operated*										
0-19 YRS	5	4.8	23	2	2	2	7	13	13	13
20-34	66	6.9	33	2	2	6	9	14	20	28
35-49	1399	7.0	38	2	2	4	11	15	18	29
50-64	4146	7.8	60	2	2	5	12	17	21	35
65+	2010	10.9	104	2	2	9	15	23	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2338	4.7	10	1	2	4	6	8	11	16
B. *Operated*	611	4.6	23	1	1	2	6	10	15	22
2. MULTIPLE DX										
A. *Not Operated*	18958	6.4	21	2	2	5	8	11	14	23
B. *Operated*	7626	8.5	69	2	2	6	12	18	23	38
1. SINGLE DX	2949	4.7	13	1	2	4	6	9	11	18
2. MULTIPLE DX	26584	7.0	35	2	2	5	9	13	17	29
A. NOT OPERATED	21296	6.2	20	2	2	5	8	11	14	22
B. OPERATED	8237	8.2	67	2	2	5	12	18	23	38
TOTAL 0-19 YRS	25	5.1	8	1	2	5	7	8	11	13
20-34	446	5.4	16	1	2	4	7	10	12	24
35-49	4668	5.8	22	2	2	4	8	12	15	23
50-64	12357	6.5	32	2	2	5	8	13	16	26
65+	12027	7.5	40	2	2	6	9	14	19	32
GRAND TOTAL	29533	6.8	34	2	2	5	9	13	17	28

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	30	4.9	7	1	1	4	7	9	9	10
35-49	307	5.6	14	2	2	5	7	10	12	21
50-64	612	5.8	16	2	2	5	7	9	11	18
65+	577	6.4	18	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS										
20-34										
35-49	66	7.4	24	2	2	7	10	15	17	21
50-64	135	10.0	49	2	2	10	13	18	21	40
65+	58	10.4	60	2	2	9	13	20	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.2	23	1	2	7	11	16	17	17
20-34	118	6.8	16	2	2	6	9	12	15	20
35-49	1264	6.8	22	2	3	6	9	12	15	24
50-64	4176	7.3	22	2	3	6	9	13	15	24
65+	5475	8.4	30	3	3	7	11	15	18	28
B. *Operated*										
0-19 YRS										
20-34	24	9.9	76	2	2	9	12	21	32	37
35-49	429	10.1	55	2	2	9	13	19	24	36
50-64	1383	10.9	67	2	2	10	14	21	25	39
65+	892	14.2	106	2	3	12	19	28	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1529	6.0	16	2	2	5	7	10	12	21
B. *Operated*	259	9.4	46	2	2	8	12	17	21	38
2. MULTIPLE DX										
A. *Not Operated*	11045	7.8	26	2	3	7	10	14	17	26
B. *Operated*	2728	11.8	81	2	2	10	16	23	29	45
1. SINGLE DX	1788	6.5	22	2	2	5	8	12	14	24
2. MULTIPLE DX	13773	8.6	40	2	3	7	11	16	20	32
A. NOT OPERATED	12574	7.6	25	2	3	6	9	14	17	26
B. OPERATED	2987	11.6	78	2	2	10	15	22	29	44
TOTAL 0-19 YRS	15	7.7	19	1	2	7	9	15	16	17
20-34	172	6.9	24	2	2	6	9	12	16	28
35-49	2066	7.3	30	2	2	6	9	14	18	28
50-64	6306	8.0	34	2	3	7	10	15	19	29
65+	7002	9.0	43	2	3	7	11	17	21	34
GRAND TOTAL	15561	8.4	38	2	3	7	11	15	20	32

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	25	6.6	20	1	2	7	8	11	15	23
35-49	281	5.4	18	1	2	4	7	12	14	21
50-64	657	5.3	13	1	2	4	7	10	13	17
65+	639	6.8	28	2	2	6	9	13	16	25
B. *Operated*										
0-19 YRS	17	4.1	21	<1	1	2	4	13	16	16
20-34	77	5.1	29	1	2	2	7	11	14	29
35-49	1356	5.7	26	2	2	3	9	13	15	21
50-64	3742	6.6	36	2	2	3	11	15	18	25
65+	1058	8.1	56	2	2	5	13	18	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.4	23	4	5	8	10	18	19	19
20-34	143	6.2	24	1	2	5	8	11	14	24
35-49	1895	6.5	20	2	2	5	8	12	15	22
50-64	6719	7.5	31	2	3	6	9	14	17	27
65+	15120	9.5	50	2	3	8	12	18	23	36
B. *Operated*										
0-19 YRS	17	4.5	38	1	1	2	4	13	21	24
20-34	184	6.9	60	2	2	3	10	15	21	44
35-49	2949	7.5	50	2	2	5	11	16	20	31
50-64	9425	9.0	67	2	2	8	13	19	23	38
65+	5014	13.1	123	2	2	11	17	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1603	5.9	21	1	2	5	8	11	14	21
B. *Operated*	6250	6.7	38	2	2	3	11	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	23887	8.6	43	2	3	7	11	16	21	33
B. *Operated*	17589	9.9	85	2	2	9	14	21	26	44
1. SINGLE DX	7853	6.5	34	2	2	4	10	14	18	25
2. MULTIPLE DX	41476	9.2	61	2	2	7	12	18	23	39
A. NOT OPERATED	25490	8.5	42	2	3	7	11	16	20	33
B. OPERATED	23839	9.1	74	2	2	7	13	19	24	41
TOTAL 0-19 YRS	45	5.4	31	1	1	3	7	15	17	24
20-34	429	6.3	40	2	2	4	9	12	16	30
35-49	6481	6.7	35	2	2	5	10	14	17	27
50-64	20543	7.9	49	2	2	6	11	16	20	33
65+	21831	10.2	69	2	3	8	13	20	25	42
GRAND TOTAL	49329	8.8	58	2	2	7	12	17	22	37

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	9.7	22	2	3	9	13	15	19	20
20-34	189	9.0	13	3	4	9	11	13	16	17
35-49	238	10.5	22	3	4	10	13	16	18	27
50-64	242	10.5	19	5	6	10	13	16	18	25
65+	203	12.1	33	4	6	11	14	19	24	33
B. *Operated*										
0-19 YRS										
20-34	28	11.6	16	5	6	12	14	16	18	21
35-49	49	13.3	36	5	6	12	17	22	23	31
50-64	34	14.2	95	4	6	11	19	26	37	47
65+	31	14.2	36	5	6	14	19	23	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	10.0	25	4	5	9	11	17	22	24
20-34	227	11.6	37	3	5	11	15	18	22	37
35-49	497	11.8	32	5	6	11	14	18	21	33
50-64	880	12.9	40	5	6	12	16	21	24	38
65+	1405	15.0	69	6	7	13	18	24	30	44
B. *Operated*										
0-19 YRS	3	14.0	4	12	12	14	15	16	16	16
20-34	80	16.5	83	6	8	15	20	27	33	50
35-49	161	16.1	74	7	8	15	19	26	36	48
50-64	253	17.6	135	7	8	15	21	32	43	78
65+	313	20.3	151	8	10	17	24	35	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	10.5	23	4	5	10	13	16	19	28
B. *Operated*	142	13.4	46	5	6	12	17	22	25	41
2. MULTIPLE DX										
A. *Not Operated*	3029	13.6	54	6	7	12	16	22	27	40
B. *Operated*	810	18.2	126	7	8	15	21	32	42	67
1. SINGLE DX	1036	10.9	27	4	5	10	13	17	20	29
2. MULTIPLE DX	3839	14.5	73	6	7	13	17	24	30	49
A. NOT OPERATED	3923	12.9	48	5	6	11	15	21	25	38
B. OPERATED	952	17.5	117	6	8	15	21	30	40	61
TOTAL 0-19 YRS	45	10.1	23	3	5	10	13	16	20	24
20-34	524	11.4	40	3	5	11	14	18	22	37
35-49	945	12.3	40	4	6	11	15	19	23	36
50-64	1409	13.3	59	5	6	12	16	22	27	45
65+	1952	15.5	83	6	8	13	18	26	32	52
GRAND TOTAL	4875	13.8	65	5	7	12	16	23	28	45

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	12	1	1	3	6	9	9	9
20-34	10	20.3	327	1	1	20	31	45	54	54
35-49	6	24.2	276	3	4	23	42	44	44	44
50-64	9	15.4	139	2	3	13	29	31	32	32
65+	7	29.4	254	11	11	27	40	53	55	55
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	22.7	376	10	10	13	37	45	45	45
50-64	4	37.8	310	22	22	33	48	63	63	63
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	23.2	247	2	4	22	31	41	56	63
20-34	72	27.8	207	5	6	30	39	45	51	58
35-49	27	31.3	285	3	5	31	44	49	60	74
50-64	59	28.6	257	2	5	30	41	51	53	60
65+	83	29.2	147	8	12	30	37	45	48	55
B. *Operated*										
0-19 YRS	6	20.2	190	2	3	22	31	35	36	36
20-34	43	37.5	193	18	23	37	47	51	59	79
35-49	19	30.6	185	4	11	31	40	55	80	99+
50-64	19	38.7	311	11	18	39	43	53	76	94
65+	24	43.3	274	18	23	44	56	62	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	19.7	254	1	2	14	30	44	51	55
B. *Operated*	7	31.3	346	10	11	33	42	59	63	63
2. MULTIPLE DX										
A. *Not Operated*	258	28.5	209	4	7	30	39	46	51	61
B. *Operated*	111	36.8	253	8	18	36	47	57	62	99+
1. SINGLE DX	43	21.6	280	2	3	20	32	44	54	63
2. MULTIPLE DX	369	31.0	236	5	9	31	42	50	56	79
A. NOT OPERATED	294	27.4	222	3	6	29	37	46	51	60
B. OPERATED	118	36.5	257	9	17	36	47	57	63	99+
TOTAL 0-19 YRS	27	19.7	235	2	2	21	31	38	45	63
20-34	125	30.5	237	4	6	31	42	49	55	65
35-49	55	29.8	246	3	5	31	42	49	60	98
50-64	91	29.8	291	3	6	31	41	51	54	81
65+	114	32.2	209	9	13	31	43	53	58	86
GRAND TOTAL	**412**	**30.0**	**248**	**3**	**7**	**30**	**42**	**49**	**56**	**78**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	2.7	5	<1	1	2	3	6	7	11
20-34	136	2.7	4	<1	<1	2	4	5	6	10
35-49	193	2.8	4	<1	1	2	4	5	6	10
50-64	274	3.0	4	1	1	2	4	6	7	10
65+	165	3.6	8	1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	6	4.3	13	1	1	3	9	9	9	9
50-64	11	3.0	2	2	2	2	4	5	6	6
65+	6	8.3	57	1	1	6	8	21	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.6	5	1	1	3	4	7	9	10
20-34	163	4.0	13	1	1	3	5	9	11	17
35-49	354	4.5	13	1	1	3	6	9	12	18
50-64	695	5.0	13	1	1	4	7	9	12	19
65+	863	6.4	26	1	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	9	12.2	458	1	1	6	7	45	69	69
35-49	29	7.7	34	2	2	6	12	16	17	22
50-64	58	10.1	70	2	2	7	13	21	26	44
65+	60	11.4	60	2	3	10	14	20	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	822	3.0	5	<1	1	2	4	6	7	11
B. *Operated*	24	4.6	21	1	2	3	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	2117	5.4	19	1	1	4	7	11	13	20
B. *Operated*	159	10.1	80	2	2	8	13	20	23	45
1. SINGLE DX	846	3.0	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	2276	5.7	25	1	1	4	7	11	14	23
A. NOT OPERATED	2939	4.7	16	1	1	4	6	10	12	18
B. OPERATED	183	9.4	76	2	2	7	12	20	23	45
TOTAL 0-19 YRS	100	3.1	5	<1	1	3	4	6	8	11
20-34	308	3.7	23	<1	1	3	5	7	9	15
35-49	582	4.1	12	1	1	3	5	8	11	17
50-64	1038	4.7	16	1	1	4	6	9	12	21
65+	1094	6.3	28	1	2	5	8	12	15	26
GRAND TOTAL	**3122**	**5.0**	**21**	**1**	**1**	**4**	**6**	**10**	**13**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	3	<1	<1	3	5	5	5	5
20-34	136	2.6	4	1	1	2	3	4	6	10
35-49	250	3.1	6	1	1	2	4	6	7	14
50-64	460	3.5	7	1	1	3	5	7	9	13
65+	509	4.6	12	1	1	4	6	8	11	19
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	5.1	29	1	1	2	8	14	17	17
50-64	34	5.9	17	2	2	5	8	12	14	19
65+	19	8.0	31	2	2	7	11	15	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.0	6	1	2	3	5	8	10	10
20-34	163	3.6	8	1	1	3	5	7	9	14
35-49	492	5.2	19	1	1	4	7	10	13	23
50-64	2103	6.1	25	1	2	5	8	12	16	25
65+	5568	8.0	40	2	3	6	10	15	20	32
B. *Operated*										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	14	8.4	26	2	3	8	12	17	18	18
35-49	63	11.0	72	2	3	8	13	22	28	45
50-64	247	10.6	58	2	2	9	14	21	26	35
65+	640	15.2	114	4	5	13	19	29	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1365	3.7	9	1	1	3	5	7	9	15
B. *Operated*	62	6.4	24	2	2	6	9	13	17	23
2. MULTIPLE DX										
A. *Not Operated*	8339	7.3	35	1	2	6	9	14	18	30
B. *Operated*	967	13.6	101	2	4	12	17	25	33	57
1. SINGLE DX	1427	3.9	10	1	1	3	5	8	10	16
2. MULTIPLE DX	9306	7.9	46	2	2	6	10	16	20	35
A. NOT OPERATED	9704	6.8	33	1	2	5	9	13	17	29
B. OPERATED	1029	13.2	99	2	3	11	17	25	33	56
TOTAL 0-19 YRS	26	3.7	5	<1	1	3	5	7	8	10
20-34	313	3.4	8	1	1	3	4	7	9	17
35-49	814	5.0	23	1	1	4	6	10	14	24
50-64	2844	6.1	28	1	2	5	8	12	16	26
65+	6736	8.4	50	2	2	7	11	16	21	37
GRAND TOTAL	10733	7.4	43	1	2	6	9	15	19	33

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	3.8	7	1	1	3	5	8	9	12
20-34	299	3.6	6	1	1	3	5	7	8	13
35-49	462	4.1	8	1	1	3	5	8	10	13
50-64	623	4.7	13	1	1	4	6	8	11	20
65+	666	5.5	16	1	2	4	7	10	13	19
B. *Operated*										
0-19 YRS	12	4.0	8	1	1	3	5	8	11	12
20-34	41	5.0	11	1	1	5	7	9	11	18
35-49	79	5.4	15	2	2	4	8	11	14	16
50-64	186	7.2	28	2	2	6	10	15	16	26
65+	628	8.5	25	2	3	7	11	15	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	4.3	9	1	1	3	6	9	10	14
20-34	699	4.8	13	1	1	4	6	9	11	18
35-49	1495	5.8	22	1	2	5	7	10	13	25
50-64	3788	6.8	26	2	2	5	8	13	16	26
65+	7253	8.2	38	2	3	7	10	15	19	31
B. *Operated*										
0-19 YRS	43	8.1	140	1	2	4	8	17	34	63
20-34	74	7.8	39	2	2	6	10	14	18	37
35-49	316	9.1	60	2	2	7	12	18	22	47
50-64	1141	10.8	78	2	3	9	14	21	27	51
65+	4083	13.1	83	4	5	11	16	24	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2139	4.6	12	1	1	4	6	9	11	17
B. *Operated*	946	7.8	25	2	2	7	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	13422	7.3	32	2	2	6	9	14	18	29
B. *Operated*	5657	12.3	83	3	4	10	15	23	29	49
1. SINGLE DX	3085	5.6	18	1	2	4	7	11	14	21
2. MULTIPLE DX	19079	8.8	52	2	3	7	11	17	22	36
A. NOT OPERATED	15561	6.9	30	1	2	6	9	13	17	28
B. OPERATED	6603	11.6	77	2	3	10	15	22	27	46
TOTAL 0-19 YRS	331	4.6	27	1	1	3	6	9	11	24
20-34	1113	4.7	14	1	1	4	6	9	11	18
35-49	2352	5.9	26	1	2	5	7	11	15	25
50-64	5738	7.4	39	2	2	6	9	14	19	32
65+	12630	9.6	57	2	3	8	12	18	24	38
GRAND TOTAL	22164	8.3	49	2	2	7	10	16	21	35

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.2	11	1	1	3	5	9	12	13
20-34	22	5.9	17	1	1	5	8	10	15	19
35-49	68	7.5	22	2	3	7	10	13	16	28
50-64	413	7.4	27	2	2	6	9	14	16	28
65+	2041	8.4	36	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS										
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	7	4.4	5	2	2	5	6	8	8	8
50-64	25	11.0	80	1	2	9	16	23	29	31
65+	50	14.6	120	2	3	12	18	29	38	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	7.7	39	2	2	6	9	16	21	34
20-34	157	7.8	32	2	3	6	10	15	17	27
35-49	1024	9.0	46	2	3	7	11	17	22	37
50-64	6898	9.7	48	3	4	8	12	18	22	35
65+	30967	10.9	61	3	4	9	14	20	26	40
B. *Operated*										
0-19 YRS	22	11.5	133	2	2	8	16	33	39	40
20-34	34	9.6	76	1	2	7	11	19	30	38
35-49	145	14.4	99	3	4	13	17	28	34	51
50-64	875	16.3	145	3	5	13	21	32	41	62
65+	2994	19.3	157	5	7	16	24	36	45	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2557	8.1	34	2	3	7	10	15	18	31
B. *Operated*	84	12.4	106	2	2	10	17	27	32	50
2. MULTIPLE DX										
A. *Not Operated*	39160	10.6	58	3	4	9	13	20	25	40
B. *Operated*	4070	18.3	154	5	6	15	23	35	43	63
1. SINGLE DX	2641	8.3	37	2	3	7	10	15	19	32
2. MULTIPLE DX	43230	11.4	72	3	4	9	14	21	28	44
A. NOT OPERATED	41717	10.5	57	3	4	8	13	19	25	39
B. OPERATED	4154	18.2	154	4	6	15	23	35	43	63
TOTAL 0-19 YRS	149	7.9	53	2	2	6	9	16	21	39
20-34	215	7.8	38	1	3	6	10	15	18	33
35-49	1244	9.5	54	2	3	8	12	18	23	40
50-64	8211	10.3	62	3	4	8	13	19	25	42
65+	36052	11.5	73	3	4	9	14	21	28	44
GRAND TOTAL	45871	11.2	71	3	4	9	14	21	27	44

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	5.0	18	1	2	4	6	10	12	27
20-34	355	4.9	14	1	2	4	6	9	13	19
35-49	349	5.5	18	2	2	4	7	10	14	22
50-64	347	6.5	38	2	2	5	8	12	15	24
65+	274	7.6	47	2	3	6	9	13	20	40
B. *Operated*										
0-19 YRS	76	3.0	8	1	2	2	3	5	10	16
20-34	121	5.6	20	1	2	3	9	13	14	17
35-49	319	5.8	33	2	2	3	9	13	17	27
50-64	480	6.6	59	2	2	3	9	16	19	41
65+	220	7.8	67	2	2	4	12	18	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	6.1	17	2	2	5	8	11	14	19
20-34	672	6.5	33	2	2	5	8	12	15	32
35-49	1199	7.5	39	2	2	6	9	14	18	30
50-64	2514	8.9	50	2	3	7	11	17	21	37
65+	3895	10.3	60	3	3	8	13	19	25	40
B. *Operated*										
0-19 YRS	100	6.6	67	2	2	2	9	14	21	45
20-34	210	10.1	109	2	2	7	12	20	31	57
35-49	699	8.9	72	2	2	6	12	20	26	43
50-64	1708	10.7	99	2	2	8	15	23	28	53
65+	1533	13.9	142	2	2	12	19	30	38	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1447	6.0	28	2	2	5	7	11	15	25
B. *Operated*	1216	6.3	48	2	2	3	9	14	19	34
2. MULTIPLE DX										
A. *Not Operated*	8451	9.1	53	2	3	7	11	17	22	37
B. *Operated*	4250	11.5	114	2	2	9	16	25	32	54
1. SINGLE DX	2663	6.1	37	2	2	4	8	13	17	29
2. MULTIPLE DX	12701	9.9	75	2	2	8	13	20	26	44
A. NOT OPERATED	9898	8.6	50	2	3	7	11	17	22	36
B. OPERATED	5466	10.3	104	2	2	8	14	23	30	50
TOTAL 0-19 YRS	469	5.4	28	1	2	4	7	11	14	30
20-34	1358	6.6	41	1	2	5	8	13	17	34
35-49	2566	7.4	46	2	2	5	9	15	20	34
50-64	5049	9.1	69	2	2	7	12	18	24	42
65+	5922	11.0	85	2	3	9	14	22	28	46
GRAND TOTAL	15364	9.2	70	2	2	7	12	19	25	42

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	4	4.8	14	1	1	4	7	10	10	10
50-64	23	6.2	10	2	3	5	9	11	12	12
65+	45	8.6	48	3	3	6	11	16	24	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	3.4	10	1	1	2	4	9	9	9
50-64	18	5.3	26	2	2	3	6	14	16	18
65+	9	10.9	63	2	2	10	16	23	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	6	9.8	47	3	3	8	13	21	22	22
35-49	119	6.2	19	1	2	5	9	13	15	23
50-64	589	8.3	48	2	3	7	10	15	20	35
65+	2138	9.8	57	3	3	8	12	19	23	39
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	4	2.8	1	2	2	3	3	4	4	4
35-49	63	8.3	135	2	2	4	8	21	31	63
50-64	205	10.2	92	2	2	8	14	21	30	57
65+	375	15.9	140	2	3	14	21	30	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	7.6	35	2	3	6	10	13	16	35
B. *Operated*	32	6.6	40	2	2	3	10	17	18	26
2. MULTIPLE DX										
A. *Not Operated*	2854	9.4	55	2	3	7	12	18	22	39
B. *Operated*	648	13.3	133	2	2	11	18	28	35	58
1. SINGLE DX	105	7.3	36	2	2	5	10	14	18	32
2. MULTIPLE DX	3502	10.1	71	2	3	8	13	20	25	45
A. NOT OPERATED	2927	9.3	54	2	3	7	12	18	22	39
B. OPERATED	680	13.0	131	2	2	11	18	28	34	58
TOTAL 0-19 YRS	3	15.7	50	8	8	17	21	22	22	22
20-34	11	6.9	36	2	2	5	8	17	22	22
35-49	191	6.8	58	1	2	5	8	13	17	46
50-64	835	8.7	58	2	2	7	11	16	21	41
65+	2567	10.7	74	2	3	8	14	21	26	45
GRAND TOTAL	3607	10.0	71	2	3	8	13	20	25	44

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.4	10	1	1	2	5	8	9	9
35-49	13	4.2	24	<1	<1	2	6	13	15	16
50-64	14	6.0	46	1	1	4	6	13	24	27
65+	7	24.9	371	1	3	19	37	54	58	58
B. *Operated*										
0-19 YRS	8	13.0	47	3	4	14	18	22	22	22
20-34	39	18.4	146	2	4	17	25	33	41	62
35-49	32	21.3	182	7	8	19	27	37	48	66
50-64	46	21.1	194	3	5	19	28	44	46	59
65+	8	32.3	209	12	14	34	40	53	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	15.0	123	2	2	13	23	31	31	31
20-34	3	6.0	1	5	5	6	7	7	7	7
35-49	8	22.4	267	6	7	15	35	47	52	52
50-64	19	10.5	101	1	2	6	16	28	30	30
65+	46	22.5	178	3	7	20	29	40	51	63
B. *Operated*										
0-19 YRS										
20-34	31	21.9	289	7	7	18	27	41	47	92
35-49	64	32.3	359	6	10	32	46	66	77	99+
50-64	117	30.9	348	6	10	28	46	68	99+	99+
65+	62	38.2	446	10	15	35	57	74	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	8.0	137	<1	1	3	9	21	34	58
B. *Operated*	133	20.5	178	3	6	18	27	40	47	63
2. MULTIPLE DX										
A. *Not Operated*	81	18.6	184	2	4	16	26	35	47	61
B. *Operated*	274	31.9	383	7	10	29	46	68	83	99+
1. SINGLE DX	175	17.5	196	1	2	15	25	38	45	61
2. MULTIPLE DX	355	28.8	368	5	7	26	41	64	77	99+
A. NOT OPERATED	123	15.0	192	1	1	11	24	33	42	59
B. OPERATED	407	28.2	344	5	6	25	40	61	75	99+
TOTAL 0-19 YRS	14	12.9	75	1	2	13	20	23	29	31
20-34	80	18.0	211	2	4	15	23	34	42	83
35-49	117	25.5	345	1	4	21	37	53	67	99+
50-64	196	24.8	335	3	4	23	38	57	70	99+
65+	123	31.2	375	7	11	28	40	64	74	99+
GRAND TOTAL	530	25.1	339	2	5	21	35	56	69	99+

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	33.0	513	12	12	30	50	57	57	57
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	5	42.6	255	27	27	40	57	62	62	62
50-64	11	56.2	266	34	42	55	76	99+	99+	99+
65+	9	43.8	741	1	6	41	62	81	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	23.0	452	4	4	12	37	57	57	57
B. *Operated*	26	47.5	483	9	18	52	64	92	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	31	43.5	547	5	11	46	61	91	99	99+
A. NOT OPERATED	5	23.0	452	4	4	12	37	57	57	57
B. OPERATED	26	47.5	483	9	18	52	64	92	99+	99+
TOTAL 0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	42.6	255	27	27	40	57	62	62	62
50-64	12	52.5	404	16	30	55	70	99+	99+	99+
65+	12	41.1	656	2	9	38	59	74	88	90
GRAND TOTAL	31	43.5	547	5	11	46	61	91	99	99+

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.4	174	<1	<1	4	19	33	33	33
20-34	7	5.7	32	<1	<1	4	6	16	16	16
35-49	6	4.8	11	<1	<1	5	7	9	9	9
50-64	24	11.9	242	<1	1	7	12	26	59	59
65+	52	12.5	136	<1	1	10	17	26	30	67
B. *Operated*										
0-19 YRS	8	16.1	45	4	6	16	22	24	24	24
20-34	15	17.2	84	3	6	15	27	33	60	99+
35-49	25	16.3	210	4	5	11	21	29	45	71
50-64	46	17.8	243	5	6	13	20	36	44	88
65+	92	17.9	226	5	7	14	22	33	47	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.7	19	<1	<1	2	9	11	13	13
20-34	10	13.8	142	5	5	9	17	33	44	44
35-49	30	18.0	190	2	2	15	26	34	45	59
50-64	81	17.7	205	3	4	14	25	39	43	64
65+	291	17.1	130	3	5	15	23	31	41	86
B. *Operated*										
0-19 YRS	19	22.7	484	6	7	16	23	49	80	97
20-34	20	20.7	256	4	6	16	23	44	58	68
35-49	35	19.6	145	7	9	16	28	36	88	99+
50-64	107	24.9	377	6	8	20	34	58	77	99+
65+	225	26.7	312	7	8	22	36	55	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	11.3	151	<1	1	7	15	23	32	64
B. *Operated*	186	17.5	206	5	6	14	22	33	44	92
2. MULTIPLE DX										
A. *Not Operated*	425	16.8	149	2	4	14	23	32	43	60
B. *Operated*	406	25.1	322	6	8	21	34	55	69	99+
1. SINGLE DX	280	15.4	196	2	4	12	19	31	42	86
2. MULTIPLE DX	831	20.9	251	4	6	17	28	43	58	99+
A. NOT OPERATED	519	15.8	154	2	3	13	22	31	42	60
B. OPERATED	592	22.8	298	6	7	18	31	48	67	99+
TOTAL 0-19 YRS	45	15.1	285	1	1	12	18	33	40	97
20-34	52	16.3	172	2	4	14	22	34	48	99
35-49	96	17.3	176	2	4	14	26	33	53	99+
50-64	258	20.1	302	3	5	15	28	43	60	99
65+	660	20.1	229	4	6	16	26	41	52	84
GRAND TOTAL	1111	19.5	242	3	5	15	26	41	56	97

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	31.0		31	31	31	31	31	31	31
35-49	8	21.5	166	5	5	22	28	39	44	44
50-64	29	35.1	502	10	13	32	52	91	99+	99+
65+	113	25.1	215	8	11	23	32	41	60	94
B. Operated										
0-19 YRS										
20-34	6	21.7	700	6	6	9	24	69	74	74
35-49	9	30.7	343	10	15	32	87	99+	99+	99+
50-64	37	40.0	563	8	11	38	66	78	96	99+
65+	45	40.6	517	10	14	40	54	78	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	152	26.8	278	8	11	23	34	51	70	99+
B. Operated	97	38.3	540	8	10	36	60	82	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	249	31.3	409	8	11	28	44	72	89	99+
A. NOT OPERATED	152	26.8	278	8	11	23	34	51	70	99+
B. OPERATED	97	38.3	540	8	10	36	60	82	99+	99+
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	7	23.0	596	6	6	10	29	65	74	74
35-49	17	26.4	266	5	7	27	41	99+	99+	99+
50-64	66	37.8	534	8	11	35	60	84	99+	99+
65+	158	29.5	347	9	11	25	38	56	76	99+
GRAND TOTAL	249	31.3	409	8	11	28	44	72	89	99+

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	32	5.7	35	<1	1	4	6	13	18	30
65+	60	6.1	53	2	2	4	7	11	15	43
B. Operated										
0-19 YRS	6	6.3	11	2	2	7	9	10	10	10
20-34	8	5.3	5	2	2	6	7	7	7	7
35-49	99	7.5	21	2	2	6	11	14	17	19
50-64	817	7.8	36	2	2	7	10	14	18	31
65+	1023	8.1	30	2	2	7	10	15	19	26
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	6.5	16	3	3	6	10	10	10	10
20-34	5	16.4	634	1	1	7	23	61	61	61
35-49	17	4.8	7	1	2	4	6	9	11	11
50-64	192	6.6	36	1	2	5	8	13	15	36
65+	395	8.0	47	2	2	6	10	15	21	37
B. Operated										
0-19 YRS	6	10.0	30	4	4	9	15	17	17	17
20-34	15	18.3	393	2	2	11	21	37	69	80
35-49	181	10.0	72	2	3	8	12	18	29	43
50-64	1700	10.5	67	2	3	8	14	20	26	38
65+	2564	12.0	85	2	3	10	15	23	30	48
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	95	5.9	45	1	2	4	6	11	15	41
B. Operated	1953	8.0	32	2	2	7	10	15	16	27
2. MULTIPLE DX										
A. Not Operated	613	7.6	47	2	2	6	9	14	19	38
B. Operated	4466	11.4	79	2	3	9	15	22	28	44
1. SINGLE DX	2048	7.9	33	2	2	7	10	15	18	28
2. MULTIPLE DX	5079	10.9	77	2	3	9	14	21	28	44
A. NOT OPERATED	708	7.3	47	2	2	5	9	14	18	38
B. OPERATED	6419	10.3	67	2	3	8	13	19	26	41
TOTAL 0-19 YRS	16	7.8	20	2	3	7	10	15	16	17
20-34	30	13.4	319	1	2	7	13	35	61	80
35-49	298	8.9	54	2	2	7	11	16	20	39
50-64	2741	9.4	57	2	2	8	12	18	24	37
65+	4042	10.5	71	2	3	8	13	20	26	43
GRAND TOTAL	7127	10.0	66	2	3	8	13	19	25	41

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	72.0		72	72	72	72	72	72	72
35-49	4	25.0	346	3	3	24	38	48	48	48
50-64	13	13.0	245	1	2	8	16	30	54	60
65+	32	14.5	182	2	2	12	18	30	40	63
B. *Operated*										
0-19 YRS										
20-34	3	15.3	246	3	3	10	27	33	33	33
35-49	19	18.4	251	4	5	12	24	48	57	57
50-64	68	19.3	250	3	4	15	24	39	53	81
65+	147	22.8	250	3	7	19	34	50	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	50	16.1	271	2	2	13	21	38	60	72
B. *Operated*	237	21.3	250	3	5	17	31	49	57	99+
1. SINGLE DX										
2. MULTIPLE DX	287	20.4	257	2	4	16	28	48	58	99+
A. NOT OPERATED	50	16.1	271	2	2	13	21	38	60	72
B. OPERATED	237	21.3	250	3	5	17	31	49	57	99+
TOTAL 0-19 YRS										
20-34	4	29.5	967	3	3	21	52	72	72	72
35-49	23	19.5	259	3	5	13	26	50	56	57
50-64	81	18.2	251	2	3	14	22	39	54	78
65+	179	21.3	247	3	5	17	31	49	60	99+
GRAND TOTAL	287	20.4	257	2	4	16	28	48	58	99+

158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	11	7.0	17	2	3	6	9	14	16	16
35-49	26	13.9	185	1	2	9	17	35	44	50
50-64	125	10.2	73	3	3	8	12	18	26	47
65+	336	12.9	113	3	3	10	16	26	34	53
B. *Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	9	11.7	92	3	3	10	14	28	34	34
35-49	17	10.8	26	2	4	10	14	18	20	21
50-64	47	9.8	76	2	2	7	12	22	33	37
65+	48	12.7	152	2	3	8	14	33	43	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	12.9	87	1	2	10	24	25	25	25
20-34	30	11.4	161	2	3	8	13	21	23	71
35-49	129	14.0	170	3	4	10	16	32	42	84
50-64	744	13.1	132	3	4	10	16	28	36	64
65+	2823	15.5	135	4	5	12	20	30	39	59
B. *Operated*										
0-19 YRS	4	9.0	102	3	3	5	15	24	24	24
20-34	21	16.6	256	3	4	10	20	34	52	71
35-49	85	14.9	186	4	4	11	17	29	42	80
50-64	343	17.0	206	4	5	13	21	37	50	99+
65+	512	21.9	283	5	6	16	30	45	61	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	12.1	106	3	3	9	15	25	35	50
B. *Operated*	123	11.2	99	2	2	8	13	22	35	49
2. MULTIPLE DX										
A. *Not Operated*	3736	15.0	137	4	5	12	19	29	38	61
B. *Operated*	965	19.4	253	4	5	14	25	42	58	92
1. SINGLE DX	623	11.9	105	3	3	9	14	25	35	50
2. MULTIPLE DX	4701	15.9	164	4	5	12	20	32	42	70
A. NOT OPERATED	4236	14.6	134	3	4	11	19	29	37	61
B. OPERATED	1088	18.4	242	3	5	13	23	40	54	89
TOTAL 0-19 YRS	18	10.3	78	1	2	7	18	25	25	25
20-34	71	12.3	163	2	3	9	14	25	34	71
35-49	257	14.1	167	3	4	10	16	30	41	79
50-64	1259	13.8	149	3	4	10	17	27	39	75
65+	3719	16.1	160	4	5	12	20	32	42	68
GRAND TOTAL	5324	15.4	158	3	5	12	19	31	42	69

159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	40.7	206	30	30	35	51	57	57	57
20-34	8	8.5	8	3	4	9	11	12	12	12
35-49	34	18.7	150	4	5	15	28	41	43	44
50-64	330	21.8	278	4	6	17	28	43	61	74
65+	1280	21.0	209	5	7	17	27	41	52	73
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	5	21.0	136	10	10	18	27	40	40	40
35-49	20	21.1	134	6	8	17	33	36	38	39
50-64	96	28.3	450	7	8	22	35	62	74	95
65+	195	27.6	323	8	10	23	37	58	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1655	21.1	222	5	7	17	28	41	52	73
B. *Operated*	317	27.2	348	7	9	23	36	57	77	99+
1. SINGLE DX										
2. MULTIPLE DX	1972	22.1	247	5	7	18	29	43	57	86
A. NOT OPERATED	1655	21.1	222	5	7	17	28	41	52	73
B. OPERATED	317	27.2	348	7	9	23	36	57	77	99+
TOTAL 0-19 YRS	4	33.3	354	11	11	32	46	57	57	57
20-34	13	13.3	90	4	6	10	15	26	37	40
35-49	54	19.6	143	4	5	16	28	37	41	44
50-64	426	23.2	323	5	7	18	30	50	63	83
65+	1475	21.9	229	5	7	18	29	43	55	87
GRAND TOTAL	1972	22.1	247	5	7	18	29	43	57	86

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	21	2	2	3	4	13	14	14
20-34	61	5.2	13	1	1	4	7	10	12	17
35-49	145	4.2	8	1	1	3	6	7	9	16
50-64	554	4.7	10	1	2	4	6	9	10	16
65+	1407	5.3	17	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	6.6	21	2	3	5	8	13	17	19
35-49	103	5.8	14	2	2	5	8	10	12	19
50-64	355	5.8	14	2	2	5	8	11	13	17
65+	325	6.9	29	2	2	6	9	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.3	6	3	3	6	7	10	11	12
20-34	94	5.5	12	1	2	5	8	10	12	63
35-49	465	6.2	16	2	2	5	8	11	13	22
50-64	2340	6.6	19	2	2	6	8	12	15	21
65+	9751	7.8	31	2	3	6	10	14	18	28
B. *Operated*										
0-19 YRS	3	9.7	34	3	3	12	13	14	14	14
20-34	23	10.7	126	1	2	7	11	19	36	56
35-49	201	8.1	29	2	3	7	10	15	20	28
50-64	1148	9.5	48	2	3	8	12	17	23	34
65+	1929	11.9	84	2	3	10	15	22	28	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2173	5.1	14	1	2	4	6	9	12	18
B. *Operated*	802	6.3	21	2	2	5	8	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	12673	7.5	28	2	3	6	9	14	17	27
B. *Operated*	3304	10.8	70	2	3	9	14	21	25	45
1. SINGLE DX	2975	5.4	16	1	2	4	7	10	12	19
2. MULTIPLE DX	15977	8.2	39	2	3	7	10	15	19	31
A. NOT OPERATED	14846	7.1	27	2	2	6	9	13	16	26
B. OPERATED	4106	9.9	64	2	3	8	13	19	24	41
TOTAL 0-19 YRS	33	6.2	11	2	3	6	8	12	14	14
20-34	196	6.1	28	1	2	5	8	11	14	41
35-49	914	6.3	19	2	2	5	8	11	14	23
50-64	4397	7.0	27	2	2	6	9	13	16	27
65+	13412	8.1	40	2	3	6	10	15	19	32
GRAND TOTAL	18952	7.7	36	2	2	6	10	14	19	30

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	11	<1	<1	5	8	10	10	10
20-34	16	6.1	9	1	2	5	8	10	11	12
35-49	56	10.8	165	1	2	6	13	19	40	66
50-64	271	11.4	94	2	3	9	14	22	31	49
65+	1214	12.7	112	3	4	10	16	25	33	54
B. *Operated*										
0-19 YRS										
20-34	10	11.7	75	2	3	9	19	25	25	25
35-49	24	9.5	78	1	2	6	12	24	31	32
50-64	108	13.3	207	2	2	9	15	36	44	65
65+	109	17.1	209	2	3	14	23	34	39	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	11.1	152	2	3	7	14	17	38	59
20-34	33	9.4	144	1	2	6	12	33	90	99+
35-49	159	[illegible]	179	2	3	9	15	26	46	64
50-64	1378	13.6	126	3	4	10	17	27	37	54
65+	7260	15.1	123	4	5	12	19	29	37	58
B. *Operated*										
0-19 YRS	3	29.0	571	8	8	24	47	55	55	55
20-34	22	14.1	145	1	2	9	26	32	36	41
35-49	94	18.0	254	2	4	12	26	44	55	91
50-64	392	18.1	240	4	5	13	22	41	57	99
65+	1047	23.0	297	5	7	18	29	48	63	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1564	12.3	110	2	3	9	16	25	33	52
B. *Operated*	251	14.5	195	2	2	9	19	33	40	68
2. MULTIPLE DX										
A. *Not Operated*	8850	14.8	125	3	5	12	19	29	37	58
B. *Operated*	1558	21.3	283	4	6	16	27	46	61	92
1. SINGLE DX	1815	12.6	122	2	3	9	16	26	35	58
2. MULTIPLE DX	10408	[illegible]	154	3	5	12	20	31	41	65
A. NOT OPERATED	10414	14.5	123	3	4	11	18	28	37	58
B. OPERATED	1809	[illegible]	277	3	5	15	27	44	60	90
TOTAL 0-19 YRS	30	[illegible]	183	2	2	7	14	21	55	59
20-34	81	[illegible]	114	2	2	7	13	29	36	99+
35-49	333	[illegible]	197	2	2	9	17	33	49	74
50-64	2149	14.2	150	3	4	10	18	29	41	64
65+	9630	[illegible]	148	3	5	12	20	31	40	65
GRAND TOTAL	12223	[illegible]	150	3	4	12	20	30	40	65

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	32.8	348	10	10	36	48	49	49	49
20-34	14	14.6	373	1	2	7	17	41	66	73
35-49	93	22.4	391	4	6	17	25	52	67	94
50-64	622	20.8	314	4	5	15	28	46	64	99+
65+	2928	20.3	215	4	6	17	26	39	51	76
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	3	11.0	9	8	8	12	57	99+	99+	99+
35-49	30	21.5	145	8	10	20	37	99+	99+	99+
50-64	139	29.2	610	5	8	22	41	82	97	99+
65+	399	29.9	372	8	10	25	41	62	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3661	20.5	237	4	6	16	26	41	53	80
B. *Operated*	572	29.2	419	7	9	24	41	66	88	99+
1. SINGLE DX										
2. MULTIPLE DX	4233	21.6	271	5	6	17	28	44	59	92
A. NOT OPERATED	3661	20.5	237	4	6	16	26	41	53	80
B. OPERATED	572	29.2	419	7	9	24	41	66	88	99+
TOTAL 0-19 YRS	5	30.6	284	10	10	25	47	49	49	49
20-34	17	14.0	306	1	2	9	17	62	89	99+
35-49	123	22.2	330	5	6	18	28	53	75	99+
50-64	761	22.3	378	4	5	16	30	52	71	99+
65+	3327	21.5	243	5	7	17	28	42	55	83
GRAND TOTAL	4233	21.6	271	5	6	17	28	44	59	92

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.6	16	1	1	3	7	11	13	13
20-34	26	3.9	4	1	2	3	5	6	8	9
35-49	65	5.1	15	1	2	5	6	9	14	18
50-64	152	5.6	18	1	2	4	8	10	15	23
65+	457	6.9	28	1	2	6	9	13	17	26
B. *Operated*										
0-19 YRS	9	7.2	42	2	2	5	10	17	21	21
20-34	25	9.5	100	1	2	6	13	23	30	43
35-49	78	8.4	68	2	2	6	11	19	24	43
50-64	200	8.2	56	2	2	6	11	18	24	37
65+	266	7.4	38	2	2	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.8	23	1	2	5	8	15	17	19
20-34	88	7.3	72	1	2	5	8	14	18	84
35-49	326	7.7	50	2	2	6	10	15	17	55
50-64	1187	9.2	62	2	3	7	12	18	23	40
65+	6287	10.4	72	3	3	8	13	20	26	44
B. *Operated*										
0-19 YRS	11	8.7	28	2	2	8	13	16	17	17
20-34	42	13.1	238	2	2	7	16	33	48	70
35-49	123	14.4	155	2	3	12	20	34	52	99+
50-64	588	12.6	147	2	3	9	16	26	36	76
65+	1238	15.2	172	2	3	12	19	32	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	711	6.3	24	1	2	5	8	12	16	24
B. *Operated*	578	7.9	51	2	2	6	10	18	21	35
2. MULTIPLE DX										
A. *Not Operated*	7908	10.1	70	2	3	8	12	19	25	44
B. *Operated*	2002	14.3	166	2	3	11	18	31	41	81
1. SINGLE DX	1289	7.0	37	2	2	5	9	15	19	28
2. MULTIPLE DX	9910	10.9	92	2	3	8	14	22	29	52
A. NOT OPERATED	8619	9.7	67	2	3	8	12	19	25	44
B. OPERATED	2580	12.9	147	2	2	9	17	27	38	73
TOTAL 0-19 YRS	51	6.7	26	1	2	5	10	15	17	21
20-34	181	8.5	112	1	2	5	9	18	29	67
35-49	592	8.9	79	2	2	7	11	18	25	59
50-64	2127	9.8	85	2	3	7	12	20	27	52
65+	8248	10.8	88	2	3	8	13	21	28	48
GRAND TOTAL	11199	10.5	87	2	3	8	13	21	28	50

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	24	3.5	13	<1	1	2	4	6	13	17
65+	84	5.5	16	1	2	5	7	11	15	18
B. *Operated*										
0-19 YRS										
20-34	10	4.9	11	2	2	4	8	10	12	12
35-49	66	7.3	42	2	2	4	11	16	20	30
50-64	270	8.2	42	2	2	7	12	16	20	28
65+	309	9.2	63	2	2	7	13	19	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	3.5	10	1	1	2	5	8	8	8
35-49	40	5.7	12	2	2	5	8	10	13	16
50-64	254	7.3	26	2	2	6	9	14	17	29
65+	1807	10.1	70	2	3	8	13	20	25	42
B. *Operated*										
0-19 YRS	5	9.8	61	2	2	7	17	20	20	20
20-34	27	8.9	82	1	2	7	10	18	29	44
35-49	185	12.4	136	2	2	10	15	25	33	61
50-64	1008	13.5	152	2	2	11	17	27	37	67
65+	1980	18.5	238	2	3	15	24	38	50	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	4.9	16	1	1	4	6	11	15	18
B. *Operated*	655	8.5	52	2	2	7	13	17	23	34
2. MULTIPLE DX										
A. *Not Operated*	2106	9.7	65	2	3	7	12	19	24	41
B. *Operated*	3205	16.5	210	2	3	13	21	35	47	81
1. SINGLE DX	768	8.0	48	1	2	6	12	17	22	31
2. MULTIPLE DX	5311	13.8	164	2	3	10	18	29	39	68
A. NOT OPERATED	2219	9.4	64	2	3	7	12	18	24	41
B. OPERATED	3860	15.1	192	2	2	12	19	33	44	72
TOTAL 0-19 YRS	6	9.8	49	2	2	8	16	20	20	20
20-34	42	7.3	60	1	2	6	9	14	22	44
35-49	295	10.2	104	2	2	8	14	21	28	59
50-64	1556	11.4	119	2	2	9	15	23	32	59
65+	4180	13.9	167	2	3	10	18	30	39	68
GRAND TOTAL	6079	13.0	153	2	2	10	17	27	37	66

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	2	10.0	72	4	4	10	16	16	16	16
50-64	20	3.4	7	<1	<1	3	4	7	10	11
65+	69	4.6	23	<1	1	3	6	9	14	26
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	7.3	26	2	2	7	11	13	13	13
35-49	8	11.3	74	1	1	11	13	24	29	29
50-64	189	11.1	25	2	3	11	14	17	19	24
65+	409	12.8	66	2	2	13	16	20	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	5	2.6	6	<1	<1	2	3	7	7	7
50-64	73	6.7	75	1	2	5	7	14	16	59
65+	463	7.3	33	1	2	6	9	14	18	26
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	8	10	10	10	10
20-34	14	11.2	59	2	2	14	16	18	25	27
35-49	37	10.8	77	2	2	10	15	21	25	43
50-64	610	15.0	99	3	5	13	18	26	34	66
65+	1531	18.2	164	3	6	15	23	33	42	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	4.4	21	<1	1	3	5	9	14	25
B. *Operated*	611	12.2	54	2	2	12	15	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	542	7.2	38	1	2	6	9	14	18	26
B. *Operated*	2194	17.1	147	3	5	14	21	31	40	77
1. SINGLE DX	704	11.2	56	2	2	11	15	19	22	33
2. MULTIPLE DX	2736	15.2	141	2	3	13	19	29	37	73
A. NOT OPERATED	635	6.8	37	1	2	5	9	14	18	26
B. OPERATED	2805	16.1	131	2	4	14	19	29	37	73
TOTAL 0-19 YRS	4	4.0	17	1	1	2	6	10	10	10
20-34	20	9.6	53	1	2	8	15	17	22	27
35-49	52	10.0	72	1	2	10	14	21	26	43
50-64	892	13.3	88	2	3	12	16	22	31	62
65+	2472	14.9	141	2	3	13	19	28	36	73
GRAND TOTAL	3440	14.3	126	2	3	13	18	26	34	70

166: Aneurysm, except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	4	3.3	5	1	1	3	5	6	6	6
65+	7	3.1	5	<1	<1	3	5	7	7	7
B. *Operated*										
0-19 YRS	4	4.3	27	1	1	2	7	12	12	12
20-34	19	7.5	32	1	2	8	10	17	19	19
35-49	43	10.8	59	2	2	10	18	21	23	30
50-64	101	10.1	110	2	2	8	12	19	31	58
65+	96	11.1	62	2	3	10	14	22	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	10	5.3	5	3	3	5	7	8	9	9
65+	39	6.5	20	1	2	6	9	12	15	22
B. *Operated*										
0-19 YRS	4	5.5	19	3	3	4	8	12	12	12
20-34	24	11.5	71	1	2	10	18	23	27	29
35-49	65	13.0	118	2	2	11	17	24	38	57
50-64	174	14.3	164	2	3	11	17	26	36	82
65+	238	17.0	209	2	3	13	21	36	47	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.3	5	<1	<1	3	5	6	7	7
B. *Operated*	263	10.3	78	2	2	8	13	20	25	45
2. MULTIPLE DX										
A. *Not Operated*	52	6.1	16	1	2	5	8	11	14	22
B. *Operated*	505	15.2	177	2	3	12	18	32	41	66
1. SINGLE DX	278	9.9	77	2	2	8	13	20	25	44
2. MULTIPLE DX	557	14.3	169	2	2	11	17	30	39	66
A. NOT OPERATED	67	5.4	15	1	1	5	7	10	13	21
B. OPERATED	768	13.5	148	2	2	11	17	26	37	64
TOTAL 0-19 YRS	8	4.9	20	1	1	3	8	12	12	12
20-34	46	9.2	56	1	2	7	15	20	24	29
35-49	112	11.8	94	2	2	10	17	22	32	50
50-64	289	12.3	144	2	2	10	14	24	35	67
65+	380	14.2	164	2	2	11	17	31	40	63
GRAND TOTAL	835	12.9	142	2	2	10	16	25	36	62

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	13	9.5	22	1	2	10	14	14	15	15
35-49	26	6.7	15	1	2	6	8	11	16	18
50-64	38	7.0	28	1	2	6	10	14	17	23
65+	43	8.6	125	1	2	6	10	14	19	73
B. *Operated*										
0-19 YRS	7	4.4	5	2	2	4	6	8	8	8
20-34	59	7.2	28	1	2	7	11	13	17	23
35-49	188	8.7	51	2	2	8	11	14	19	40
50-64	602	9.8	46	2	2	9	13	17	21	33
65+	562	10.9	63	2	2	10	15	20	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	18	12.0	116	3	3	11	16	19	37	49
35-49	46	7.4	23	1	2	7	11	15	16	18
50-64	98	7.7	41	1	2	6	10	15	23	33
65+	277	9.0	37	2	2	8	12	16	19	32
B. *Operated*										
0-19 YRS	7	8.1	16	3	3	8	10	14	15	15
20-34	46	13.6	142	3	3	10	16	31	40	57
35-49	345	12.1	74	2	2	11	15	21	28	44
50-64	1531	14.2	130	2	3	12	17	26	37	68
65+	2077	16.4	164	2	3	13	21	32	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	7.8	58	1	2	6	10	14	16	37
B. *Operated*	1418	10.0	53	2	2	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	441	8.7	40	2	2	7	11	16	19	33
B. *Operated*	4006	15.1	145	2	3	12	19	30	38	64
1. SINGLE DX	1540	9.8	54	2	2	9	13	18	22	34
2. MULTIPLE DX	4447	14.5	138	2	3	12	18	29	37	63
A. NOT OPERATED	563	8.5	44	2	2	7	11	16	18	33
B. OPERATED	5424	13.8	126	2	3	11	17	27	35	59
TOTAL 0-19 YRS	18	6.8	14	2	2	7	8	13	15	15
20-34	136	10.2	85	2	2	9	13	20	24	50
35-49	605	10.4	64	2	2	9	13	19	24	43
50-64	2269	12.6	107	2	2	11	16	23	32	58
65+	2959	14.6	141	2	3	12	18	29	36	61
GRAND TOTAL	5987	13.3	121	2	2	11	17	26	34	58

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	6.2	14	2	2	5	9	11	14	18
20-34	55	5.6	54	1	1	4	7	11	15	50
35-49	69	5.2	18	1	2	4	6	8	11	26
50-64	122	5.0	13	1	2	4	7	11	13	16
65+	107	6.2	39	1	1	5	8	11	15	38
B. *Operated*										
0-19 YRS	32	5.7	25	<1	1	4	9	12	17	19
20-34	97	6.8	44	<1	1	4	9	14	19	35
35-49	181	6.8	81	1	2	5	9	12	16	44
50-64	479	8.0	56	2	2	5	11	17	20	42
65+	514	8.4	68	1	2	6	11	17	22	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	7.5	54	1	2	5	10	16	22	41
20-34	88	7.0	26	1	2	5	10	14	16	24
35-49	157	7.3	42	2	2	6	10	13	17	35
50-64	430	7.1	38	1	2	5	9	14	17	32
65+	848	9.9	68	2	3	8	13	20	26	40
B. *Operated*										
0-19 YRS	37	4.3	26	<1	<1	3	6	9	16	25
20-34	135	9.5	125	<1	<1	7	11	19	32	62
35-49	335	10.8	127	2	2	8	14	22	33	71
50-64	1385	12.9	148	2	2	10	16	26	38	67
65+	1992	16.2	207	2	3	12	21	36	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	5.6	26	1	2	4	7	10	13	26
B. *Operated*	1303	7.8	63	1	2	5	11	17	20	45
2. MULTIPLE DX										
A. *Not Operated*	1574	8.6	56	2	2	7	11	17	22	37
B. *Operated*	3884	14.2	180	2	2	11	18	31	43	69
1. SINGLE DX	1735	7.3	54	1	2	5	10	15	19	39
2. MULTIPLE DX	5458	12.6	150	2	2	9	16	27	38	64
A. NOT OPERATED	2006	8.0	51	1	2	6	10	16	21	36
B. OPERATED	5187	12.6	158	2	2	9	16	27	39	66
TOTAL 0-19 YRS	199	6.1	29	<1	1	4	9	12	17	25
20-34	375	7.6	72	<1	1	5	10	15	20	45
35-49	742	8.6	92	1	2	6	11	17	25	55
50-64	2416	10.5	112	2	2	8	13	22	30	54
65+	3461	13.2	160	2	2	9	17	29	40	64
GRAND TOTAL	7193	11.3	132	2	2	8	14	24	35	61

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	6.9	17	2	2	6	9	13	14	22
20-34	822	7.9	18	2	3	7	10	13	15	20
35-49	864	8.4	17	3	4	8	10	13	16	21
50-64	889	8.6	17	3	4	8	11	14	16	21
65+	744	9.4	22	3	5	9	12	15	18	25
B. *Operated*										
0-19 YRS	44	7.7	17	2	3	7	11	13	15	16
20-34	326	8.2	22	2	2	8	11	15	16	21
35-49	359	8.5	35	2	3	8	11	15	17	29
50-64	330	9.4	31	2	3	9	12	15	18	33
65+	197	10.3	40	2	3	9	13	18	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	8.4	23	2	3	8	11	16	18	21
20-34	679	9.3	33	3	4	8	11	16	20	31
35-49	1179	9.8	37	3	4	9	12	16	20	30
50-64	2105	10.3	31	4	5	9	13	17	21	30
65+	2679	11.2	46	4	5	10	14	18	23	38
B. *Operated*										
0-19 YRS	23	11.1	28	3	4	11	14	16	22	25
20-34	367	11.2	55	3	4	10	14	20	26	43
35-49	617	11.5	59	3	4	10	14	20	26	40
50-64	895	12.5	73	4	4	11	15	22	29	52
65+	1018	14.4	88	4	6	12	18	25	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3403	8.5	19	3	4	8	11	14	16	22
B. *Operated*	1256	8.9	32	2	3	8	12	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	6721	10.4	39	4	4	9	13	17	22	33
B. *Operated*	2920	12.8	74	4	5	11	15	23	28	50
1. SINGLE DX	4659	8.6	22	2	4	8	11	14	16	24
2. MULTIPLE DX	9641	11.1	50	4	5	10	14	19	24	38
A. NOT OPERATED	10124	9.8	33	3	4	9	12	16	20	30
B. OPERATED	4176	11.6	65	3	4	10	14	20	27	44
TOTAL 0-19 YRS	230	8.0	21	2	3	7	11	14	16	22
20-34	2194	8.9	31	2	3	8	11	15	18	29
35-49	3019	9.6	37	3	4	9	12	16	20	31
50-64	4219	10.3	39	3	4	9	13	17	22	34
65+	4638	11.6	54	4	5	10	14	20	25	39
GRAND TOTAL	14300	10.3	43	3	4	9	13	17	22	34

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4;	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	8.6	88	<1	1	7	8	18	33	42
35-49	29	7.8	33	1	1	6	13	15	17	21
50-64	63	12.3	137	2	4	9	14	23	35	71
65+	161	12.3	89	2	3	10	16	23	29	52
B. *Operated*										
0-19 YRS	50	3.7	3	1	1	4	5	6	7	7
20-34	1061	4.3	6	2	2	4	5	6	8	15
35-49	1459	4.9	11	2	2	4	6	8	10	19
50-64	1189	5.7	29	2	3	4	6	9	12	26
65+	349	10.6	136	2	3	6	12	26	37	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	48	7.7	43	1	1	6	9	16	21	29
35-49	112	9.8	63	1	2	7	12	20	26	39
50-64	291	12.8	99	2	3	10	16	27	33	49
65+	843	14.8	117	3	5	12	20	28	38	61
B. *Operated*										
0-19 YRS	6	6.5	20	3	3	5	7	14	15	15
20-34	299	6.7	51	2	3	5	8	11	18	37
35-49	590	7.0	30	3	3	5	9	13	18	29
50-64	828	10.0	82	3	3	7	12	23	29	42
65+	620	17.7	199	3	4	14	24	38	46	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	11.6	96	2	3	9	15	22	30	52
B. *Operated*	4108	5.4	28	2	2	4	6	8	12	28
2. MULTIPLE DX										
A. *Not Operated*	1294	13.7	109	2	4	11	18	27	33	50
B. *Operated*	2343	10.9	114	3	3	7	13	24	34	50
1. SINGLE DX	4380	5.8	35	2	2	4	6	10	15	32
2. MULTIPLE DX	3637	11.9	114	3	3	8	15	26	33	50
A. NOT OPERATED	1566	13.3	107	2	4	11	17	26	33	50
B. OPERATED	6451	7.4	66	2	3	5	7	15	24	43
TOTAL 0-19 YRS	56	4.0	5	1	1	4	5	6	7	15
20-34	1427	5.0	19	2	2	4	5	8	10	23
35-49	2190	5.7	21	2	3	4	6	10	14	25
50-64	2371	8.2	66	2	3	5	9	17	25	41
65+	1973	14.8	150	3	4	11	20	31	40	60
GRAND TOTAL	8017	8.5	80	2	3	5	10	19	26	45

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.0	5	<1	1	3	3	5	8	10
20-34	147	3.2	4	1	1	3	4	6	8	9
35-49	126	3.2	4	1	1	3	4	6	6	10
50-64	130	3.1	4	1	1	3	4	6	6	10
65+	84	3.6	9	1	1	3	5	8	9	16
B. *Operated*										
0-19 YRS	33	4.2	4	<1	1	4	6	7	8	8
20-34	764	5.2	5	2	3	5	6	8	9	13
35-49	836	5.2	5	2	3	5	6	8	9	12
50-64	505	5.6	8	2	3	5	7	9	11	16
65+	178	6.0	9	2	3	6	8	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.3	6	1	2	3	6	9	9	10
20-34	222	3.9	7	1	1	3	5	8	9	12
35-49	404	4.6	11	1	2	4	6	8	10	18
50-64	433	5.0	16	1	2	4	6	9	12	20
65+	513	5.8	19	1	2	5	7	11	15	24
B. *Operated*										
0-19 YRS	109	5.5	9	2	3	5	6	8	10	21
20-34	2827	5.7	8	3	3	5	7	8	10	16
35-49	3914	6.1	10	3	3	5	7	10	12	18
50-64	3242	6.8	17	3	4	6	8	11	14	22
65+	1327	8.2	28	3	4	7	10	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	3.2	5	1	1	3	4	6	8	10
B. *Operated*	2316	5.3	6	2	3	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1597	5.0	15	1	2	4	6	9	12	21
B. *Operated*	11419	6.4	14	3	3	6	7	10	13	20
1. SINGLE DX	2828	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX	13016	6.2	14	2	3	5	7	10	13	20
A. NOT OPERATED	2109	4.6	13	1	1	4	6	9	11	18
B. OPERATED	13735	6.2	13	3	3	5	7	10	12	19
TOTAL 0-19 YRS	192	4.6	8	1	2	5	6	8	9	17
20-34	3960	5.4	8	2	3	5	6	8	10	15
35-49	5280	5.8	9	2	3	5	7	9	11	17
50-64	4310	6.3	16	2	3	5	7	10	13	20
65+	2102	7.3	25	2	3	6	9	13	17	27
GRAND TOTAL	15844	6.0	13	2	3	5	7	10	12	19

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	4.2	10	1	1	3	5	8	10	19
20-34	191	6.1	16	1	1	5	8	11	14	18
35-49	168	7.1	27	1	2	6	9	14	17	24
50-64	216	6.8	21	1	2	6	10	13	19	22
65+	282	7.8	32	1	2	7	11	14	17	29
B. *Operated*										
0-19 YRS	204	3.7	14	1	2	3	4	7	12	17
20-34	546	4.2	15	1	1	3	5	10	13	18
35-49	223	6.6	30	1	2	5	9	14	18	30
50-64	219	8.4	35	1	2	8	11	17	20	28
65+	159	9.8	72	2	2	8	13	19	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	4.7	16	1	2	4	8	9	12	23
20-34	269	7.2	43	1	2	6	9	15	17	26
35-49	474	7.9	36	2	2	7	10	15	19	29
50-64	1099	8.3	36	2	2	7	11	15	20	29
65+	2164	9.2	44	2	3	7	12	17	21	35
B. *Operated*										
0-19 YRS	95	6.6	63	2	2	3	8	13	26	42
20-34	557	5.6	33	1	2	3	7	12	15	29
35-49	401	11.5	128	2	2	9	14	23	30	71
50-64	720	12.9	129	2	3	10	16	24	34	66
65+	967	15.2	126	3	4	12	19	30	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	930	6.8	24	1	2	6	9	13	16	24
B. *Operated*	1351	5.9	32	1	2	4	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	4112	8.6	41	2	3	7	11	16	20	32
B. *Operated*	2740	11.8	119	2	2	9	15	24	33	59
1. SINGLE DX	2281	6.3	29	1	2	4	9	13	16	25
2. MULTIPLE DX	6852	9.9	75	2	2	8	13	20	26	44
A. NOT OPERATED	5042	8.2	38	2	2	7	11	16	20	31
B. OPERATED	4091	9.8	98	2	2	7	13	21	28	49
TOTAL 0-19 YRS	478	4.6	24	1	2	3	5	9	13	30
20-34	1563	5.5	28	1	2	4	7	12	15	25
35-49	1266	8.7	67	2	2	7	11	17	23	40
50-64	2254	9.7	69	2	2	8	12	19	24	42
65+	3572	10.7	74	2	3	9	14	21	27	44
GRAND TOTAL	9133	9.0	64	2	2	7	12	18	24	41

173: Acute URI, except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6439	3.1	3	1	1	3	4	5	6	9
20-34	762	3.5	3	1	2	3	4	6	7	9
35-49	262	3.9	5	1	2	4	5	7	8	11
50-64	175	4.4	6	1	2	4	6	8	9	12
65+	157	5.2	11	1	2	5	7	10	11	14
B. *Operated*										
0-19 YRS	884	2.2	2	1	1	2	2	3	4	9
20-34	342	2.7	3	1	2	2	3	4	6	11
35-49	63	2.9	7	<1	1	2	3	5	9	16
50-64	45	3.6	6	1	1	3	5	8	9	10
65+	27	4.6	17	1	1	3	6	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9447	3.8	6	1	2	3	5	7	8	12
20-34	1647	4.4	8	1	2	4	5	8	10	15
35-49	882	5.1	11	1	2	4	6	9	11	17
50-64	1042	6.3	24	2	2	5	8	11	15	25
65+	1740	8.0	31	2	3	7	10	15	18	31
B. *Operated*										
0-19 YRS	570	3.7	16	1	1	2	4	8	12	19
20-34	233	4.9	16	1	2	4	6	11	13	18
35-49	140	7.4	22	2	2	6	11	14	17	20
50-64	120	8.8	44	2	2	7	12	18	21	31
65+	141	13.6	151	2	3	10	18	27	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7795	3.2	4	1	1	3	4	5	7	10
B. *Operated*	1361	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	14758	4.6	13	1	2	4	6	8	11	18
B. *Operated*	1204	6.0	45	1	2	3	8	13	18	33
1. SINGLE DX	9156	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	15962	4.7	15	1	2	4	6	9	11	20
A. NOT OPERATED	22553	4.1	10	1	2	3	5	7	10	16
B. OPERATED	2565	4.1	26	1	1	2	4	10	13	24
TOTAL 0-19 YRS	17340	3.5	5	1	1	3	4	6	8	12
20-34	2984	4.0	7	1	2	3	5	7	9	14
35-49	1347	5.0	12	1	2	4	6	9	12	18
50-64	1382	6.2	24	2	2	5	8	11	15	24
65+	2065	8.1	40	2	3	6	10	15	19	33
GRAND TOTAL	**25118**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**10**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7491	4.1	5	1	2	4	5	7	8	11
20-34	537	4.3	5	2	2	4	5	7	8	11
35-49	398	4.8	5	2	2	4	6	8	9	13
50-64	409	5.3	8	2	2	5	7	9	10	16
65+	458	5.9	10	2	3	5	7	10	12	19
B. *Operated*										
0-19 YRS	21	6.7	25	1	1	6	9	15	18	19
20-34	15	4.3	9	1	1	3	7	8	10	11
35-49	19	5.6	8	1	2	5	8	9	10	10
50-64	29	8.0	58	1	1	6	11	14	16	41
65+	14	12.6	199	1	2	8	15	30	49	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6224	4.8	8	2	2	4	6	8	10	14
20-34	1262	5.6	18	2	2	5	7	10	12	19
35-49	1568	6.6	21	2	3	6	8	11	14	23
50-64	3399	7.8	24	3	3	7	10	14	17	25
65+	5928	9.0	39	3	4	7	11	16	20	31
B. *Operated*										
0-19 YRS	78	8.7	58	3	4	6	10	17	21	49
20-34	99	9.8	74	2	3	8	11	19	21	52
35-49	173	10.3	71	2	3	8	13	19	26	46
50-64	322	11.3	70	3	4	9	14	22	28	42
65+	429	14.8	133	4	5	12	18	26	37	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9293	4.3	6	1	2	4	5	7	8	12
B. *Operated*	98	7.3	58	1	2	6	9	14	18	48
2. MULTIPLE DX										
A. *Not Operated*	18381	6.9	26	2	3	6	8	13	16	25
B. *Operated*	1101	12.2	99	3	4	10	15	22	31	53
1. SINGLE DX	9391	4.3	6	1	2	4	5	7	8	12
2. MULTIPLE DX	19482	7.2	31	2	3	6	9	13	17	28
A. NOT OPERATED	27674	6.0	21	2	2	5	7	11	14	23
B. OPERATED	1199	11.8	97	3	3	9	14	22	30	53
TOTAL 0-19 YRS	13814	4.4	7	1	2	4	6	7	9	13
20-34	1913	5.5	18	2	2	4	7	9	12	20
35-49	2158	6.6	23	2	3	5	8	11	14	24
50-64	4159	7.8	28	2	3	7	10	14	18	27
65+	6829	9.2	46	3	4	7	11	16	21	35
GRAND TOTAL	**28873**	**6.3**	**25**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	14	1.4		<1	1	1	2	2	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	880	2.4	1	1	1	2	3	4	4	5
20-34	2141	2.4	1	1	1	2	3	4	4	5
35-49	870	2.5	1	1	1	2	3	4	4	6
50-64	420	2.4	1	1	1	2	3	4	4	6
65+	102	2.7	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.5	1	<1	<1	1	2	2	4	5
20-34	47	1.5	1	<1	<1	1	1	3	5	5
35-49	38	2.7	5	<1	<1	1	4	6	8	10
50-64	17	3.6	19	<1	1	2	4	7	15	19
65+	11	5.3	21	2	2	4	7	12	17	17
B. *Operated*										
0-19 YRS	1501	2.8	2	1	1	3	3	4	5	7
20-34	3697	2.8	2	1	1	3	3	4	5	8
35-49	2116	3.0	3	1	2	3	4	5	5	10
50-64	1293	3.3	9	1	2	3	4	5	7	12
65+	326	3.8	13	1	2	3	4	6	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.4		<1	<1	1	2	2	3	3
B. *Operated*	4413	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	128	2.5	8	<1	<1	1	3	5	7	17
B. *Operated*	8933	3.0	4	1	2	3	3	4	5	9
1. SINGLE DX	4435	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX	9061	3.0	4	1	2	3	3	5	5	9
A. NOT OPERATED	150	2.3	7	<1	<1	1	3	5	7	17
B. OPERATED	13346	2.8	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	2399	2.6	2	1	1	2	3	4	5	7
20-34	5899	2.6	2	1	1	2	3	4	5	7
35-49	3026	2.9	3	1	2	3	3	4	5	9
50-64	1733	3.1	7	1	2	3	4	5	6	11
65+	439	3.6	11	1	2	3	4	6	8	17
GRAND TOTAL	**13496**	**2.8**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	43	2.1	1	1	1	2	3	3	4	5
20-34	106	2.4	2	1	1	2	3	4	5	7
35-49	134	2.3	2	1	1	2	3	4	4	7
50-64	208	2.3	1	1	1	2	3	4	5	5
65+	104	2.4	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	5	1	1	2	4	7	8	8
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	7	5.4	15	3	3	4	5	12	14	14
50-64	5	5.8	104	1	1	1	7	24	24	24
65+	12	4.8	8	1	2	5	6	9	11	11
B. *Operated*										
0-19 YRS	84	2.7	4	1	1	2	3	4	5	13
20-34	233	2.7	2	1	1	2	3	5	5	8
35-49	311	2.8	3	1	1	2	3	5	6	11
50-64	460	3.2	7	1	1	3	4	5	7	14
65+	247	4.2	21	1	2	3	4	7	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*	595	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	36	4.4	20	1	1	3	5	8	13	24
B. *Operated*	1335	3.2	8	1	1	3	4	5	7	14
1. SINGLE DX	606	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX	1371	3.2	8	1	1	3	4	5	7	15
A. NOT OPERATED	47	3.8	16	1	1	3	5	7	11	24
B. OPERATED	1930	2.9	6	1	1	2	3	5	6	12
TOTAL 0-19 YRS	139	2.5	3	1	1	2	3	4	5	11
20-34	344	2.6	2	1	1	2	3	4	5	8
35-49	453	2.7	3	1	1	2	3	4	5	11
50-64	674	3.0	6	1	1	2	3	5	6	13
65+	367	3.7	15	1	1	3	4	6	10	21
GRAND TOTAL	**1977**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**13**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	1.9	2	<1	<1	1	2	4	5	6
20-34	34	2.6	2	<1	1	3	4	4	5	5
35-49	11	3.6	6	1	1	3	5	7	10	10
50-64	3	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	27515	1.9	1	1	1	2	2	2	3	4
20-34	6474	2.2	1	1	1	2	2	3	4	5
35-49	500	2.4	1	1	1	2	3	3	4	6
50-64	125	2.6	4	1	1	2	3	4	5	12
65+	37	2.2	4	1	1	2	2	3	4	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	547	1.7	3	<1	<1	1	2	3	5	8
20-34	101	2.6	6	<1	<1	2	3	6	7	13
35-49	12	2.8	5	1	1	2	4	7	8	8
50-64	6	3.3	9	1	1	2	6	8	8	8
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	13842	1.8	1	1	1	2	2	2	3	5
20-34	1252	2.5	3	1	1	2	3	4	5	9
35-49	159	3.6	8	1	2	3	4	7	9	13
50-64	76	3.4	9	1	2	2	3	8	11	16
65+	43	4.2	29	<1	1	2	4	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*	34651	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	668	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*	15372	1.9	1	1	1	2	2	3	3	6
1. SINGLE DX	34885	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX	16040	1.9	1	1	1	2	2	3	3	6
A. NOT OPERATED	902	1.9	3	<1	<1	1	2	4	5	9
B. OPERATED	50023	1.9	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	42089	1.8	1	1	1	2	2	2	3	4
20-34	7861	2.2	2	1	1	2	3	3	4	6
35-49	682	2.7	3	1	1	2	3	4	6	10
50-64	210	2.9	6	1	1	2	3	5	9	13
65+	83	3.3	18	<1	1	2	3	6	12	26
GRAND TOTAL	**50925**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	666	3.1	3	1	1	3	4	5	6	8
20-34	449	3.3	3	1	1	3	4	5	6	9
35-49	191	3.8	7	1	1	3	5	7	8	16
50-64	163	3.4	6	1	1	3	4	6	8	14
65+	77	3.5	14	1	1	3	4	7	9	24
B. *Operated*										
0-19 YRS	895	2.5	3	1	1	2	3	4	5	9
20-34	1346	2.6	3	1	1	2	3	4	5	9
35-49	1028	2.6	7	1	1	2	3	4	5	11
50-64	1057	2.6	6	1	1	2	3	4	5	13
65+	430	2.9	12	1	1	2	3	4	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	629	4.1	7	1	2	4	5	7	9	13
20-34	443	4.5	12	1	2	4	5	8	11	18
35-49	391	5.0	10	1	2	4	6	9	11	18
50-64	417	5.7	14	2	2	5	7	10	13	19
65+	373	6.6	29	2	2	5	8	11	15	28
B. *Operated*										
0-19 YRS	715	2.9	6	1	1	2	3	5	7	15
20-34	1353	3.6	12	1	1	3	4	6	8	16
35-49	1131	3.8	13	1	1	3	4	7	10	16
50-64	1243	4.1	17	1	2	3	4	8	12	23
65+	684	5.6	41	1	2	3	6	13	17	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1546	3.3	5	1	1	3	4	5	7	10
B. *Operated*	4756	2.6	5	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	2253	5.0	14	1	2	4	6	9	11	19
B. *Operated*	5126	3.9	17	1	1	3	4	8	11	20
1. SINGLE DX	6302	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX	7379	4.3	16	1	2	3	5	8	11	20
A. NOT OPERATED	3799	4.3	11	1	2	4	5	8	10	17
B. OPERATED	9882	3.3	12	1	1	2	4	6	8	17
TOTAL 0-19 YRS	2905	3.1	5	1	1	2	4	5	7	11
20-34	3591	3.3	8	1	1	3	4	5	7	14
35-49	2741	3.5	10	1	1	3	4	6	9	15
50-64	2880	3.7	13	1	1	2	4	7	10	19
65+	1564	5.0	31	1	2	3	6	10	14	27
GRAND TOTAL	**13681**	**3.6**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14019	4.9	7	2	2	4	6	8	10	14
20-34	2811	5.4	8	2	3	5	7	9	11	15
35-49	1765	6.2	10	2	3	6	8	10	12	16
50-64	1908	7.0	15	3	3	6	8	11	14	21
65+	2642	8.6	26	3	4	7	11	15	18	27
B. *Operated*										
0-19 YRS	82	8.6	42	2	2	7	11	15	21	37
20-34	69	9.6	36	2	3	9	13	17	21	87
35-49	104	9.7	50	2	2	8	13	17	24	38
50-64	208	11.2	60	2	3	10	15	20	25	36
65+	165	13.5	85	2	3	12	18	26	33	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11209	5.6	13	2	2	5	7	10	12	18
20-34	2587	6.8	17	2	3	6	8	12	15	22
35-49	2829	8.0	27	3	3	7	10	14	17	25
50-64	6165	9.4	38	3	4	8	11	16	20	31
65+	17951	11.7	57	4	5	10	14	21	26	40
B. *Operated*										
0-19 YRS	248	13.0	155	3	4	10	15	23	36	91
20-34	290	15.7	151	4	5	12	19	29	37	71
35-49	460	15.0	100	4	5	13	20	28	35	61
50-64	1143	16.9	125	4	6	14	21	30	39	60
65+	2191	20.1	170	6	8	17	25	37	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23145	5.6	12	2	2	5	7	10	12	18
B. *Operated*	628	11.0	63	2	3	10	15	21	26	38
2. MULTIPLE DX										
A. *Not Operated*	40741	9.1	44	3	3	7	11	17	21	34
B. *Operated*	4332	18.0	154	5	6	15	23	33	42	67
1. SINGLE DX	23773	5.8	14	2	2	5	7	10	12	20
2. MULTIPLE DX	45073	10.0	62	3	3	8	12	19	24	41
A. NOT OPERATED	63886	7.9	35	2	3	6	10	15	19	31
B. OPERATED	4960	17.1	147	4	6	14	22	32	41	64
TOTAL 0-19 YRS	25558	5.3	12	2	2	5	7	9	11	17
20-34	5757	6.6	25	2	3	5	8	11	15	25
35-49	5158	8.0	34	3	3	7	10	14	18	30
50-64	9424	9.8	52	3	4	8	12	18	23	38
65+	22949	12.2	72	4	5	10	15	22	28	44
GRAND TOTAL	**68846**	**8.5**	**49**	**2**	**3**	**7**	**10**	**16**	**21**	**36**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	3.1	5	1	1	3	4	6	7	9
20-34	398	3.4	3	1	1	3	4	6	7	10
35-49	195	3.7	4	1	2	3	5	6	7	11
50-64	203	4.6	11	1	2	4	6	8	9	14
65+	332	5.9	23	2	2	5	8	11	13	23
B. *Operated*										
0-19 YRS	4	4.0	4	3	3	3	5	7	7	7
20-34	1	8.0		8	8	8	8	8	8	8
35-49	2	8.5	41	4	4	8	13	13	13	13
50-64	3	10.0	49	5	5	7	15	18	18	18
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	956	3.8	6	1	2	3	5	7	8	14
20-34	763	4.0	7	1	2	3	5	7	8	14
35-49	531	5.6	14	2	2	5	7	10	13	20
50-64	924	6.4	17	2	3	5	8	11	14	22
65+	2220	8.4	43	2	3	7	10	16	20	35
B. *Operated*										
0-19 YRS	10	7.7	43	1	2	5	11	54	96	99+
20-34	26	7.8	38	1	2	7	10	13	18	32
35-49	25	9.8	32	4	4	8	11	15	22	29
50-64	46	15.9	118	4	6	13	20	30	36	55
65+	110	16.6	195	4	5	12	20	32	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1751	4.0	10	1	1	3	5	7	9	14
B. *Operated*	11	7.3	22	3	3	7	9	15	18	18
2. MULTIPLE DX										
A. *Not Operated*	5394	6.3	28	2	2	5	8	12	16	27
B. *Operated*	217	14.2	146	3	4	11	18	30	39	73
1. SINGLE DX	1762	4.0	10	1	1	3	5	7	9	14
2. MULTIPLE DX	5611	6.6	35	2	2	5	8	13	17	31
A. NOT OPERATED	7145	5.7	24	1	2	4	7	11	14	26
B. OPERATED	228	13.9	142	3	4	10	17	29	38	71
TOTAL 0-19 YRS	1593	3.6	6	1	1	3	4	6	8	12
20-34	1188	3.9	7	1	2	3	5	7	8	13
35-49	753	5.2	13	1	2	4	6	9	13	19
50-64	1176	6.5	24	2	2	5	8	12	15	27
65+	2663	8.4	50	2	3	6	10	16	21	36
GRAND TOTAL	**7373**	**6.0**	**30**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2404	3.8	6	1	2	3	5	6	8	11
20-34	230	4.4	8	2	2	4	5	7	9	14
35-49	257	5.4	16	2	2	5	6	9	11	21
50-64	469	6.2	17	2	2	5	8	11	13	21
65+	557	7.2	20	2	3	6	9	13	15	23
B. *Operated*										
0-19 YRS	21	5.2	17	<1	1	5	7	11	14	16
20-34	42	5.1	11	1	2	4	7	10	13	13
35-49	73	4.8	18	1	2	3	7	9	11	26
50-64	153	5.3	21	1	2	4	7	11	15	25
65+	87	7.1	38	1	2	5	10	15	18	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2279	4.5	7	1	2	4	6	8	9	12
20-34	558	5.4	11	2	2	5	7	9	11	20
35-49	876	6.8	34	2	3	5	8	12	15	30
50-64	2086	8.0	39	2	3	7	10	14	19	34
65+	3631	9.1	41	3	3	8	11	16	20	34
B. *Operated*										
0-19 YRS	49	6.5	18	1	1	6	8	13	13	20
20-34	101	9.0	76	2	2	6	11	21	27	46
35-49	223	8.4	43	1	2	7	11	16	20	34
50-64	521	9.9	59	2	2	8	13	20	25	36
65+	528	12.2	88	2	3	10	16	25	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3917	4.7	12	1	2	4	6	8	10	17
B. *Operated*	376	5.6	24	1	2	4	7	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	9430	7.3	33	2	3	6	9	13	17	30
B. *Operated*	1422	10.3	70	2	3	8	13	21	27	44
1. SINGLE DX	4293	4.8	13	1	2	4	6	9	11	18
2. MULTIPLE DX	10852	7.7	39	2	3	6	9	14	19	33
A. NOT OPERATED	13347	6.5	28	2	2	5	8	12	15	27
B. OPERATED	1798	9.3	64	2	2	7	12	20	25	41
TOTAL 0-19 YRS	4753	4.1	7	1	2	4	5	7	9	12
20-34	931	5.5	19	2	2	4	7	10	13	23
35-49	1429	6.7	32	2	2	5	8	12	15	30
50-64	3229	7.9	40	2	3	6	10	14	19	33
65+	4803	9.2	45	3	3	8	11	17	21	37
GRAND TOTAL	**15145**	**6.9**	**33**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	5.3	8	1	1	6	7	9	10	10
35-49	50	6.3	13	2	3	5	8	11	13	17
50-64	218	7.2	27	2	3	6	9	13	17	27
65+	300	8.4	32	2	3	7	11	15	20	27
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	18	18.1	303	1	3	12	18	46	62	69
50-64	23	15.2	94	3	5	13	22	26	33	44
65+	10	13.1	61	3	3	13	20	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.6	44	2	2	4	7	18	21	21
20-34	15	5.6	10	2	3	4	7	9	13	14
35-49	209	7.6	30	2	3	6	9	14	17	29
50-64	1110	9.2	50	3	3	7	12	16	21	36
65+	2177	10.5	72	3	4	8	13	19	26	44
B. *Operated*										
0-19 YRS	3	13.0	7	11	11	12	15	16	16	16
20-34	12	14.5	136	2	3	12	16	28	45	48
35-49	41	12.3	110	3	3	10	14	24	33	58
50-64	148	14.7	137	5	5	11	18	29	41	82
65+	245	20.3	271	4	6	15	24	44	57	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	578	7.7	28	2	3	6	10	14	18	27
B. *Operated*	55	14.8	159	2	2	11	19	26	42	68
2. MULTIPLE DX										
A. *Not Operated*	3518	9.9	63	3	3	8	12	18	24	42
B. *Operated*	449	17.5	216	4	5	13	21	35	53	81
1. SINGLE DX	633	8.3	44	2	3	7	11	16	20	34
2. MULTIPLE DX	3967	10.8	86	3	4	8	13	20	27	52
A. NOT OPERATED	4096	9.6	59	3	3	8	12	17	24	40
B. OPERATED	504	17.2	210	4	5	13	21	34	51	77
TOTAL 0-19 YRS	12	7.5	38	2	2	5	11	17	20	21
20-34	39	8.1	64	1	2	6	10	15	18	48
35-49	318	8.6	60	2	3	7	11	16	19	46
50-64	1499	9.5	60	3	3	7	12	17	24	41
65+	2732	11.2	94	3	4	9	14	21	28	54
GRAND TOTAL	**4600**	**10.4**	**81**	**3**	**3**	**8**	**13**	**19**	**26**	**50**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9020	4.0	5	1	2	4	5	7	8	11
20-34	2485	4.5	7	1	2	4	6	8	9	13
35-49	1847	5.4	10	2	2	5	7	9	11	16
50-64	1899	6.1	13	2	2	5	8	10	13	18
65+	1189	7.1	18	2	3	6	9	12	15	23
B. *Operated*										
0-19 YRS	22	7.2	28	2	3	5	9	17	19	20
20-34	19	8.5	58	2	2	7	11	13	26	36
35-49	37	8.7	28	2	2	7	13	16	17	23
50-64	35	9.7	65	2	3	7	12	20	26	37
65+	16	10.1	76	1	2	7	15	19	29	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5599	4.6	7	2	2	4	6	8	9	14
20-34	2122	5.7	15	2	2	5	7	10	12	20
35-49	2585	7.0	25	2	3	6	9	12	15	27
50-64	4534	8.1	33	2	3	7	10	14	17	28
65+	4877	9.2	40	3	3	8	11	16	20	32
B. *Operated*										
0-19 YRS	75	8.1	24	1	3	7	10	14	19	24
20-34	131	10.3	45	2	4	9	13	21	24	32
35-49	234	12.7	85	4	5	10	16	23	30	43
50-64	337	14.4	108	3	5	12	17	28	34	55
65+	338	16.3	137	5	6	14	19	30	39	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16440	4.7	9	1	2	4	6	8	10	15
B. *Operated*	129	8.9	48	2	2	7	12	18	20	36
2. MULTIPLE DX										
A. *Not Operated*	19717	7.0	27	2	3	6	9	13	16	26
B. *Operated*	1115	13.7	104	3	5	11	17	26	33	59
1. SINGLE DX	16569	4.8	9	1	2	4	6	8	10	15
2. MULTIPLE DX	20832	7.3	34	2	3	6	9	13	17	30
A. NOT OPERATED	36157	5.9	20	2	2	5	7	11	14	22
B. OPERATED	1244	13.2	101	3	4	11	16	25	32	57
TOTAL 0-19 YRS	14716	4.3	6	1	2	4	5	7	9	13
20-34	4757	5.2	13	2	2	4	6	9	11	19
35-49	4703	6.7	25	2	3	5	8	12	15	27
50-64	6805	7.8	34	2	3	7	9	14	17	30
65+	6420	9.2	44	3	3	8	11	16	20	35
GRAND TOTAL	**37401**	**6.2**	**25**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.4	6	2	2	4	6	8	9	12
20-34	46	4.5	10	1	1	4	6	8	10	18
35-49	227	6.3	17	2	3	5	8	11	15	20
50-64	1098	7.4	27	2	3	6	9	13	17	27
65+	1650	7.9	28	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS	6	9.2	109	1	1	5	12	27	29	29
20-34	17	6.8	30	1	2	5	11	16	16	16
35-49	33	8.2	30	2	2	7	11	16	17	25
50-64	81	8.7	38	2	2	7	12	18	21	27
65+	63	8.0	75	1	2	6	10	17	19	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.7	18	2	3	5	8	13	16	22
20-34	151	7.6	59	2	3	6	9	13	16	43
35-49	958	7.9	44	2	3	6	10	14	18	30
50-64	5632	9.2	44	2	3	8	11	17	21	34
65+	10546	10.3	58	3	4	8	13	19	24	40
B. *Operated*										
0-19 YRS	23	8.8	33	2	2	8	12	15	19	25
20-34	46	11.0	211	2	3	8	11	21	23	99
35-49	174	14.0	108	3	5	11	18	27	35	65
50-64	837	15.0	180	3	4	11	18	32	42	89
65+	1238	17.2	196	4	5	14	22	35	48	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3059	7.5	27	2	3	6	9	13	17	27
B. *Operated*	200	8.3	49	2	2	6	11	16	20	32
2. MULTIPLE DX										
A. *Not Operated*	17346	9.8	53	3	3	8	12	18	23	38
B. *Operated*	2318	16.0	185	3	5	13	19	33	44	97
1. SINGLE DX	3259	7.5	28	2	3	6	9	14	17	27
2. MULTIPLE DX	19664	10.5	73	3	4	8	13	19	26	46
A. NOT OPERATED	20405	9.4	50	3	3	8	12	17	22	36
B. OPERATED	2518	15.4	178	3	4	12	19	31	43	96
TOTAL 0-19 YRS	126	6.5	23	2	2	5	8	13	15	26
20-34	260	7.6	78	2	2	6	9	14	18	41
35-49	1392	8.4	52	2	3	7	10	16	19	35
50-64	7648	9.6	61	2	3	8	12	17	23	41
65+	13497	10.6	72	3	4	8	13	20	26	46
GRAND TOTAL	**22923**	**10.1**	**67**	**3**	**3**	**8**	**12**	**19**	**28**	**43**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.6	6	1	1	3	4	7	8	12
20-34	247	3.9	7	1	1	3	5	8	9	12
35-49	66	4.5	13	1	1	4	6	9	11	21
50-64	24	5.4	14	1	1	4	6	11	14	15
65+	13	9.2	178	1	1	4	9	26	45	50
B. *Operated*										
0-19 YRS	165	7.0	19	3	3	6	9	13	18	20
20-34	719	6.4	18	2	3	5	8	12	15	23
35-49	217	7.1	19	2	3	6	9	13	15	24
50-64	82	8.8	33	3	4	7	10	15	18	36
65+	55	10.7	85	3	3	7	13	28	34	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.4	12	1	1	4	6	8	11	18
20-34	74	5.3	19	2	2	4	7	9	11	29
35-49	30	7.6	37	1	3	6	9	15	18	30
50-64	63	8.3	31	1	2	7	12	17	19	23
65+	96	10.9	64	3	3	8	14	21	29	40
B. *Operated*										
0-19 YRS	59	10.2	41	3	4	9	13	21	25	30
20-34	247	10.1	49	3	4	8	12	18	23	37
35-49	151	10.1	43	3	4	8	13	19	22	33
50-64	226	13.4	117	4	5	10	16	26	38	61
65+	306	14.9	152	4	5	11	18	31	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	4.2	13	1	1	3	5	8	10	15
B. *Operated*	1238	7.0	23	2	3	6	8	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	293	7.9	43	2	2	6	10	16	20	33
B. *Operated*	989	12.4	99	4	4	10	15	23	32	57
1. SINGLE DX	1676	6.2	22	2	2	5	8	12	15	25
2. MULTIPLE DX	1282	11.4	90	3	4	9	14	22	29	53
A. NOT OPERATED	731	5.7	29	1	1	4	7	11	15	30
B. OPERATED	2227	9.4	64	3	3	7	11	18	24	43
TOTAL 0-19 YRS	342	6.5	24	1	2	5	8	13	18	24
20-34	1287	6.6	25	2	2	5	8	12	16	26
35-49	464	7.7	31	2	3	6	10	14	19	28
50-64	395	11.2	87	3	4	9	14	21	29	53
65+	470	13.4	130	3	4	10	17	28	36	64
GRAND TOTAL	**2958**	**8.5**	**58**	**2**	**3**	**6**	**10**	**17**	**22**	**40**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	535	4.3	10	1	1	3	5	8	11	16
20-34	364	4.1	13	1	1	3	5	8	10	15
35-49	318	4.6	15	1	1	3	6	10	12	21
50-64	373	5.4	20	1	2	4	7	10	14	20
65+	421	7.5	33	2	2	6	9	15	17	28
B. *Operated*										
0-19 YRS	62	7.5	95	1	1	4	9	17	22	61
20-34	177	8.0	39	1	2	6	10	17	20	31
35-49	273	7.8	38	1	2	7	10	16	20	33
50-64	416	8.9	55	1	2	7	12	18	23	37
65+	346	10.4	95	1	2	8	14	21	27	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	901	5.2	15	1	2	4	6	10	13	21
20-34	595	6.2	34	1	2	4	8	12	17	33
35-49	946	7.0	38	2	2	5	8	13	18	33
50-64	2106	8.1	36	2	3	7	10	15	20	31
65+	4916	10.2	57	3	3	8	13	19	24	39
B. *Operated*										
0-19 YRS	107	9.1	79	2	2	6	13	21	30	67
20-34	302	12.2	117	2	2	10	16	25	36	52
35-49	548	12.2	115	2	3	9	16	26	33	61
50-64	1283	13.7	148	2	3	10	18	28	37	66
65+	1658	15.8	152	2	4	13	21	33	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2011	5.2	20	1	1	4	7	10	13	23
B. *Operated*	1274	8.9	63	1	2	7	12	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	9464	8.7	48	2	3	7	11	17	22	35
B. *Operated*	3898	14.1	143	2	3	11	18	29	39	64
1. SINGLE DX	3285	6.6	40	1	2	5	9	14	18	31
2. MULTIPLE DX	13362	10.3	82	2	3	8	13	21	28	47
A. NOT OPERATED	11475	8.1	45	2	2	6	10	16	21	34
B. OPERATED	5172	12.9	129	2	3	10	17	27	36	60
TOTAL 0-19 YRS	1605	5.2	22	1	2	4	6	10	14	23
20-34	1438	7.2	55	1	2	5	9	15	22	38
35-49	2085	8.1	61	1	2	6	10	16	22	40
50-64	4178	9.7	79	2	2	7	12	19	26	47
65+	7341	11.3	85	2	3	9	14	22	29	47
GRAND TOTAL	**16647**	**9.6**	**76**	**2**	**2**	**7**	**12**	**20**	**26**	**44**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.8	3	<1	1	2	4	5	6	9
20-34	59	3.3	7	<1	1	3	4	6	9	16
35-49	38	4.4	24	<1	1	3	5	8	11	30
50-64	21	3.7	4	1	1	4	4	6	8	10
65+	14	3.1	3	<1	1	2	5	6	6	6
B. *Operated*										
0-19 YRS	3850	1.9	3	<1	1	2	2	3	4	6
20-34	3384	2.2	2	<1	1	2	2	4	5	7
35-49	1126	2.5	6	1	1	2	3	4	5	9
50-64	735	2.6	3	1	1	2	3	4	6	9
65+	214	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	3.5	7	<1	<1	3	5	7	9	14
20-34	159	3.5	9	<1	<1	3	4	7	9	17
35-49	101	3.8	13	<1	1	3	5	7	9	22
50-64	118	4.4	12	<1	1	3	6	10	11	17
65+	103	5.9	18	1	1	5	8	12	14	19
B. *Operated*										
0-19 YRS	1348	2.5	3	1	1	2	3	4	5	9
20-34	2154	2.7	6	1	1	2	3	5	6	11
35-49	1623	3.0	12	1	1	2	3	5	7	14
50-64	1712	3.4	19	1	1	2	3	6	9	21
65+	965	4.1	25	1	2	3	4	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.3	8	<1	1	3	4	6	7	14
B. *Operated*	9309	2.2	3	<1	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	648	4.1	12	<1	1	3	5	8	11	17
B. *Operated*	7802	3.0	12	1	1	2	3	5	7	16
1. SINGLE DX	9520	2.2	3	<1	1	2	2	4	5	7
2. MULTIPLE DX	8450	3.1	12	1	1	2	3	5	8	16
A. NOT OPERATED	859	3.9	11	<1	1	3	5	8	10	16
B. OPERATED	17111	2.6	7	1	1	2	3	4	6	12
TOTAL 0-19 YRS	5444	2.1	3	<1	1	2	2	4	5	7
20-34	5756	2.4	4	1	1	2	3	4	5	9
35-49	2888	2.8	10	1	1	2	3	5	7	13
50-64	2586	3.2	14	1	1	2	3	5	8	19
65+	1296	4.0	21	1	2	3	4	8	12	20
GRAND TOTAL	**17970**	**2.6**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	4.1	6	1	2	4	6	7	8	15
20-34	63	4.0	6	1	1	4	5	7	9	12
35-49	43	4.6	7	1	2	4	5	9	11	12
50-64	48	4.7	12	1	1	4	6	9	10	19
65+	36	4.7	8	<1	1	5	6	8	10	13
B. *Operated*										
0-19 YRS	226	2.5	4	<1	1	2	3	5	7	10
20-34	234	3.2	5	1	1	3	4	5	7	13
35-49	209	3.4	5	1	2	3	4	6	8	13
50-64	272	3.5	5	1	2	3	4	6	8	14
65+	221	3.7	7	1	2	3	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.6	7	2	2	4	6	7	9	16
20-34	73	4.8	10	1	2	4	5	8	11	19
35-49	60	5.6	14	1	2	5	7	9	11	22
50-64	117	6.5	28	2	2	5	8	13	17	29
65+	193	8.1	29	2	3	7	10	14	17	30
B. *Operated*										
0-19 YRS	120	3.7	11	1	1	3	4	7	9	21
20-34	156	5.2	28	1	2	4	6	9	12	34
35-49	205	4.9	17	1	2	4	6	10	14	24
50-64	312	5.5	40	1	2	4	6	12	16	33
65+	300	6.4	37	2	2	4	5	13	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	4.3	7	1	2	4	6	7	9	14
B. *Operated*	1162	3.3	5	1	1	3	4	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	704	6.0	19	2	2	5	7	11	14	23
B. *Operated*	1093	5.4	31	1	2	4	6	11	15	30
1. SINGLE DX	1493	3.5	6	1	1	3	4	6	8	14
2. MULTIPLE DX	1797	5.6	26	1	2	4	7	11	15	28
A. NOT OPERATED	1035	5.4	16	1	2	4	7	10	13	22
B. OPERATED	2255	4.3	19	1	1	3	5	8	12	22
TOTAL 0-19 YRS	748	3.7	7	1	1	3	5	7	8	15
20-34	526	4.1	13	1	1	3	5	7	10	17
35-49	517	4.4	12	1	2	3	5	8	11	18
50-64	749	4.9	25	1	2	3	5	9	13	22
65+	750	5.9	28	1	2	4	7	12	16	29
GRAND TOTAL	**3290**	**4.7**	**18**	**1**	**2**	**3**	**5**	**9**	**12**	**22**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	4.0	12	1	1	3	5	7	10	18
20-34	281	3.9	6	1	1	3	5	7	8	12
35-49	335	4.1	10	1	1	4	5	7	9	12
50-64	329	4.0	8	1	1	3	5	7	9	14
65+	233	4.5	13	1	1	4	5	8	11	19
B. *Operated*										
0-19 YRS	80	4.3	15	<1	<1	2	7	9	12	18
20-34	133	5.7	25	1	2	5	8	10	12	32
35-49	173	7.0	28	1	2	6	9	14	17	23
50-64	244	7.0	26	1	2	6	9	13	17	25
65+	313	8.0	52	1	2	6	10	17	20	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	351	5.5	16	1	2	4	7	10	14	20
20-34	737	5.1	14	1	2	4	6	9	12	19
35-49	1294	5.7	17	2	2	5	7	10	13	22
50-64	1536	5.8	14	2	2	5	7	10	13	19
65+	1960	7.2	35	2	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	107	10.7	87	1	2	8	15	24	29	76
20-34	340	8.6	36	2	3	7	11	15	19	29
35-49	603	9.9	72	2	3	8	12	19	24	45
50-64	1078	10.2	91	2	2	8	13	20	28	46
65+	1562	11.7	105	2	3	9	14	24	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	4.1	10	1	1	3	5	7	9	16
B. *Operated*	943	6.9	35	1	2	6	9	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	5878	6.1	22	2	2	5	8	11	14	25
B. *Operated*	3690	10.6	89	2	3	8	13	21	29	50
1. SINGLE DX	2408	5.2	21	1	1	4	7	10	14	22
2. MULTIPLE DX	9568	7.9	53	2	2	6	10	15	21	37
A. NOT OPERATED	7343	5.7	21	1	2	5	7	11	14	23
B. OPERATED	4633	9.9	81	2	2	8	12	20	27	46
TOTAL 0-19 YRS	825	5.5	28	1	1	4	7	11	16	29
20-34	1491	5.7	21	1	2	5	7	11	14	25
35-49	2405	6.6	34	1	2	5	8	13	16	30
50-64	3187	7.2	46	1	2	5	9	14	18	34
65+	4068	8.8	67	2	2	7	11	18	24	44
GRAND TOTAL	**11976**	**7.3**	**48**	**1**	**2**	**5**	**9**	**14**	**19**	**36**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.7	6	1	2	4	6	8	10	12
20-34	186	5.1	10	2	2	4	6	10	12	15
35-49	274	5.0	12	1	2	4	6	9	10	19
50-64	240	5.0	10	1	2	4	6	9	11	17
65+	201	5.9	13	1	2	5	8	10	13	17
B. *Operated*										
0-19 YRS	4	6.8	5	5	5	6	8	10	10	10
20-34	86	8.4	31	2	3	8	10	15	19	31
35-49	187	8.3	23	2	3	8	10	14	17	26
50-64	210	9.4	45	2	3	8	12	19	21	32
65+	171	9.0	52	2	2	7	12	17	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	5.2	11	2	2	5	6	8	10	19
20-34	278	6.2	20	2	2	5	8	10	13	24
35-49	547	6.9	23	2	3	6	8	12	15	22
50-64	784	7.1	22	2	3	6	9	12	17	25
65+	1256	8.8	36	2	3	7	11	16	20	30
B. *Operated*										
0-19 YRS	16	7.4	17	2	3	6	10	14	15	15
20-34	177	9.7	61	2	4	8	12	17	19	36
35-49	446	10.8	57	3	4	9	13	20	26	40
50-64	773	11.1	60	3	4	9	14	19	26	44
65+	1008	12.1	74	3	4	10	15	23	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	5.2	11	1	2	5	7	9	11	16
B. *Operated*	658	8.8	39	2	3	8	11	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	2899	7.7	29	2	3	6	10	14	18	28
B. *Operated*	2420	11.3	65	3	4	9	14	21	26	41
1. SINGLE DX	1600	6.7	26	2	2	5	9	12	16	25
2. MULTIPLE DX	5319	9.4	49	2	3	8	12	17	22	37
A. NOT OPERATED	3841	7.1	26	2	2	6	9	13	16	27
B. OPERATED	3078	10.8	61	3	4	9	13	19	25	40
TOTAL 0-19 YRS	95	5.4	10	2	2	5	7	10	12	17
20-34	727	7.1	32	2	2	6	9	13	16	25
35-49	1454	7.9	35	2	3	6	10	14	19	32
50-64	2007	8.6	42	2	3	7	11	16	20	33
65+	2636	9.9	53	2	3	8	12	18	24	37
GRAND TOTAL	**6919**	**8.7**	**45**	**2**	**3**	**7**	**11**	**16**	**21**	**34**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.7	2	2	3	5	6	6	7	7
20-34	63	5.4	11	1	2	4	7	10	13	16
35-49	113	5.9	8	2	3	6	7	9	11	17
50-64	144	5.8	8	2	3	5	7	9	11	14
65+	176	7.2	10	3	4	7	9	12	13	18
B. *Operated*										
0-19 YRS	8	7.5	7	5	5	7	8	12	13	13
20-34	60	9.3	23	3	4	9	11	14	20	27
35-49	92	9.4	18	4	5	9	11	15	17	25
50-64	123	10.2	28	4	5	9	12	18	21	26
65+	130	11.8	45	4	5	11	14	21	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.3	9	2	3	6	8	11	11	11
20-34	82	7.0	23	2	3	6	8	12	15	29
35-49	196	7.0	18	2	3	6	8	12	15	24
50-64	377	8.4	24	3	4	7	10	14	17	26
65+	843	10.1	44	3	4	8	12	17	23	36
B. *Operated*										
0-19 YRS	15	8.1	9	2	4	8	10	12	13	14
20-34	68	11.3	62	4	4	10	13	20	25	46
35-49	184	13.8	125	4	5	11	16	26	33	54
50-64	391	13.6	107	4	5	11	17	24	33	68
65+	934	15.8	124	5	6	13	20	29	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	6.2	9	2	3	6	8	10	13	17
B. *Operated*	413	10.3	31	4	5	9	13	17	21	27
2. MULTIPLE DX										
A. *Not Operated*	1516	9.0	36	3	4	8	11	16	20	32
B. *Operated*	1592	14.8	118	4	5	12	18	28	35	59
1. SINGLE DX	924	8.1	23	3	3	7	10	14	17	24
2. MULTIPLE DX	3108	12.0	86	3	4	9	15	23	29	52
A. NOT OPERATED	2027	8.3	31	3	3	7	10	15	18	30
B. OPERATED	2005	13.9	103	4	5	11	17	25	33	56
TOTAL 0-19 YRS	56	6.5	8	2	3	6	8	10	12	14
20-34	273	8.2	34	2	3	7	10	15	19	30
35-49	585	9.3	60	3	3	7	11	17	23	37
50-64	1035	10.2	62	3	4	8	12	18	23	43
65+	2083	12.5	87	4	5	10	15	24	30	52
GRAND TOTAL	**4032**	**11.1**	**74**	**3**	**4**	**9**	**14**	**21**	**27**	**47**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	296	4.2	6	1	2	4	5	8	9	11
20-34	1044	4.5	7	1	2	4	6	8	10	14
35-49	882	4.9	8	2	2	4	6	8	10	15
50-64	684	5.2	9	2	2	4	6	9	11	15
65+	391	6.2	27	2	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	11	8.8	21	3	4	8	10	15	20	20
20-34	144	10.0	24	3	5	9	12	17	20	26
35-49	201	9.8	28	2	4	9	12	17	19	26
50-64	154	11.3	45	3	5	10	14	19	25	39
65+	72	11.0	59	3	4	9	13	22	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	5.2	17	2	2	4	6	8	11	20
20-34	1190	5.7	12	2	2	5	7	10	12	18
35-49	1593	6.5	18	2	3	5	8	11	14	22
50-64	1982	6.8	21	2	3	6	9	12	15	22
65+	2136	8.1	31	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	21	8.6	27	3	3	7	11	17	19	21
20-34	269	11.0	55	3	4	9	13	19	25	41
35-49	518	11.5	54	3	4	10	15	20	24	35
50-64	630	12.0	79	3	4	10	15	21	28	45
65+	556	13.9	109	4	5	11	17	26	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3297	4.9	10	2	2	4	6	8	10	15
B. *Operated*	582	10.4	35	3	4	9	12	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	7122	6.9	22	2	3	6	9	12	15	24
B. *Operated*	1994	12.2	78	3	4	10	15	22	29	46
1. SINGLE DX	3879	5.8	18	2	2	5	7	10	13	21
2. MULTIPLE DX	9116	8.1	40	2	3	6	10	15	19	33
A. NOT OPERATED	10419	6.3	19	2	2	5	8	11	14	22
B. OPERATED	2576	11.8	69	3	4	10	14	21	26	43
TOTAL 0-19 YRS	549	4.9	12	1	2	4	6	8	10	18
20-34	2647	6.0	20	2	2	5	7	11	14	22
35-49	3194	7.1	27	2	3	6	9	13	17	26
50-64	3450	7.6	36	2	3	6	9	14	18	31
65+	3155	9.0	50	2	3	7	11	16	21	37
GRAND TOTAL	**12995**	**7.4**	**34**	**2**	**3**	**6**	**9**	**14**	**17**	**30**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	4.5	7	1	2	4	6	8	9	12
20-34	285	5.0	9	2	2	5	6	8	9	21
35-49	400	5.3	8	2	2	5	7	9	10	13
50-64	395	6.1	10	2	3	6	7	10	12	18
65+	387	7.0	15	3	3	6	9	12	14	18
B. *Operated*										
0-19 YRS	18	8.4	18	1	3	8	10	15	17	17
20-34	131	9.4	24	5	6	8	10	16	19	28
35-49	164	10.3	24	4	5	9	13	17	19	25
50-64	159	11.2	23	4	6	10	13	17	21	27
65+	148	12.1	35	5	6	11	15	20	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	6.2	10	2	2	6	8	10	11	17
20-34	271	5.9	12	2	3	5	7	10	11	19
35-49	426	6.5	17	2	3	6	8	11	13	25
50-64	833	7.4	20	3	3	7	9	13	15	21
65+	1500	9.8	47	3	4	8	12	17	22	37
B. *Operated*										
0-19 YRS	20	10.7	64	3	3	9	13	20	29	37
20-34	108	12.1	67	4	5	10	14	23	29	47
35-49	231	13.1	91	5	6	11	15	23	31	60
50-64	450	15.2	104	5	7	12	18	28	37	53
65+	722	18.2	161	6	7	14	22	34	42	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1515	5.8	11	2	3	5	7	10	12	17
B. *Operated*	620	10.7	27	4	6	9	13	17	21	27
2. MULTIPLE DX										
A. *Not Operated*	3085	8.3	34	3	3	7	10	15	18	31
B. *Operated*	1531	16.0	131	5	6	13	19	29	38	67
1. SINGLE DX	2135	7.3	21	2	3	6	9	13	16	25
2. MULTIPLE DX	4616	10.8	79	3	4	8	13	20	28	50
A. NOT OPERATED	4600	7.5	28	2	3	6	9	13	16	28
B. OPERATED	2151	14.5	106	5	6	12	17	27	35	57
TOTAL 0-19 YRS	141	6.5	21	2	2	6	8	11	15	22
20-34	795	7.0	27	2	3	6	8	12	16	29
35-49	1221	7.9	38	2	3	6	9	14	18	32
50-64	1837	9.4	51	3	4	7	11	17	23	39
65+	2757	11.7	88	3	4	9	14	22	29	52
GRAND TOTAL	**6751**	**9.7**	**63**	**3**	**3**	**8**	**12**	**18**	**24**	**42**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.8	16	2	2	7	11	12	12	12
20-34	9	4.6	2	2	2	5	6	6	6	6
35-49	28	6.8	20	2	3	6	7	14	18	21
50-64	20	5.8	11	2	3	5	7	10	13	15
65+	31	7.4	17	2	2	7	9	13	16	18
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	17	11.5	36	3	4	11	14	21	22	23
35-49	48	14.8	52	5	7	13	20	26	27	31
50-64	72	15.3	51	6	8	14	19	23	25	44
65+	51	17.8	61	8	9	17	24	29	32	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	16	4	4	9	12	13	13	13
20-34	18	6.7	12	2	2	6	10	12	12	12
35-49	40	8.4	35	2	2	7	10	16	19	31
50-64	66	8.4	23	3	4	7	11	15	16	27
65+	122	9.7	49	3	4	8	12	19	22	37
B. *Operated*										
0-19 YRS	3	18.3	65	9	9	23	23	23	23	23
20-34	22	13.5	41	5	6	13	15	21	26	32
35-49	95	16.5	91	6	7	14	20	32	35	52
50-64	163	20.7	183	6	9	17	24	40	47	72
65+	244	20.6	153	7	8	18	26	40	47	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	6.6	16	2	3	6	8	12	16	20
B. *Operated*	189	15.5	55	6	7	14	20	25	29	35
2. MULTIPLE DX										
A. *Not Operated*	250	8.9	37	3	3	7	11	16	21	31
B. *Operated*	527	19.6	150	6	8	16	23	37	46	63
1. SINGLE DX	282	12.5	59	3	4	11	17	23	26	34
2. MULTIPLE DX	777	16.2	138	4	5	13	21	32	42	60
A. NOT OPERATED	343	8.3	32	2	3	7	10	15	19	29
B. OPERATED	716	18.5	128	6	8	16	23	33	43	61
TOTAL 0-19 YRS	13	10.8	40	2	4	11	12	23	23	23
20-34	66	9.9	37	3	3	9	13	19	21	31
35-49	211	13.3	77	3	5	11	18	25	31	41
50-64	321	16.0	139	3	5	13	20	29	40	68
65+	448	16.4	133	4	5	14	21	32	43	54
GRAND TOTAL	**1059**	**15.2**	**120**	**3**	**5**	**13**	**20**	**29**	**37**	**56**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1437	3.0	4	1	1	3	4	5	6	9
20-34	2042	3.7	6	1	1	3	5	7	8	12
35-49	1398	4.3	7	1	2	4	6	8	9	13
50-64	826	4.5	8	1	2	4	6	8	10	14
65+	477	4.7	13	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	37	5.2	9	1	2	4	7	10	10	13
20-34	143	7.8	35	1	2	6	10	15	21	31
35-49	157	7.7	31	2	3	6	10	14	19	31
50-64	118	8.3	25	2	3	7	11	14	18	25
65+	102	8.7	39	2	3	7	12	16	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1972	3.8	7	1	2	3	5	7	9	13
20-34	4072	5.3	15	1	2	4	7	9	12	19
35-49	4175	6.1	18	2	2	5	8	11	14	22
50-64	3912	6.3	17	2	2	5	8	11	14	21
65+	4189	7.4	27	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	89	7.5	32	3	3	6	9	12	18	35
20-34	677	8.9	35	2	3	7	11	16	20	29
35-49	957	10.1	55	3	4	8	12	18	24	42
50-64	1093	11.0	80	3	4	9	13	20	25	45
65+	1035	11.8	78	3	4	9	14	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6180	3.9	7	1	1	3	5	7	9	13
B. *Operated*	557	7.9	31	2	3	6	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	18320	6.0	19	2	2	5	8	11	14	22
B. *Operated*	3851	10.5	66	3	4	9	13	19	24	42
1. SINGLE DX	6737	4.2	10	1	1	3	5	8	10	16
2. MULTIPLE DX	22171	6.8	30	2	2	5	8	13	16	27
A. NOT OPERATED	24500	5.5	17	1	2	4	7	10	13	21
B. OPERATED	4408	10.2	62	3	3	8	12	19	24	41
TOTAL 0-19 YRS	3535	3.6	7	1	1	3	4	6	8	13
20-34	6934	5.2	17	1	2	4	6	10	12	21
35-49	6687	6.3	24	2	2	5	8	11	15	25
50-64	5949	7.0	31	2	2	6	9	13	16	27
65+	5803	8.0	39	2	3	6	10	15	19	32
GRAND TOTAL	**28908**	**6.2**	**26**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	3.4	5	1	1	3	4	6	8	12
20-34	373	3.8	8	1	1	3	5	7	9	13
35-49	262	4.0	12	1	1	3	5	7	8	12
50-64	214	4.4	11	1	1	4	6	9	12	17
65+	146	5.5	17	1	2	4	7	12	14	18
B. *Operated*										
0-19 YRS	139	5.0	16	2	2	4	6	8	9	26
20-34	40	9.0	27	2	3	8	10	15	19	28
35-49	62	11.7	54	4	5	10	16	19	24	45
50-64	53	16.2	210	4	5	13	19	28	39	83
65+	44	16.8	261	2	2	10	24	34	55	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	377	4.0	6	1	2	3	5	7	8	12
20-34	741	5.1	17	1	2	4	6	9	11	22
35-49	829	5.7	20	1	2	4	7	11	14	23
50-64	781	6.0	17	2	2	5	7	11	14	21
65+	902	7.4	31	2	3	6	9	14	19	29
B. *Operated*										
0-19 YRS	42	9.8	97	2	2	7	11	20	28	56
20-34	126	13.0	89	3	4	10	16	27	36	44
35-49	215	13.5	104	3	4	10	18	27	32	46
50-64	302	15.7	127	4	5	13	20	30	40	62
65+	351	18.1	166	4	5	15	23	35	44	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1295	4.0	10	1	1	3	5	7	9	15
B. *Operated*	338	10.0	108	2	3	7	12	20	28	68
2. MULTIPLE DX										
A. *Not Operated*	3630	5.9	21	2	2	5	7	11	14	24
B. *Operated*	1036	15.5	135	3	5	12	20	30	39	61
1. SINGLE DX	1633	5.3	36	1	1	4	6	10	14	29
2. MULTIPLE DX	4666	8.0	62	2	2	6	10	17	23	41
A. NOT OPERATED	4925	5.4	19	1	2	4	7	10	13	23
B. OPERATED	1374	14.1	134	3	4	11	18	29	37	61
TOTAL 0-19 YRS	858	4.2	14	1	2	3	5	7	9	17
20-34	1280	5.7	28	1	2	4	7	10	14	29
35-49	1368	6.9	43	1	2	5	8	14	19	33
50-64	1350	8.3	68	2	2	6	10	17	23	41
65+	1443	10.1	93	2	3	7	12	21	29	50
GRAND TOTAL	**6299**	**7.3**	**57**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.7	3	1	1	2	4	5	6	7
20-34	42	2.8	3	<1	1	3	4	5	6	7
35-49	12	2.8	3	<1	<1	2	4	5	7	7
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	6740	3.9	3	2	2	4	5	6	7	10
20-34	4493	4.1	3	2	2	4	5	6	7	10
35-49	1163	4.6	4	2	3	4	5	7	8	11
50-64	536	5.5	7	3	3	5	7	9	11	14
65+	153	7.0	16	2	3	6	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.7	4	1	1	2	3	5	6	10
20-34	26	4.0	7	1	1	4	5	8	10	12
35-49	7	3.7	5	1	1	3	6	6	6	6
50-64	5	2.2	1	1	1	3	3	3	3	3
65+	8	12.4	129	4	4	7	18	31	33	33
B. *Operated*										
0-19 YRS	1106	5.6	14	2	3	5	6	10	12	20
20-34	1006	6.0	15	3	3	5	7	10	13	19
35-49	387	7.3	26	3	3	6	8	13	17	29
50-64	292	8.7	29	4	4	7	10	15	19	31
65+	190	10.7	39	4	5	9	13	20	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	2.8	3	<1	1	3	4	5	6	8
B. *Operated*	13085	4.2	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	87	4.0	22	1	1	3	5	7	10	31
B. *Operated*	2981	6.6	21	3	3	5	8	12	15	25
1. SINGLE DX	13204	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX	3068	6.5	21	3	3	5	8	12	15	25
A. NOT OPERATED	206	3.3	12	1	1	3	4	6	7	19
B. OPERATED	16066	4.6	8	2	2	4	5	7	9	16
TOTAL 0-19 YRS	7948	4.1	5	2	2	4	5	6	8	13
20-34	5567	4.5	6	2	2	4	5	7	8	14
35-49	1569	5.3	11	2	3	4	6	8	11	19
50-64	836	6.6	17	3	3	5	8	11	14	23
65+	352	9.1	34	3	4	7	11	16	22	33
GRAND TOTAL	**16272**	**4.6**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	7.6	10	3	4	7	9	11	14	15
20-34	11	5.7	5	2	2	6	8	9	9	9
35-49	12	8.8	30	2	3	8	13	16	19	20
50-64	9	9.8	46	5	5	9	10	20	27	27
65+	8	6.4	10	2	2	6	9	10	10	10
B. *Operated*										
0-19 YRS	1193	7.7	14	3	4	7	9	12	14	21
20-34	717	7.6	13	3	4	7	9	12	14	22
35-49	411	8.2	14	4	4	8	10	12	15	21
50-64	314	9.2	18	4	5	9	11	14	17	25
65+	137	11.7	37	6	7	10	14	18	22	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.7	2	7	7	9	10	10	10	10
20-34	8	4.3	7	1	1	4	6	8	8	8
35-49	8	8.4	22	4	4	7	9	16	19	19
50-64	7	9.7	40	2	3	10	11	20	22	22
65+	8	10.4	12	4	5	11	13	14	14	14
B. *Operated*										
0-19 YRS	578	11.2	37	4	5	10	13	19	24	33
20-34	427	11.0	44	4	5	10	13	18	23	39
35-49	320	12.3	46	5	6	11	14	20	26	40
50-64	468	14.1	67	6	7	12	17	23	29	50
65+	408	16.6	95	7	8	14	20	28	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	7.7	20	2	3	7	9	13	15	27
B. *Operated*	2772	8.1	16	3	4	7	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	34	8.2	22	2	2	7	10	13	18	22
B. *Operated*	2201	12.9	61	5	6	11	15	22	27	43
1. SINGLE DX	2826	8.1	16	3	4	7	10	13	15	22
2. MULTIPLE DX	2235	12.9	61	5	6	11	15	22	27	43
A. NOT OPERATED	88	7.9	20	2	3	7	10	13	15	25
B. OPERATED	4973	10.2	42	4	5	9	12	17	22	34
TOTAL 0-19 YRS	1788	8.8	24	3	4	8	10	14	18	28
20-34	1163	8.8	27	3	4	8	10	14	17	28
35-49	751	9.9	32	4	5	9	11	16	20	31
50-64	798	12.1	53	5	6	10	14	20	25	41
65+	561	15.2	84	6	7	13	18	26	33	53
GRAND TOTAL	**5061**	**10.2**	**42**	**4**	**5**	**9**	**12**	**17**	**22**	**34**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	2.6	4	1	1	2	3	5	6	11
20-34	122	3.0	5	1	1	2	4	6	6	12
35-49	26	3.2	5	<1	1	3	4	6	8	9
50-64	17	4.4	20	1	1	3	5	7	15	20
65+	6	3.0	4	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	757	4.5	4	2	3	4	5	7	8	13
20-34	508	5.0	7	2	3	4	6	8	10	16
35-49	120	5.5	8	3	3	5	6	9	11	17
50-64	49	6.2	8	3	4	6	7	10	12	17
65+	22	6.6	19	2	3	5	7	12	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.2	4	1	1	3	4	6	7	10
20-34	79	3.3	6	1	1	3	4	6	9	13
35-49	19	4.1	6	1	2	4	5	8	10	11
50-64	23	4.2	5	1	2	4	6	7	8	9
65+	7	6.9	21	1	2	5	10	13	14	14
B. *Operated*										
0-19 YRS	459	5.5	9	3	3	5	6	9	11	18
20-34	375	6.4	11	3	3	6	8	11	13	19
35-49	118	7.9	33	3	4	6	9	14	19	35
50-64	57	12.4	92	4	5	9	15	23	36	47
65+	51	11.5	59	4	4	10	14	21	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	2.9	5	1	1	2	4	6	6	11
B. *Operated*	1456	4.8	6	2	3	4	6	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	222	3.6	6	1	1	3	4	7	8	12
B. *Operated*	1060	6.8	23	3	3	5	8	11	15	26
1. SINGLE DX	1769	4.5	6	1	2	4	5	7	9	14
2. MULTIPLE DX	1282	6.2	21	2	3	5	7	11	14	25
A. NOT OPERATED	535	3.2	6	1	1	3	4	6	7	11
B. OPERATED	2516	5.7	14	2	3	5	6	9	12	20
TOTAL 0-19 YRS	1452	4.6	6	2	2	4	6	7	9	13
20-34	1084	5.1	10	2	2	4	6	9	11	18
35-49	283	6.2	20	2	3	5	7	10	14	25
50-64	146	8.1	54	2	2	6	9	16	21	42
65+	86	9.3	50	2	4	7	12	19	24	38
GRAND TOTAL	**3051**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**20**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	1.6	1	<1	<1	1	2	3	4	5
20-34	19	2.4	3	<1	<1	2	3	5	7	7
35-49	20	2.9	3	<1	<1	3	4	5	6	6
50-64	35	3.1	4	<1	<1	3	4	5	7	9
65+	29	3.8	10	<1	<1	2	5	9	10	11
B. *Operated*										
0-19 YRS	5314	2.3	2	<1	1	2	3	4	5	7
20-34	5157	3.8	3	2	2	4	5	6	6	9
35-49	4334	4.2	3	2	2	4	5	6	7	9
50-64	6366	4.6	4	2	3	4	5	7	8	11
65+	4081	5.4	6	3	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	223	1.6	2	<1	<1	1	1	4	5	8
20-34	48	2.5	4	<1	<1	1	4	6	7	9
35-49	65	3.4	7	<1	1	3	5	7	9	12
50-64	110	3.8	8	<1	1	3	5	8	9	13
65+	199	5.2	23	1	1	4	6	12	15	24
B. *Operated*										
0-19 YRS	3152	2.5	3	1	1	2	3	4	5	9
20-34	1874	4.5	6	2	2	4	5	7	9	12
35-49	2573	5.3	8	2	3	5	6	8	10	17
50-64	5222	6.1	14	3	3	5	7	10	12	20
65+	5590	7.7	27	3	4	6	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.6	4	<1	<1	2	4	5	7	10
B. *Operated*	25252	4.0	4	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	645	3.4	12	<1	<1	2	5	7	10	18
B. *Operated*	18411	5.7	18	2	2	5	7	10	13	22
1. SINGLE DX	25402	4.0	4	1	2	4	5	6	8	11
2. MULTIPLE DX	19056	5.6	18	1	2	5	7	10	13	22
A. NOT OPERATED	795	3.2	11	<1	<1	2	4	7	10	15
B. OPERATED	43663	4.7	11	1	2	4	6	8	10	17
TOTAL 0-19 YRS	8736	2.4	2	<1	1	2	3	4	5	8
20-34	7098	4.0	3	2	2	4	5	6	7	10
35-49	6992	4.6	5	2	3	4	5	7	8	13
50-64	11733	5.3	9	2	3	5	6	8	10	16
65+	9899	6.7	20	3	3	6	8	11	14	25
GRAND TOTAL	**44458**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	**17**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.3		<1	<1	1	2	2	2	2
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	1.4		<1	<1	1	2	2	2	2
65+	14	2.4	2	<1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	329	2.3	3	<1	1	2	3	4	5	9
20-34	152	4.2	3	2	2	4	5	6	7	9
35-49	127	4.7	4	2	3	4	6	7	8	11
50-64	197	5.3	6	2	3	5	6	8	9	15
65+	342	6.4	10	3	3	6	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.7	6	<1	<1	2	4	7	8	8
20-34	3	1.7	1	<1	<1	1	2	3	3	3
35-49	7	5.6	36	1	1	4	7	16	18	18
50-64	7	5.9	13	2	2	5	9	11	11	11
65+	48	5.9	26	1	1	4	8	14	16	25
B. *Operated*										
0-19 YRS	224	2.9	6	1	1	2	4	5	8	14
20-34	77	5.3	5	3	3	5	6	9	10	14
35-49	79	5.8	12	2	3	5	6	11	14	19
50-64	247	8.5	40	3	4	7	10	16	21	38
65+	705	11.4	66	4	4	9	14	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	1147	4.6	8	1	2	4	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	76	5.3	23	<1	1	4	7	11	16	23
B. *Operated*	1332	8.7	55	2	2	7	10	18	23	41
1. SINGLE DX	1187	4.5	8	1	1	4	6	8	9	15
2. MULTIPLE DX	1408	8.6	54	1	2	7	10	18	23	40
A. NOT OPERATED	116	4.0	18	<1	1	2	5	10	14	20
B. OPERATED	2479	6.8	38	1	2	5	8	13	19	31
TOTAL 0-19 YRS	579	2.5	4	<1	1	2	3	5	6	11
20-34	234	4.5	4	2	3	4	6	7	8	11
35-49	215	5.1	8	2	3	5	6	8	11	18
50-64	458	7.0	27	2	3	6	8	12	17	30
65+	1109	9.5	52	3	4	7	11	19	24	41
GRAND TOTAL	**2595**	**6.7**	**37**	**1**	**2**	**5**	**8**	**13**	**19**	**31**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	1.4	1	<1	<1	1	1	3	4	4
50-64	5	2.8	5	<1	<1	2	4	6	6	6
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	953	2.2	1	<1	1	2	3	4	4	6
20-34	313	3.5	2	1	2	3	4	6	7	8
35-49	341	3.8	4	2	2	3	5	6	8	11
50-64	284	4.4	6	2	2	4	5	7	8	13
65+	105	5.5	9	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.1	15	<1	<1	1	4	6	9	23
20-34	8	1.8	1	<1	<1	1	2	4	4	4
35-49	19	2.7	5	<1	<1	2	4	7	7	7
50-64	28	4.2	15	1	1	3	5	7	10	21
65+	31	6.6	22	2	2	5	8	14	18	21
B. *Operated*										
0-19 YRS	237	3.2	6	1	1	2	4	6	8	12
20-34	192	5.2	10	2	2	4	7	9	12	18
35-49	315	6.2	18	2	3	5	8	10	15	23
50-64	386	6.4	16	2	3	5	8	11	13	21
65+	223	8.1	29	3	3	7	10	15	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	1.8	2	<1	<1	1	3	4	4	6
B. *Operated*	1996	3.2	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	142	3.9	17	<1	<1	3	5	8	11	21
B. *Operated*	1353	5.9	18	2	2	5	7	11	14	22
1. SINGLE DX	2025	3.1	4	1	1	3	4	6	7	10
2. MULTIPLE DX	1495	5.7	18	1	2	5	7	10	14	22
A. NOT OPERATED	171	3.6	15	<1	<1	2	5	7	10	21
B. OPERATED	3349	4.3	12	1	2	3	5	8	10	18
TOTAL 0-19 YRS	1258	2.4	3	<1	1	2	3	4	5	9
20-34	514	4.1	6	1	2	4	5	7	8	13
35-49	683	4.9	12	2	2	4	6	8	11	18
50-64	703	5.5	13	2	2	5	7	10	12	20
65+	362	7.2	24	2	3	6	9	13	16	27
GRAND TOTAL	**3520**	**4.2**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	13	4.7	24	<1	1	2	6	10	17	19
35-49	13	2.3	2	1	1	2	3	4	5	5
50-64	15	4.3	9	1	1	3	6	9	10	11
65+	17	4.1	13	1	1	3	5	10	13	14
B. *Operated*										
0-19 YRS	199	2.6	4	<1	1	2	3	5	5	9
20-34	548	4.5	6	2	2	4	6	8	9	14
35-49	774	5.5	9	2	3	5	7	9	10	19
50-64	964	6.3	11	2	3	6	8	10	12	17
65+	603	7.5	15	3	4	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	11	<1	<1	1	6	9	9	9
20-34	24	3.3	12	<1	<1	2	4	6	12	16
35-49	48	4.5	11	1	1	3	7	10	11	12
50-64	74	5.3	14	<1	1	4	7	10	12	19
65+	146	6.4	25	1	2	5	9	12	17	25
B. *Operated*										
0-19 YRS	65	4.0	9	1	2	3	4	7	11	17
20-34	405	6.4	15	2	3	6	8	10	13	20
35-49	806	7.9	25	3	3	7	9	13	17	29
50-64	1271	9.1	36	3	4	8	11	16	20	33
65+	1128	10.9	55	4	5	9	13	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.6	11	1	1	2	5	8	11	18
B. *Operated*	3088	5.8	12	2	2	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	301	5.5	20	1	1	4	7	11	13	23
B. *Operated*	3675	9.0	39	3	4	8	11	16	20	34
1. SINGLE DX	3153	5.7	12	2	2	5	7	9	12	18
2. MULTIPLE DX	3976	8.7	38	2	3	7	11	15	19	34
A. NOT OPERATED	366	5.2	19	1	1	4	7	11	13	22
B. OPERATED	6763	7.5	29	2	3	6	9	13	17	29
TOTAL 0-19 YRS	280	2.9	6	<1	1	2	3	5	6	13
20-34	990	5.2	11	2	2	5	7	9	11	17
35-49	1641	6.6	18	2	3	6	8	11	14	23
50-64	2324	7.8	27	3	3	7	9	13	17	28
65+	1894	9.4	43	3	4	8	11	16	20	36
GRAND TOTAL	**7129**	**7.4**	**29**	**2**	**3**	**6**	**9**	**13**	**17**	**28**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.4	8	1	1	4	6	9	10	10
20-34	66	4.3	6	1	2	4	5	8	9	12
35-49	185	4.3	8	2	2	4	5	7	9	16
50-64	288	4.0	5	1	2	4	5	7	9	11
65+	234	4.9	8	2	2	4	6	9	11	13
B. *Operated*										
0-19 YRS	8	5.5	20	<1	<1	4	10	12	12	12
20-34	19	8.7	16	3	3	9	11	15	16	17
35-49	59	7.9	15	2	3	7	10	13	15	19
50-64	85	9.1	28	2	2	9	12	16	18	27
65+	51	10.7	46	2	4	9	14	18	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.9	9	1	1	5	7	10	11	12
20-34	327	5.4	15	2	2	4	7	9	12	18
35-49	1126	5.5	13	2	2	5	7	10	12	20
50-64	2013	5.7	13	2	2	5	7	10	12	20
65+	3000	6.6	20	2	3	6	8	12	15	24
B. *Operated*										
0-19 YRS	16	11.9	153	2	3	7	16	26	42	49
20-34	145	9.6	44	2	3	8	11	15	20	32
35-49	488	9.4	33	3	4	8	11	16	20	27
50-64	794	10.7	57	2	4	9	13	18	24	37
65+	803	12.0	70	3	4	10	15	22	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	789	4.4	7	1	2	4	5	8	10	13
B. *Operated*	222	9.0	28	2	2	9	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	6505	6.1	16	2	2	5	8	11	13	21
B. *Operated*	2246	10.8	57	3	4	9	13	19	24	40
1. SINGLE DX	1011	5.4	15	1	2	4	7	10	13	19
2. MULTIPLE DX	8751	7.3	31	2	3	6	9	13	17	28
A. NOT OPERATED	7294	5.9	16	2	2	5	7	11	13	21
B. OPERATED	2468	10.6	55	2	4	9	13	19	24	38
TOTAL 0-19 YRS	79	6.3	45	1	2	5	8	11	17	42
20-34	557	6.4	26	2	2	5	8	12	14	28
35-49	1858	6.5	21	2	2	5	8	12	15	23
50-64	3180	6.9	29	2	2	5	9	13	16	27
65+	4088	7.6	34	2	3	6	9	14	18	31
GRAND TOTAL	**9762**	**7.1**	**30**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	6	4.3	3	3	3	4	4	8	8	8
35-49	9	5.1	26	1	1	3	7	13	17	17
50-64	6	4.3	10	<1	<1	4	5	9	10	10
65+	7	3.7	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	30	3.6	3	1	1	4	5	6	7	7
20-34	104	4.5	4	2	2	4	5	6	8	13
35-49	149	5.1	10	3	3	4	6	8	12	21
50-64	191	5.7	12	2	3	5	6	9	12	21
65+	169	6.0	8	3	3	6	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.9	5	1	1	2	4	7	8	8
20-34	11	10.4	220	2	2	5	8	35	50	51
35-49	15	5.9	15	2	3	4	8	13	14	15
50-64	22	5.7	15	<1	1	5	7	13	14	15
65+	36	6.7	21	2	2	5	9	12	16	21
B. *Operated*										
0-19 YRS	16	4.7	11	1	1	4	6	8	12	14
20-34	45	5.7	30	1	2	4	7	9	14	33
35-49	115	7.3	38	2	3	5	8	14	22	32
50-64	172	7.4	29	3	3	6	8	13	19	31
65+	188	9.2	61	3	4	7	10	16	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.3	11	1	1	3	5	8	10	17
B. *Operated*	643	5.4	9	2	3	5	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	93	6.4	42	1	2	5	8	12	15	39
B. *Operated*	536	7.8	43	3	3	6	9	14	21	33
1. SINGLE DX	673	5.3	10	2	3	5	6	9	11	18
2. MULTIPLE DX	629	7.6	43	2	3	6	9	14	20	33
A. NOT OPERATED	123	5.9	35	1	2	4	8	12	15	31
B. OPERATED	1179	6.5	26	2	3	5	7	11	15	29
TOTAL 0-19 YRS	57	3.7	6	1	1	4	5	7	8	14
20-34	166	5.2	26	2	2	4	6	8	10	32
35-49	288	6.0	23	2	3	5	7	11	15	27
50-64	391	6.4	20	2	3	5	7	12	14	28
65+	400	7.5	36	3	3	6	9	13	16	31
GRAND TOTAL	**1302**	**6.4**	**27**	**2**	**3**	**5**	**7**	**11**	**15**	**29**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	4	<1	<1	2	4	6	6	6
20-34	5	4.6	17	1	1	2	8	10	10	10
35-49	13	3.2	4	<1	1	2	5	6	7	7
50-64	12	4.3	9	2	2	3	6	9	12	12
65+	37	5.2	16	1	2	4	6	10	12	22
B. *Operated*										
0-19 YRS	64	3.1	3	1	1	3	4	6	7	8
20-34	154	4.9	13	2	2	4	6	9	11	24
35-49	242	5.2	12	2	2	4	6	9	12	20
50-64	280	6.5	13	2	3	6	8	11	13	21
65+	350	8.2	18	3	4	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	8	<1	<1	1	4	7	7	7
20-34	3	5.0	21	1	1	4	8	10	10	10
35-49	16	5.2	9	<1	2	5	7	9	11	12
50-64	54	6.3	17	2	2	5	7	13	15	20
65+	167	8.0	55	2	3	6	9	15	19	43
B. *Operated*										
0-19 YRS	26	6.0	46	1	2	4	8	11	17	35
20-34	101	7.3	76	2	3	6	8	12	14	52
35-49	276	8.6	40	3	3	7	10	16	21	31
50-64	506	10.6	60	3	4	8	13	18	25	41
65+	897	14.3	107	5	6	11	17	26	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.4	12	<1	1	3	6	9	11	20
B. *Operated*	1090	6.3	16	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	244	7.3	43	1	2	6	9	14	17	42
B. *Operated*	1806	11.8	87	3	4	9	14	22	29	50
1. SINGLE DX	1165	6.2	16	2	2	5	8	11	14	21
2. MULTIPLE DX	2050	11.3	84	3	4	9	14	21	28	49
A. NOT OPERATED	319	6.6	38	1	2	5	8	12	17	39
B. OPERATED	2896	9.8	68	2	3	8	12	19	24	42
TOTAL 0-19 YRS	102	3.8	15	1	1	3	4	7	9	23
20-34	263	5.8	38	2	2	4	7	10	12	23
35-49	547	6.9	29	2	2	5	8	13	17	25
50-64	852	8.9	46	2	3	7	11	16	21	39
65+	1451	11.8	87	3	4	9	14	22	29	51
GRAND TOTAL	**3215**	**9.5**	**66**	**2**	**3**	**7**	**11**	**18**	**24**	**42**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	3.4	7	1	1	3	4	7	8	14
20-34	319	4.9	9	1	2	4	6	9	11	14
35-49	425	5.4	13	1	2	4	7	10	12	18
50-64	470	5.6	11	2	2	5	7	10	12	17
65+	590	6.9	21	2	3	6	8	12	15	29
B. *Operated*										
0-19 YRS	152	7.6	26	2	3	7	9	12	17	28
20-34	229	9.8	23	4	5	9	12	17	20	24
35-49	264	11.1	28	5	6	10	14	18	21	31
50-64	311	13.1	54	6	7	11	16	21	25	43
65+	418	14.5	58	7	8	13	17	23	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	4.6	12	1	1	4	6	9	11	18
20-34	368	6.0	31	1	2	5	7	11	12	27
35-49	553	7.3	26	2	3	6	9	13	18	26
50-64	1141	7.7	30	2	3	7	10	14	17	24
65+	2580	9.5	51	2	3	8	12	18	22	38
B. *Operated*										
0-19 YRS	197	10.8	102	4	4	8	12	18	26	58
20-34	337	15.1	159	5	6	11	17	27	42	80
35-49	568	16.6	140	6	7	13	20	31	40	70
50-64	921	18.6	160	7	8	15	22	34	42	77
65+	2026	20.7	168	8	9	17	25	37	46	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1977	5.6	15	1	2	5	7	10	12	18
B. *Operated*	1374	12.0	47	4	6	10	15	20	24	36
2. MULTIPLE DX										
A. *Not Operated*	4771	8.4	42	2	3	7	10	16	20	34
B. *Operated*	4049	18.7	165	6	8	15	23	34	44	77
1. SINGLE DX	3351	8.2	38	2	2	7	11	16	20	30
2. MULTIPLE DX	8820	13.1	125	3	4	10	16	26	35	59
A. NOT OPERATED	6748	7.6	36	2	2	6	9	14	18	30
B. OPERATED	5423	17.0	144	5	7	14	21	31	40	69
TOTAL 0-19 YRS	651	6.8	50	1	1	5	8	12	17	35
20-34	1253	8.8	75	2	2	7	11	17	23	47
35-49	1810	10.3	80	2	3	8	13	20	26	52
50-64	2843	11.5	100	2	3	9	14	22	30	55
65+	5614	13.7	121	3	4	11	17	27	35	57
GRAND TOTAL	**12171**	**11.8**	**106**	**2**	**3**	**9**	**15**	**23**	**31**	**55**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9226	3.2	4	1	1	3	4	6	7	10
20-34	3548	3.2	4	1	1	3	4	6	7	10
35-49	1414	3.9	7	1	1	3	5	7	9	13
50-64	1070	4.2	9	1	1	3	5	8	9	16
65+	1064	4.6	10	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	153	5.3	22	<1	1	4	6	8	13	31
20-34	219	5.6	18	1	2	5	7	10	14	25
35-49	105	7.6	27	2	2	6	10	13	17	29
50-64	81	7.3	19	1	2	7	10	13	15	20
65+	63	12.0	143	1	3	10	14	18	42	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11701	4.0	7	1	2	3	5	7	9	13
20-34	4222	4.2	10	1	1	3	5	8	10	16
35-49	2698	5.5	18	2	2	5	7	10	13	21
50-64	3423	5.9	18	2	2	5	7	11	14	22
65+	6695	7.5	33	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	260	7.7	36	2	3	6	9	15	21	33
20-34	412	8.2	48	2	2	7	10	16	19	31
35-49	392	9.8	37	3	4	9	13	18	21	32
50-64	444	11.4	89	2	4	9	14	23	28	47
65+	655	14.0	121	3	4	11	17	26	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16322	3.4	5	1	1	3	4	6	7	12
B. *Operated*	621	6.7	37	1	2	5	8	13	16	31
2. MULTIPLE DX										
A. *Not Operated*	28739	5.2	18	1	2	4	6	10	13	22
B. *Operated*	2163	10.8	81	2	3	9	13	21	27	51
1. SINGLE DX	16943	3.6	7	1	1	3	4	6	8	13
2. MULTIPLE DX	30902	5.6	24	1	2	4	7	11	14	25
A. NOT OPERATED	45061	4.6	14	1	2	4	6	8	11	19
B. OPERATED	2784	9.9	74	2	3	8	12	19	25	48
TOTAL 0-19 YRS	21340	3.7	6	1	2	3	5	6	8	12
20-34	8401	4.0	11	1	1	3	5	7	9	16
35-49	4609	5.5	19	1	2	4	7	10	13	21
50-64	5018	6.1	26	1	2	5	7	11	15	27
65+	8477	7.7	42	2	2	6	9	15	19	33
GRAND TOTAL	**47845**	**4.9**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	8	2	2	3	6	9	10	10
20-34	93	5.2	12	1	2	4	6	11	11	19
35-49	536	5.1	7	2	2	5	6	8	10	14
50-64	1175	5.3	11	1	2	5	7	9	11	15
65+	1546	5.4	12	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	5	9.0	22	5	5	8	10	17	17	17
20-34	48	9.2	39	4	4	8	10	15	18	41
35-49	169	11.5	29	4	7	10	13	20	23	30
50-64	326	12.2	40	3	5	11	14	20	25	33
65+	278	14.5	68	3	5	13	19	25	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	4	1	1	4	7	7	7	7
20-34	113	5.9	13	2	3	5	7	10	14	19
35-49	745	6.0	12	2	3	5	7	10	12	19
50-64	2703	6.4	16	2	2	6	8	11	14	22
65+	7335	7.3	28	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	6	10.3	13	7	7	9	13	16	16	16
20-34	81	13.0	40	5	6	12	15	20	25	35
35-49	455	12.8	53	4	6	12	16	22	25	42
50-64	1355	14.9	103	4	5	13	18	26	34	57
65+	2241	17.0	140	4	6	14	22	32	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3359	5.3	11	1	2	5	7	9	11	16
B. *Operated*	826	12.6	49	3	5	11	15	21	26	36
2. MULTIPLE DX										
A. *Not Operated*	10906	7.0	24	2	3	6	9	13	16	25
B. *Operated*	4138	15.8	118	4	6	13	19	29	37	60
1. SINGLE DX	4185	6.8	27	1	2	5	9	13	16	26
2. MULTIPLE DX	15044	9.4	65	2	3	7	12	18	24	42
A. NOT OPERATED	14265	6.6	21	2	2	6	8	12	15	23
B. OPERATED	4964	15.3	108	4	6	13	19	28	35	57
TOTAL 0-19 YRS	30	6.4	16	2	2	6	8	12	16	17
20-34	335	7.9	32	2	3	6	10	15	19	30
35-49	1905	7.8	33	2	3	6	10	15	19	28
50-64	5559	8.6	53	2	3	7	11	16	22	36
65+	11400	9.2	65	2	3	7	11	18	24	42
GRAND TOTAL	**19229**	**8.8**	**58**	**2**	**3**	**7**	**11**	**17**	**23**	**39**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.6	6	1	2	3	4	6	9	13
20-34	102	3.2	5	1	1	3	4	6	7	12
35-49	72	4.2	12	1	1	4	5	7	11	19
50-64	43	3.6	7	<1	1	2	5	7	9	11
65+	18	6.2	15	1	1	5	9	12	14	14
B. *Operated*										
0-19 YRS	198	3.6	7	1	1	3	4	6	8	13
20-34	1389	3.7	6	1	2	3	4	6	8	11
35-49	1204	3.9	6	1	2	3	5	7	8	13
50-64	713	4.6	14	2	2	4	5	8	10	19
65+	229	5.1	11	2	2	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.4	12	1	1	3	4	6	6	25
20-34	121	4.5	10	1	2	4	5	8	10	16
35-49	114	5.5	25	1	2	4	7	9	11	36
50-64	143	5.6	18	1	2	5	7	12	16	20
65+	144	7.8	42	2	2	6	9	17	20	38
B. *Operated*										
0-19 YRS	111	4.8	7	2	2	4	6	8	9	14
20-34	1191	4.9	9	2	2	4	6	8	10	16
35-49	1423	5.5	22	2	2	4	6	9	12	22
50-64	1206	6.1	24	2	3	5	7	11	14	25
65+	616	9.0	95	2	3	6	10	17	25	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	3.8	8	1	1	3	5	7	10	14
B. *Operated*	3733	4.0	8	1	2	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	581	5.7	25	1	2	4	7	11	15	25
B. *Operated*	4547	5.9	30	2	2	5	7	10	14	27
1. SINGLE DX	4016	4.0	8	1	2	3	5	7	8	14
2. MULTIPLE DX	5128	5.9	30	2	2	5	7	10	14	27
A. NOT OPERATED	864	5.1	20	1	1	4	6	9	13	22
B. OPERATED	8280	5.1	21	2	2	4	6	9	11	23
TOTAL 0-19 YRS	416	3.9	8	1	1	3	5	7	9	13
20-34	2803	4.2	8	1	2	4	5	7	9	14
35-49	2813	4.8	16	1	2	4	6	8	10	19
50-64	2105	5.5	20	2	2	4	6	10	13	24
65+	1007	7.9	70	2	3	5	9	15	21	45
GRAND TOTAL	**9144**	**5.1**	**21**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1443	3.8	9	1	1	3	5	7	9	14
20-34	2323	5.0	18	1	2	4	6	9	11	19
35-49	1500	5.0	13	1	2	4	6	9	11	18
50-64	997	5.1	17	1	2	4	6	10	13	22
65+	992	5.1	23	1	2	4	7	10	12	20
B. *Operated*										
0-19 YRS	405	6.0	28	1	1	5	8	12	16	26
20-34	1074	8.4	58	1	2	6	10	16	23	40
35-49	744	8.6	51	1	2	7	11	17	22	35
50-64	624	9.3	84	1	2	7	12	19	23	42
65+	508	10.8	100	1	2	9	14	22	29	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1296	4.3	10	1	1	4	5	8	10	17
20-34	3031	6.1	25	1	2	5	7	11	15	27
35-49	2928	6.3	26	2	2	5	8	12	15	25
50-64	3420	6.4	28	2	2	5	8	12	15	26
65+	6215	7.3	33	2	2	6	9	14	18	28
B. *Operated*										
0-19 YRS	443	10.3	93	2	2	8	12	22	30	56
20-34	1976	11.1	112	2	3	8	13	23	32	58
35-49	1925	11.6	110	2	3	9	14	24	31	56
50-64	2273	12.5	115	2	3	10	16	25	34	58
65+	2747	16.3	207	3	4	12	20	33	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7255	4.8	16	1	1	4	6	9	11	19
B. *Operated*	3355	8.7	66	1	2	7	11	18	23	40
2. MULTIPLE DX										
A. *Not Operated*	16890	6.5	28	1	2	5	8	12	16	26
B. *Operated*	9364	13.0	144	2	3	9	16	27	36	68
1. SINGLE DX	10610	6.0	35	1	2	4	7	12	16	29
2. MULTIPLE DX	26254	8.8	79	2	2	6	11	18	25	48
A. NOT OPERATED	24145	6.0	25	1	2	5	7	11	15	25
B. OPERATED	12719	11.9	127	2	3	9	15	25	33	63
TOTAL 0-19 YRS	3587	5.0	26	1	1	4	6	10	13	27
20-34	8404	7.2	53	1	2	5	8	14	20	38
35-49	7097	7.7	55	2	2	6	9	15	21	38
50-64	7314	8.4	67	2	2	6	10	17	23	43
65+	10462	9.6	98	2	2	7	12	20	27	56
GRAND TOTAL	**36864**	**8.0**	**68**	**1**	**2**	**6**	**10**	**16**	**23**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	52	7.3	27	2	3	6	8	12	19	28
35-49	100	8.2	40	2	3	7	10	15	20	35
50-64	135	11.0	74	2	3	8	15	23	30	38
65+	26	12.0	139	1	3	8	14	31	43	49
B. *Operated*										
0-19 YRS										
20-34	13	13.1	332	1	2	9	14	31	63	70
35-49	42	8.2	35	1	2	7	12	16	18	27
50-64	41	7.8	35	1	2	7	10	18	20	22
65+	17	8.8	38	1	2	8	12	16	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	12.1	218	1	1	6	21	37	40	40
20-34	250	10.2	69	3	3	8	12	21	28	39
35-49	711	12.7	101	3	4	10	16	26	33	51
50-64	1049	12.7	99	3	4	10	16	24	30	50
65+	463	13.4	91	3	4	11	17	26	33	45
B. *Operated*										
0-19 YRS	3	7.0	21	2	2	8	10	11	11	11
20-34	91	15.5	144	3	4	12	21	33	43	55
35-49	295	18.2	214	2	4	14	23	37	47	69
50-64	367	16.5	190	2	4	12	21	34	43	70
65+	149	20.3	248	4	6	16	27	42	52	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	9.6	62	2	3	7	12	20	27	40
B. *Operated*	113	8.7	69	1	2	8	12	17	21	43
2. MULTIPLE DX										
A. *Not Operated*	2480	12.6	96	3	4	10	16	25	32	50
B. *Operated*	905	17.5	204	2	4	13	22	36	45	69
1. SINGLE DX	427	9.3	64	2	2	7	12	19	24	39
2. MULTIPLE DX	3385	13.9	130	3	4	11	17	28	36	59
A. NOT OPERATED	2794	12.2	93	3	4	10	16	24	31	49
B. OPERATED	1018	16.5	197	2	3	12	21	34	44	69
TOTAL 0-19 YRS	11	10.8	141	1	1	8	12	31	39	40
20-34	406	11.1	95	3	3	8	13	24	30	50
35-49	1148	13.5	132	2	4	10	17	28	37	61
50-64	1592	13.3	120	3	4	10	17	27	35	58
65+	655	14.8	136	3	4	12	19	30	36	58
GRAND TOTAL	**3812**	**13.4**	**124**	**3**	**4**	**10**	**17**	**27**	**36**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.0	4	<1	<1	2	5	6	7	7
20-34	41	7.1	62	1	2	5	7	17	21	44
35-49	56	10.7	72	1	2	8	16	22	26	38
50-64	95	9.7	42	2	3	8	13	18	22	32
65+	63	10.4	59	3	4	8	13	18	26	40
B. *Operated*										
0-19 YRS	19	4.4	14	1	1	4	5	11	14	14
20-34	127	4.3	42	1	1	2	4	10	13	30
35-49	138	5.3	62	1	1	2	6	11	17	44
50-64	135	6.0	48	1	1	3	9	14	19	36
65+	77	10.0	84	1	2	7	14	21	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	6.2	14	2	2	7	8	11	14	15
20-34	93	9.1	58	2	3	7	11	17	25	41
35-49	359	11.1	76	2	3	9	14	22	27	47
50-64	736	12.4	88	2	4	10	16	23	28	51
65+	625	13.2	96	3	4	11	17	26	32	50
B. *Operated*										
0-19 YRS	16	6.0	15	2	2	5	9	12	12	12
20-34	156	8.3	60	1	2	7	11	17	22	43
35-49	292	11.1	90	1	2	9	16	26	31	38
50-64	543	13.0	124	1	2	10	17	26	33	58
65+	406	16.1	176	2	3	13	21	31	39	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	9.4	56	1	2	7	13	19	23	38
B. *Operated*	496	5.9	58	1	1	3	8	14	19	39
2. MULTIPLE DX										
A. *Not Operated*	1830	12.2	87	3	4	10	16	23	29	47
B. *Operated*	1413	12.9	130	2	2	10	17	27	34	55
1. SINGLE DX	762	7.2	60	1	1	4	10	16	21	38
2. MULTIPLE DX	3243	12.5	106	2	3	10	16	25	31	52
A. NOT OPERATED	2096	11.8	84	2	3	10	15	23	29	47
B. OPERATED	1909	11.4	120	1	2	8	15	24	31	54
TOTAL 0-19 YRS	63	5.1	13	1	1	4	7	10	13	15
20-34	417	7.1	58	1	1	5	9	15	20	43
35-49	845	10.1	83	1	2	8	14	22	28	44
50-64	1509	11.9	98	1	2	10	16	23	29	53
65+	1171	13.8	124	2	3	11	18	28	34	55
GRAND TOTAL	**4005**	**11.5**	**102**	**1**	**2**	**9**	**15**	**23**	**30**	**50**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	6.8	39	2	3	5	8	12	13	42
20-34	274	6.7	25	2	2	6	8	12	14	25
35-49	155	7.1	23	2	2	6	9	13	14	24
50-64	96	8.1	39	2	2	7	10	14	20	36
65+	70	9.2	65	3	3	7	10	19	22	47
B. *Operated*										
0-19 YRS	12	5.6	20	1	1	5	9	12	13	13
20-34	75	6.6	33	1	1	5	9	15	20	26
35-49	69	8.3	42	1	1	8	12	19	20	26
50-64	65	11.3	166	1	2	8	15	22	35	79
65+	41	10.7	60	1	2	8	16	22	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	6.3	17	2	2	5	8	12	16	21
20-34	331	7.7	29	2	3	7	10	13	17	26
35-49	354	10.7	73	2	3	8	14	21	28	43
50-64	523	10.7	77	2	3	8	13	21	26	46
65+	533	11.4	76	3	4	9	14	22	30	46
B. *Operated*										
0-19 YRS	15	12.8	164	1	2	10	14	25	44	51
20-34	82	12.3	163	2	3	9	13	22	44	67
35-49	132	11.5	88	1	2	10	15	22	27	67
50-64	254	15.6	149	3	4	12	21	29	36	76
65+	219	17.9	171	3	5	15	23	34	41	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	706	7.3	33	2	3	6	9	13	16	36
B. *Operated*	262	8.8	75	1	1	7	12	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	1822	10.1	67	2	3	8	13	20	25	43
B. *Operated*	702	15.1	151	2	4	12	20	29	37	74
1. SINGLE DX	968	7.7	45	2	2	6	9	14	19	35
2. MULTIPLE DX	2524	11.5	95	2	3	9	14	23	30	53
A. NOT OPERATED	2528	9.3	59	2	3	7	11	18	23	41
B. OPERATED	964	13.4	138	2	2	11	18	27	35	63
TOTAL 0-19 YRS	219	7.0	40	2	2	5	8	13	16	39
20-34	762	7.7	45	2	2	6	10	13	18	38
35-49	710	9.8	64	2	3	8	13	19	24	42
50-64	938	11.8	104	2	3	9	15	23	31	58
65+	863	12.8	107	3	4	10	16	24	33	52
GRAND TOTAL	**3492**	**10.5**	**84**	**2**	**3**	**8**	**13**	**21**	**27**	**47**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.3	4	1	1	3	4	6	7	9
20-34	640	3.1	3	1	1	3	4	6	6	9
35-49	578	3.7	6	1	1	3	5	7	8	11
50-64	595	4.0	6	1	1	3	5	8	9	12
65+	514	5.4	11	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	478	7.4	9	4	5	7	9	11	14	19
20-34	5339	7.3	7	4	5	7	8	11	12	17
35-49	4356	7.7	8	5	5	7	9	11	13	18
50-64	4475	8.4	12	5	5	8	9	12	14	21
65+	2258	10.3	22	5	6	9	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.8	14	<1	1	4	6	11	14	15
20-34	605	4.3	8	1	1	4	5	8	10	16
35-49	785	5.1	17	1	2	4	6	9	11	17
50-64	1446	5.8	18	2	2	5	7	11	14	21
65+	2806	7.7	31	2	3	6	10	14	18	29
B. *Operated*										
0-19 YRS	249	9.2	20	5	5	8	11	15	17	23
20-34	3502	9.2	19	5	5	8	11	15	17	25
35-49	4180	9.8	27	5	6	8	12	16	18	27
50-64	6446	11.3	37	5	6	10	13	18	22	33
65+	6679	14.9	75	6	7	13	18	25	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2415	4.0	7	1	1	3	5	7	9	14
B. *Operated*	16906	8.1	11	5	5	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	5701	6.5	25	2	2	5	8	12	16	25
B. *Operated*	21056	11.8	49	5	6	10	14	20	24	39
1. SINGLE DX	19321	7.6	13	3	4	7	9	12	14	20
2. MULTIPLE DX	26757	10.6	49	3	4	9	13	19	23	37
A. NOT OPERATED	8116	5.7	21	1	2	5	7	11	14	22
B. OPERATED	37962	10.1	35	5	5	8	12	17	21	33
TOTAL 0-19 YRS	874	7.3	15	2	3	7	9	12	15	20
20-34	10086	7.5	14	3	4	7	9	12	14	20
35-49	9899	8.2	19	3	4	7	10	13	16	23
50-64	12962	9.3	30	3	4	8	11	16	19	28
65+	12257	12.0	64	3	5	10	15	21	27	42
GRAND TOTAL	**46078**	**9.4**	**36**	**3**	**4**	**8**	**11**	**16**	**20**	**32**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.7	7	1	2	3	4	7	9	15
20-34	596	3.9	5	1	1	3	5	7	8	13
35-49	401	4.0	7	1	1	3	5	7	9	14
50-64	350	4.2	7	1	1	4	6	8	9	11
65+	292	5.5	11	1	2	5	7	10	12	16
B. *Operated*										
0-19 YRS	40	7.4	5	5	5	7	8	11	12	14
20-34	508	7.8	10	4	5	7	9	12	14	17
35-49	505	8.5	17	5	5	8	10	13	15	21
50-64	321	9.0	13	5	6	8	10	14	15	23
65+	251	11.8	31	6	7	10	14	18	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	4.7	6	1	2	5	6	8	9	12
20-34	549	4.8	8	1	2	4	6	9	10	14
35-49	613	5.8	15	1	2	5	8	10	13	17
50-64	806	6.3	16	2	2	6	8	11	13	18
65+	1333	7.9	33	2	3	7	10	14	19	29
B. *Operated*										
0-19 YRS	68	9.1	14	5	6	8	10	14	16	22
20-34	809	9.4	21	5	5	8	11	15	18	25
35-49	1006	10.9	38	5	6	9	14	18	22	32
50-64	1036	12.0	35	6	6	10	15	20	23	31
65+	1037	16.5	103	7	8	14	20	29	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1718	4.3	7	1	2	4	5	8	9	13
B. *Operated*	1625	8.9	18	5	5	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	3396	6.5	22	2	2	6	8	11	14	23
B. *Operated*	3956	12.3	58	5	6	10	15	21	26	43
1. SINGLE DX	3343	6.5	18	1	2	6	8	12	14	21
2. MULTIPLE DX	7352	9.6	50	2	3	8	12	18	22	35
A. NOT OPERATED	5114	5.8	18	1	2	5	7	10	13	21
B. OPERATED	5581	11.3	48	5	6	9	14	19	24	38
TOTAL 0-19 YRS	282	5.9	13	2	2	6	8	10	13	17
20-34	2462	6.7	17	2	2	6	8	12	15	20
35-49	2525	8.1	30	2	3	7	10	15	18	26
50-64	2513	8.7	31	2	3	8	11	16	20	27
65+	2913	11.1	74	2	3	9	14	21	27	45
GRAND TOTAL	**10695**	**8.7**	**42**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	47	3.5	4	1	1	3	5	6	7	9
35-49	36	4.4	7	1	1	4	7	8	9	9
50-64	44	4.8	12	1	1	4	7	9	12	14
65+	69	5.5	9	1	2	5	8	10	11	12
B. *Operated*										
0-19 YRS	11	10.1	20	6	6	9	11	18	20	20
20-34	138	9.4	21	4	5	9	12	15	18	23
35-49	98	9.3	46	2	3	8	11	16	19	44
50-64	136	10.6	44	2	3	9	13	18	23	35
65+	244	12.7	67	2	3	12	17	23	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	4	4	4	6	8	9	9	9
20-34	35	5.3	17	1	2	4	6	10	15	21
35-49	53	6.5	12	2	3	5	8	11	14	17
50-64	89	6.9	51	2	2	6	8	13	17	45
65+	271	8.3	32	2	3	7	11	16	18	32
B. *Operated*										
0-19 YRS	9	12.0	28	5	6	11	14	20	23	23
20-34	121	12.6	71	5	6	10	14	21	29	46
35-49	119	13.1	54	5	5	12	16	24	27	61
50-64	304	14.9	73	5	7	13	19	25	29	48
65+	754	18.2	119	5	7	16	22	31	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	4.6	8	1	1	4	7	9	10	13
B. *Operated*	627	10.9	50	2	4	10	14	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	452	7.6	33	2	3	6	9	14	17	27
B. *Operated*	1307	16.4	102	5	7	15	21	28	35	54
1. SINGLE DX	826	9.4	47	2	2	8	12	18	21	32
2. MULTIPLE DX	1759	14.2	99	3	4	12	18	26	32	50
A. NOT OPERATED	651	6.7	27	1	2	6	9	13	16	24
B. OPERATED	1934	14.6	92	4	5	13	19	26	32	50
TOTAL 0-19 YRS	27	9.4	26	3	4	9	12	16	20	23
20-34	341	9.3	46	2	3	8	11	16	20	42
35-49	306	9.7	48	2	3	8	13	18	22	42
50-64	573	11.9	71	2	3	10	16	22	27	38
65+	1338	14.6	106	3	4	13	19	26	32	53
GRAND TOTAL	**2585**	**12.6**	**87**	**2**	**3**	**10**	**17**	**24**	**29**	**47**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.0	10	2	2	4	6	10	11	11
20-34	32	4.9	12	1	1	4	6	10	13	15
35-49	44	5.5	8	2	3	5	7	10	12	13
50-64	62	5.7	22	1	2	5	7	10	11	32
65+	64	6.8	20	1	2	6	9	12	16	23
B. *Operated*										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	28	10.5	93	2	2	8	11	24	33	43
35-49	41	8.8	42	1	1	7	13	19	20	23
50-64	42	9.6	40	2	3	8	14	20	22	26
65+	43	16.5	113	1	2	16	25	31	33	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	9	4	4	8	9	10	10	10
20-34	73	7.5	42	2	2	6	9	16	19	37
35-49	91	7.6	61	2	2	5	9	12	16	50
50-64	137	8.5	38	2	3	7	11	18	21	31
65+	379	10.1	47	2	3	8	13	18	24	36
B. *Operated*										
0-19 YRS	8	15.9	44	2	6	16	19	24	25	25
20-34	63	12.5	58	2	3	11	17	23	27	31
35-49	112	14.8	136	3	4	12	19	29	37	57
50-64	189	17.7	185	4	5	14	22	35	43	72
65+	375	20.9	173	5	9	18	25	38	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	5.8	17	1	2	5	8	11	12	21
B. *Operated*	156	11.4	79	1	2	9	17	24	31	37
2. MULTIPLE DX										
A. *Not Operated*	683	9.1	48	2	3	7	12	17	22	36
B. *Operated*	747	18.4	167	4	6	16	23	35	42	71
1. SINGLE DX	364	8.2	51	1	2	6	10	19	23	33
2. MULTIPLE DX	1430	14.0	131	3	4	11	18	27	36	53
A. NOT OPERATED	891	8.4	42	2	3	7	11	18	21	34
B. OPERATED	903	17.2	159	3	4	18	22	33	40	66
TOTAL 0-19 YRS	19	10.5	53	2	2	10	16	20	23	25
20-34	196	9.1	57	2	2	6	12	19	24	37
35-49	288	10.2	93	2	3	8	12	21	27	40
50-64	430	12.2	124	2	3	9	16	24	35	54
65+	861	14.9	134	3	4	12	19	29	37	52
GRAND TOTAL	**1794**	**12.8**	**120**	**2**	**3**	**10**	**17**	**26**	**34**	**51**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	5.0	7	1	2	4	6	9	11	14
20-34	883	6.3	14	2	2	6	8	11	13	20
35-49	825	6.9	18	2	3	6	8	12	15	23
50-64	533	7.1	21	2	3	6	9	12	15	23
65+	324	8.0	25	3	3	7	10	13	17	28
B. *Operated*										
0-19 YRS	9	12.3	80	2	3	10	18	26	28	28
20-34	79	9.9	52	1	2	9	14	18	25	37
35-49	118	12.4	89	2	3	10	16	25	34	45
50-64	87	10.9	59	1	2	10	14	22	28	76
65+	50	13.5	95	2	2	12	19	25	32	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	7.8	80	2	3	5	9	13	20	64
20-34	1533	7.8	27	3	3	7	10	14	17	27
35-49	2059	8.8	37	2	3	7	11	16	20	33
50-64	1582	9.3	37	3	4	8	11	17	21	33
65+	1479	10.0	39	3	4	9	13	17	21	33
B. *Operated*										
0-19 YRS	23	18.7	326	4	6	13	17	56	63	71
20-34	270	19.3	283	5	6	14	21	42	59	87
35-49	497	19.5	230	5	7	15	24	39	52	84
50-64	533	20.6	237	5	7	16	25	46	61	99+
65+	415	20.0	174	6	8	17	25	37	48	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2689	6.8	18	2	3	6	8	11	14	24
B. *Operated*	343	11.6	74	2	2	10	15	24	29	40
2. MULTIPLE DX										
A. *Not Operated*	6772	9.0	36	3	3	7	11	16	20	32
B. *Operated*	1738	19.9	228	5	7	16	24	40	55	87
1. SINGLE DX	3032	7.3	27	2	3	6	9	13	17	28
2. MULTIPLE DX	8510	11.2	95	3	4	8	13	21	29	58
A. NOT OPERATED	9461	8.3	32	2	3	7	10	15	19	30
B. OPERATED	2081	18.5	212	4	6	15	23	37	51	85
TOTAL 0-19 YRS	275	7.6	80	2	2	5	9	13	19	61
20-34	2765	8.5	62	2	3	7	10	15	20	43
35-49	3499	10.0	78	2	3	8	12	19	26	47
50-64	2735	11.1	96	3	4	8	13	21	29	61
65+	2268	11.6	79	3	4	9	14	22	28	50
GRAND TOTAL	**11542**	**10.2**	**80**	**3**	**3**	**8**	**12**	**19**	**26**	**51**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	3.2	4	1	1	3	4	6	7	9
20-34	216	3.8	6	1	1	3	5	8	9	11
35-49	176	4.6	9	1	2	4	6	8	10	17
50-64	263	5.3	10	1	2	5	7	9	11	15
65+	441	6.2	16	1	2	5	8	12	14	18
B. *Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	27	6.5	20	1	2	5	9	13	16	18
35-49	24	6.7	33	1	2	5	9	13	19	27
50-64	43	9.4	78	2	3	7	10	18	26	49
65+	58	12.9	77	3	3	11	18	25	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	4.4	16	1	1	3	5	8	10	24
20-34	563	5.1	13	1	2	4	7	9	11	19
35-49	828	6.5	24	2	2	5	8	11	15	22
50-64	1676	7.4	31	2	3	6	9	13	16	31
65+	4196	9.0	41	2	3	7	11	17	21	33
B. *Operated*										
0-19 YRS	42	7.8	55	1	1	6	9	15	24	37
20-34	111	11.3	116	3	4	8	13	21	27	61
35-49	214	11.5	98	3	4	9	15	21	29	52
50-64	543	12.5	106	3	4	10	16	24	31	52
65+	1099	15.3	144	4	5	12	19	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1251	5.0	12	1	2	4	7	9	11	17
B. *Operated*	156	9.6	66	2	3	7	12	21	25	42
2. MULTIPLE DX										
A. *Not Operated*	7483	7.9	36	2	3	7	10	15	19	31
B. *Operated*	2009	13.8	129	3	4	11	17	27	35	60
1. SINGLE DX	1407	5.5	20	1	2	4	7	10	13	23
2. MULTIPLE DX	9492	9.2	61	2	3	7	11	18	23	39
A. NOT OPERATED	8734	7.5	33	2	2	6	9	14	18	30
B. OPERATED	2165	13.5	125	3	4	10	17	26	34	55
TOTAL 0-19 YRS	421	4.3	17	1	1	3	5	8	10	24
20-34	917	5.6	29	1	2	4	7	10	13	26
35-49	1242	7.1	39	2	2	6	8	13	17	31
50-64	2525	8.3	51	2	3	7	10	15	20	38
65+	5794	10.0	66	2	3	8	12	19	25	43
GRAND TOTAL	**10899**	**8.7**	**57**	**2**	**3**	**7**	**10**	**17**	**22**	**38**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	4.1	6	2	2	3	5	7	11	13
20-34	21	6.0	5	2	2	6	8	9	9	9
35-49	24	6.2	36	1	1	4	8	14	18	26
50-64	18	9.7	82	3	4	6	10	23	33	38
65+	21	11.4	119	2	2	7	13	33	36	38
B. *Operated*										
0-19 YRS	8	8.4	153	<1	<1	3	10	30	37	37
20-34	10	9.6	32	3	3	9	13	18	22	22
35-49	13	10.7	81	1	2	9	13	20	33	36
50-64	11	5.7	11	<1	<1	8	8	9	9	9
65+	8	12.3	143	3	3	8	13	33	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	5.1	15	2	2	4	6	9	12	22
20-34	50	7.5	35	1	2	6	8	14	17	34
35-49	72	10.2	68	2	2	8	13	20	26	44
50-64	73	12.0	146	2	3	9	13	25	34	62
65+	109	11.5	83	3	3	10	15	23	29	44
B. *Operated*										
0-19 YRS	18	10.7	92	4	4	8	11	21	36	44
20-34	53	12.0	54	3	5	10	13	22	36	98
35-49	72	13.8	127	3	4	11	17	30	39	60
50-64	61	16.0	103	4	6	14	25	29	38	94
65+	67	18.4	176	5	6	16	24	33	43	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	5.7	33	2	2	4	7	11	15	36
B. *Operated*	50	9.3	75	1	1	8	11	17	36	40
2. MULTIPLE DX										
A. *Not Operated*	452	8.8	71	2	2	6	11	17	24	45
B. *Operated*	271	14.9	122	4	5	11	19	28	39	94
1. SINGLE DX	259	6.4	43	1	2	4	8	12	17	38
2. MULTIPLE DX	723	11.1	98	2	3	8	14	24	30	60
A. NOT OPERATED	661	7.8	61	2	2	5	10	16	24	40
B. OPERATED	321	14.0	119	3	4	11	17	27	39	82
TOTAL 0-19 YRS	299	5.1	21	1	2	4	6	9	12	26
20-34	134	9.2	43	2	3	8	11	16	24	49
35-49	181	11.1	93	2	3	8	14	20	35	45
50-64	163	12.8	121	2	3	10	16	27	33	62
65+	205	13.8	128	3	4	11	18	27	36	75
GRAND TOTAL	**982**	**9.8**	**88**	**2**	**2**	**7**	**12**	**22**	**28**	**50**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	125	7.0	30	1	2	5	9	14	19	25
20-34	33	5.4	17	2	2	4	6	9	13	23
35-49	22	5.5	11	1	2	5	6	11	12	13
50-64	20	9.3	33	2	3	7	13	19	21	21
65+	16	5.6	16	<1	<1	5	8	12	13	13
B. *Operated*										
0-19 YRS	63	4.2	10	1	2	3	6	9	10	16
20-34	74	5.7	20	2	2	4	8	12	16	20
35-49	37	4.6	13	1	1	3	8	11	12	13
50-64	38	8.0	45	1	2	5	14	16	20	30
65+	21	8.6	60	2	2	6	11	17	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	6.6	22	1	2	6	9	12	16	22
20-34	87	5.9	21	2	2	5	8	10	12	29
35-49	61	7.3	19	2	3	6	9	14	16	22
50-64	122	9.3	46	2	3	7	12	18	22	37
65+	194	12.7	99	3	4	10	16	26	32	47
B. *Operated*										
0-19 YRS	63	7.8	34	2	2	6	11	16	23	90
20-34	134	9.7	134	2	2	6	12	20	28	65
35-49	115	10.8	114	2	3	8	14	19	34	58
50-64	181	12.2	123	2	2	9	16	26	35	57
65+	139	15.2	155	3	4	12	19	30	50	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	6.7	26	1	2	5	9	13	18	22
B. *Operated*	233	5.8	26	1	2	4	8	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	583	9.2	59	2	3	7	11	18	23	38
B. *Operated*	632	11.7	127	2	2	9	15	24	35	63
1. SINGLE DX	449	6.2	26	1	2	5	8	13	16	22
2. MULTIPLE DX	1215	10.5	96	2	3	8	13	21	30	55
A. NOT OPERATED	799	8.5	51	2	2	7	11	17	21	35
B. OPERATED	865	10.1	106	2	2	7	13	21	31	58
TOTAL 0-19 YRS	370	6.5	26	1	2	5	9	13	18	25
20-34	328	7.4	70	2	2	5	9	14	20	38
35-49	235	8.5	70	2	2	6	10	16	20	51
50-64	361	10.6	86	2	3	8	14	21	30	47
65+	370	13.1	119	3	3	10	17	27	34	62
GRAND TOTAL	**1664**	**9.3**	**80**	**2**	**2**	**7**	**12**	**19**	**26**	**51**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	5.5	10	1	2	5	7	8	12	18
20-34	13	5.5	6	2	2	6	7	8	10	10
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	3	4.7	6	2	2	5	6	7	7	7
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	10	8.3	78	2	2	5	8	24	29	29
20-34	7	8.7	44	1	1	8	12	19	20	20
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	14.5	221	4	4	14	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	6.4	18	2	2	5	10	14	15	15
20-34	13	6.9	11	3	4	6	10	12	12	12
35-49	12	5.3	7	1	2	5	7	9	10	10
50-64	12	7.8	31	2	3	6	9	16	21	22
65+	26	13.7	99	4	4	10	20	28	38	40
B. *Operated*										
0-19 YRS	8	4.3	14	1	1	3	6	10	12	12
20-34	10	8.1	113	<1	1	5	9	23	37	37
35-49	18	11.7	122	2	2	9	11	30	37	42
50-64	22	14.8	145	2	3	11	23	32	40	46
65+	19	18.4	227	2	3	16	24	35	53	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	5.4	10	1	2	5	7	8	12	17
B. *Operated*	20	9.1	66	1	2	6	12	22	27	29
2. MULTIPLE DX										
A. *Not Operated*	102	8.4	47	2	3	6	11	15	23	38
B. *Operated*	77	13.0	155	1	2	9	19	30	38	60
1. SINGLE DX	123	6.0	20	1	2	5	7	10	15	26
2. MULTIPLE DX	179	10.4	98	2	2	7	12	24	31	45
A. NOT OPERATED	205	6.9	30	2	2	5	8	12	16	32
B. OPERATED	97	12.2	139	1	2	9	17	29	37	56
TOTAL 0-19 YRS	139	5.8	17	2	2	5	7	12	15	20
20-34	43	7.0	37	1	2	6	9	12	15	37
35-49	34	8.4	79	1	2	6	10	17	30	42
50-64	38	11.6	107	2	3	8	14	26	34	46
65+	48	15.6	150	3	4	12	20	29	39	65
GRAND TOTAL	**302**	**8.6**	**71**	**2**	**2**	**6**	**10**	**19**	**27**	**41**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	1	2	2	4	4	4	4	4
20-34	12	4.4	22	<1	<1	3	5	12	15	16
35-49	11	3.4	7	1	1	2	5	7	9	9
50-64	22	3.2	8	<1	<1	2	5	8	9	10
65+	51	3.4	13	<1	<1	2	4	10	11	13
B. *Operated*										
0-19 YRS	27	12.3	151	<1	1	8	20	36	53	99+
20-34	102	9.0	83	<1	1	5	11	24	26	40
35-49	81	8.8	141	<1	1	4	10	24	38	59
50-64	111	6.9	63	<1	1	4	8	19	26	40
65+	50	6.6	51	1	1	5	7	16	21	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.3	17	<1	1	3	6	9	14	18
20-34	155	3.3	20	<1	1	1	4	9	12	26
35-49	224	3.5	24	1	1	1	4	9	14	28
50-64	332	6.2	47	<1	1	5	8	13	18	30
65+	672	9.8	99	1	1	7	13	22	28	49
B. *Operated*										
0-19 YRS	80	6.5	74	<1	<1	3	8	19	33	80
20-34	401	11.7	173	<1	<1	7	16	31	41	56
35-49	385	11.8	122	<1	2	9	15	26	33	50
50-64	592	12.6	187	2	2	8	16	30	44	90
65+	586	15.3	207	1	2	11	21	35	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.5	11	<1	<1	2	4	10	11	15
B. *Operated*	371	8.3	92	<1	1	4	10	22	28	46
2. MULTIPLE DX										
A. *Not Operated*	1403	7.1	72	1	1	5	10	17	23	38
B. *Operated*	2044	12.8	177	<1	2	8	17	31	42	66
1. SINGLE DX	470	7.3	78	<1	1	4	9	21	26	45
2. MULTIPLE DX	3447	10.5	142	<1	1	7	14	25	35	60
A. NOT OPERATED	1502	6.9	69	1	1	4	9	16	22	38
B. OPERATED	2415	12.1	166	<1	1	8	16	29	40	65
TOTAL 0-19 YRS	130	7.3	86	<1	<1	4	9	21	34	99+
20-34	670	9.2	133	<1	<1	5	12	24	35	51
35-49	701	8.7	105	1	1	5	11	23	30	47
50-64	1057	9.8	136	1	1	6	12	22	33	67
65+	1359	11.8	152	1	1	8	16	27	37	60
GRAND TOTAL	**3917**	**10.1**	**135**	**<1**	**1**	**6**	**13**	**24**	**34**	**59**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.3	10	1	1	4	6	9	10	10
20-34	9	5.6	3	4	4	5	7	8	8	8
35-49	2	12.5	181	3	3	12	22	22	22	22
50-64	11	6.3	19	2	2	5	8	14	14	14
65+	39	8.5	34	<1	2	8	10	16	19	30
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	5.5	11	1	1	6	8	9	9	9
35-49	9	9.1	101	<1	<1	8	13	25	32	32
50-64	9	7.8	110	1	1	4	9	25	34	34
65+	23	14.6	140	1	2	12	19	30	39	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.0	11	2	2	6	9	10	12	14
20-34	30	9.9	77	3	3	8	12	18	25	46
35-49	44	8.5	99	1	2	5	10	19	26	53
50-64	154	12.3	101	2	4	9	16	24	36	46
65+	686	13.5	105	2	3	11	18	28	34	49
B. *Operated*										
0-19 YRS	6	19.7	176	9	10	15	39	89	99+	99+
20-34	40	13.9	168	2	2	10	20	29	46	56
35-49	63	19.2	232	2	3	15	30	41	53	96
50-64	139	20.9	333	3	4	14	27	46	61	86
65+	267	24.0	251	4	7	22	32	46	56	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	7.4	30	1	2	7	10	14	18	29
B. *Operated*	48	10.9	117	1	1	7	14	28	34	49
2. MULTIPLE DX										
A. *Not Operated*	933	12.8	103	2	3	10	17	27	34	48
B. *Operated*	515	21.8	271	3	4	18	30	45	56	87
1. SINGLE DX	115	8.9	69	1	1	7	11	19	28	39
2. MULTIPLE DX	1448	16.0	181	2	4	12	22	35	44	69
A. NOT OPERATED	1000	12.5	100	2	3	10	16	26	33	48
B. OPERATED	563	20.8	266	2	4	17	29	44	54	85
TOTAL 0-19 YRS	36	7.7	64	1	2	6	10	15	37	99+
20-34	81	11.3	119	2	3	8	14	24	34	55
35-49	118	14.4	196	2	2	10	20	37	44	80
50-64	313	15.8	223	2	4	11	21	36	46	79
65+	1015	16.1	164	2	4	12	22	33	42	64
GRAND TOTAL	**1563**	**15.5**	**176**	**2**	**3**	**12**	**21**	**33**	**43**	**67**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	4.4	4	2	2	4	6	7	8	11
20-34	616	4.8	6	2	2	4	6	7	8	15
35-49	185	5.2	5	3	3	5	6	8	9	13
50-64	95	5.5	8	2	3	5	6	9	11	17
65+	83	7.2	32	3	3	6	7	10	18	38
B. *Operated*										
0-19 YRS	42	6.5	13	2	3	6	7	10	16	20
20-34	42	6.9	20	3	3	6	8	10	15	26
35-49	17	6.8	7	2	3	7	9	10	10	10
50-64	12	8.8	9	4	5	9	11	13	14	14
65+	5	8.0	4	5	5	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	453	5.0	6	2	2	5	6	8	9	14
20-34	766	5.6	11	2	3	5	7	9	11	17
35-49	372	6.7	11	3	3	6	8	11	13	17
50-64	447	8.1	25	3	4	7	10	14	17	26
65+	741	9.8	47	3	4	8	12	17	22	33
B. *Operated*										
0-19 YRS	93	8.5	16	3	5	7	10	15	17	20
20-34	146	8.9	34	3	4	7	10	15	23	32
35-49	99	11.5	68	4	5	10	13	18	23	52
50-64	138	12.1	99	5	6	10	13	21	27	49
65+	186	15.9	100	5	6	13	20	31	37	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1433	4.9	7	2	2	4	6	7	9	15
B. *Operated*	118	7.0	14	3	3	6	9	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	2779	7.2	26	2	3	6	9	12	16	26
B. *Operated*	662	11.9	77	4	5	9	14	21	29	46
1. SINGLE DX	1551	5.1	8	2	3	5	6	8	9	16
2. MULTIPLE DX	3441	8.1	39	3	3	6	10	14	19	32
A. NOT OPERATED	4212	6.4	21	2	3	5	8	11	14	23
B. OPERATED	780	11.1	70	4	5	9	13	21	27	45
TOTAL 0-19 YRS	1042	5.1	8	2	2	5	6	8	10	16
20-34	1570	5.6	13	2	3	5	7	9	11	21
35-49	673	7.0	22	3	3	6	8	12	14	21
50-64	692	8.6	41	3	4	7	10	15	19	32
65+	1015	10.7	62	4	4	8	13	20	26	41
GRAND TOTAL	**4992**	**7.1**	**31**	**2**	**3**	**6**	**8**	**13**	**17**	**30**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	469	4.4	5	2	2	4	5	7	8	11
20-34	622	4.6	6	2	2	4	6	7	9	13
35-49	157	5.4	11	2	3	4	6	9	12	18
50-64	130	5.4	10	2	2	5	7	8	12	18
65+	88	6.5	15	2	3	5	8	11	14	21
B. *Operated*										
0-19 YRS	63	5.9	104	1	1	4	5	8	12	73
20-34	75	6.6	26	1	2	6	9	13	17	26
35-49	51	6.6	27	1	2	5	9	13	20	21
50-64	33	11.4	84	2	3	8	15	23	31	42
65+	32	11.1	109	2	3	9	13	20	22	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	394	5.1	13	2	2	4	6	9	12	17
20-34	747	5.3	14	2	2	5	6	8	10	20
35-49	393	6.9	26	2	3	6	8	12	15	25
50-64	458	7.6	29	2	3	6	9	13	17	25
65+	768	9.6	41	3	4	8	12	17	21	36
B. *Operated*										
0-19 YRS	153	7.1	23	1	2	6	9	13	16	26
20-34	351	8.7	46	2	3	7	11	15	20	40
35-49	226	10.7	79	2	2	8	14	21	28	42
50-64	301	13.8	124	2	3	11	17	28	37	58
65+	313	15.7	140	3	5	13	19	31	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1466	4.8	7	2	2	4	6	8	9	14
B. *Operated*	254	7.6	67	1	2	6	9	16	20	42
2. MULTIPLE DX										
A. *Not Operated*	2760	7.1	29	2	3	6	9	13	16	27
B. *Operated*	1344	11.6	98	2	3	9	14	23	31	54
1. SINGLE DX	1720	5.2	17	2	2	4	6	9	12	20
2. MULTIPLE DX	4104	8.6	56	2	3	6	10	16	22	40
A. NOT OPERATED	4226	6.3	22	2	3	5	7	11	14	24
B. OPERATED	1598	11.0	95	2	2	8	14	21	30	52
TOTAL 0-19 YRS	1079	5.1	17	2	2	4	6	9	11	19
20-34	1795	5.8	20	2	2	5	7	10	13	25
35-49	827	7.6	41	2	3	6	9	15	20	34
50-64	922	9.5	69	2	3	7	12	18	25	46
65+	1201	11.0	75	3	4	9	13	21	27	43
GRAND TOTAL	**5824**	**7.6**	**47**	**2**	**2**	**6**	**9**	**14**	**19**	**36**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.7	4	<1	1	2	3	5	7	11
20-34	747	2.6	4	1	1	2	3	5	6	10
35-49	744	2.7	8	1	1	2	3	5	6	11
50-64	449	2.7	3	1	1	2	3	5	6	8
65+	153	3.5	6	1	1	3	5	7	7	14
B. *Operated*										
0-19 YRS	30	7.4	31	2	2	6	9	14	21	25
20-34	325	8.5	19	2	3	8	10	13	17	25
35-49	428	8.4	18	2	3	8	10	13	16	22
50-64	389	9.6	32	2	3	9	12	16	20	31
65+	153	9.8	36	2	2	10	12	18	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.1	12	1	1	3	5	7	8	20
20-34	421	3.6	10	1	1	3	4	6	9	17
35-49	591	4.0	12	1	1	3	5	7	10	18
50-64	593	4.4	11	1	2	3	6	8	11	17
65+	437	5.8	19	1	2	5	7	11	15	22
B. *Operated*										
0-19 YRS	37	8.5	33	1	2	8	12	14	21	27
20-34	396	9.5	45	2	3	9	12	16	20	34
35-49	568	10.1	64	2	3	9	12	18	24	43
50-64	760	10.9	67	2	3	10	14	20	24	39
65+	651	12.4	80	2	3	11	16	23	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2164	2.7	6	1	1	2	3	5	6	10
B. *Operated*	1325	8.9	25	2	3	8	11	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	2094	4.4	13	1	1	3	6	8	11	19
B. *Operated*	2412	10.8	67	2	3	9	13	20	24	42
1. SINGLE DX	3489	5.1	22	1	1	3	8	11	14	22
2. MULTIPLE DX	4506	7.9	52	1	2	6	11	16	21	35
A. NOT OPERATED	4258	3.6	10	1	1	3	4	7	9	16
B. OPERATED	3737	10.2	53	2	3	9	13	18	23	37
TOTAL 0-19 YRS	190	4.9	21	1	1	3	7	11	13	25
20-34	1889	5.3	25	1	1	3	8	12	14	23
35-49	2331	5.9	34	1	1	4	8	12	15	26
50-64	2191	7.2	44	1	2	5	10	15	19	31
65+	1394	9.1	60	2	2	7	12	19	24	38
GRAND TOTAL	**7995**	**6.6**	**41**	**1**	**1**	**5**	**9**	**14**	**18**	**30**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	2.6	3	1	1	2	3	5	6	8
20-34	2260	2.3	2	1	1	2	3	4	5	7
35-49	2404	2.3	2	1	1	2	3	4	5	7
50-64	1488	2.6	3	1	1	2	3	5	6	8
65+	397	3.1	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	112	6.2	15	2	2	6	8	10	16	20
20-34	1357	6.2	14	2	2	5	8	11	14	18
35-49	1512	6.6	18	2	2	6	9	12	15	21
50-64	1263	7.1	21	2	2	6	9	13	15	22
65+	440	8.0	34	2	2	7	11	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	2.8	3	1	1	2	4	5	6	10
20-34	736	3.0	4	1	1	2	4	5	7	11
35-49	1001	3.1	5	1	1	3	4	6	7	11
50-64	985	3.6	7	1	1	3	5	7	8	11
65+	523	4.1	9	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS	62	7.3	21	2	3	7	10	12	14	27
20-34	637	7.5	23	2	3	7	10	13	17	25
35-49	936	8.1	29	2	3	7	10	15	19	29
50-64	1302	9.5	42	2	3	8	12	17	21	33
65+	833	11.1	54	3	4	10	14	21	25	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6783	2.4	2	1	1	2	3	4	5	8
B. *Operated*	4684	6.7	19	2	2	6	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	3315	3.4	6	1	1	3	4	6	8	12
B. *Operated*	3770	9.2	40	2	3	8	12	17	21	32
1. SINGLE DX	11467	4.2	14	1	1	3	5	9	12	18
2. MULTIPLE DX	7085	6.5	32	1	2	5	9	13	17	27
A. NOT OPERATED	10098	2.7	4	1	1	2	3	5	6	10
B. OPERATED	8454	7.8	30	2	3	7	10	14	16	27
TOTAL 0-19 YRS	478	4.1	12	1	1	3	5	8	11	17
20-34	4990	4.1	13	1	1	3	5	9	11	17
35-49	5853	4.5	17	1	1	3	6	10	13	20
50-64	5038	5.7	26	1	1	4	8	12	15	24
65+	2193	7.4	41	1	2	5	10	15	20	31
GRAND TOTAL	18552	5.0	22	1	1	3	7	11	14	22

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.9	3	1	1	3	4	6	6	7
20-34	63	2.8	4	<1	1	2	3	5	6	12
35-49	63	3.2	5	1	1	3	4	6	7	13
50-64	62	4.0	10	1	1	3	5	8	10	18
65+	66	5.1	16	1	1	4	7	10	14	16
B. *Operated*										
0-19 YRS	430	6.7	21	1	1	7	10	12	14	20
20-34	265	7.1	21	1	2	7	10	13	16	20
35-49	212	7.0	38	1	2	6	10	14	18	26
50-64	258	6.9	34	1	1	5	10	14	19	28
65+	182	8.2	53	1	1	6	12	17	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	4.5	12	1	1	4	5	8	11	20
20-34	175	4.5	15	1	1	3	5	10	13	19
35-49	137	5.9	21	1	2	5	8	11	16	25
50-64	258	6.9	42	2	2	5	8	12	18	28
65+	549	9.8	58	2	3	8	13	19	25	36
B. *Operated*										
0-19 YRS	544	7.4	33	1	1	7	10	13	17	27
20-34	539	9.6	50	2	2	9	13	18	23	36
35-49	500	10.0	70	2	2	8	13	20	23	46
50-64	754	10.9	94	2	2	9	14	21	31	46
65+	899	13.0	106	2	3	11	18	26	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	3.7	9	1	1	3	5	7	9	15
B. *Operated*	1347	7.0	31	1	1	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	1226	7.5	45	1	2	6	9	15	20	34
B. *Operated*	3236	10.6	80	1	2	9	14	21	27	45
1. SINGLE DX	1652	6.4	28	1	1	5	9	13	16	24
2. MULTIPLE DX	4462	9.7	72	1	2	8	13	20	26	41
A. NOT OPERATED	1531	6.8	40	1	2	5	8	14	19	31
B. OPERATED	4583	9.5	68	1	2	8	12	19	25	40
TOTAL 0-19 YRS	1132	6.7	27	1	1	6	9	12	15	24
20-34	1042	7.7	39	1	2	6	11	16	19	28
35-49	912	8.2	56	1	2	6	11	17	21	37
50-64	1332	9.1	73	1	2	7	12	19	26	42
65+	1696	11.2	86	2	2	9	15	23	29	46
GRAND TOTAL	6114	8.8	62	1	2	7	12	18	23	38

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	2	<1	1	2	3	5	5	5
20-34	212	2.9	42	<1	1	2	3	4	6	13
35-49	180	2.8	4	1	1	2	4	5	6	9
50-64	105	2.4	2	1	1	2	3	5	5	7
65+	37	3.1	4	1	1	3	4	5	7	10
B. *Operated*										
0-19 YRS	13	7.5	11	4	4	6	10	13	13	13
20-34	83	6.4	24	1	2	5	8	14	17	25
35-49	102	6.4	20	2	2	5	8	12	16	23
50-64	94	6.3	22	2	2	5	8	12	16	24
65+	112	6.7	23	2	2	5	10	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.5	2	3	3	4	5	7	7	7
20-34	97	3.5	4	1	1	3	4	7	8	10
35-49	103	3.7	4	1	1	3	5	6	8	10
50-64	106	4.1	11	1	1	3	5	8	11	17
65+	86	6.2	29	1	2	4	9	14	17	27
B. *Operated*										
0-19 YRS	14	7.4	61	2	2	5	9	14	28	32
20-34	112	7.3	48	1	2	5	9	15	22	36
35-49	130	7.2	31	2	2	6	9	15	18	28
50-64	221	9.2	67	2	2	7	12	18	23	41
65+	432	10.5	76	2	3	8	14	22	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	552	2.7	18	1	1	2	3	5	6	9
B. *Operated*	404	6.5	21	2	2	5	9	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	400	4.3	12	1	1	3	5	8	11	19
B. *Operated*	909	9.3	65	2	2	7	12	19	25	41
1. SINGLE DX	956	4.3	23	1	1	3	5	9	12	21
2. MULTIPLE DX	1309	7.8	54	1	2	6	10	16	22	39
A. NOT OPERATED	952	3.4	16	1	1	3	4	6	8	15
B. OPERATED	1313	8.4	54	2	2	6	11	17	22	39
TOTAL 0-19 YRS	53	5.2	24	1	1	4	6	10	13	31
20-34	504	4.6	37	1	1	3	5	9	13	25
35-49	515	4.8	17	1	1	4	6	10	12	22
50-64	526	6.3	42	1	1	4	8	14	18	31
65+	667	8.9	62	2	2	7	12	19	24	42
GRAND TOTAL	2265	6.3	44	1	1	4	8	14	18	32

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	3.2	3	1	1	3	4	5	7	10
20-34	183	3.1	4	1	1	3	4	6	7	12
35-49	85	3.8	5	1	1	4	5	6	8	11
50-64	71	3.8	11	1	1	3	5	7	9	19
65+	94	5.6	14	2	2	5	7	11	14	17
B. *Operated*										
0-19 YRS	290	3.1	17	1	1	2	4	6	7	14
20-34	469	3.2	6	1	1	3	4	6	8	12
35-49	426	3.5	9	1	1	2	4	7	9	15
50-64	485	3.7	11	1	1	3	4	7	9	16
65+	455	4.8	17	1	2	3	6	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	4.1	6	1	2	4	5	7	9	13
20-34	435	5.2	12	1	2	4	7	10	11	18
35-49	283	6.0	22	2	2	5	8	10	13	25
50-64	410	6.5	21	2	2	6	8	12	15	24
65+	1048	8.6	44	2	3	7	11	15	20	37
B. *Operated*										
0-19 YRS	541	3.6	9	1	1	3	5	7	8	16
20-34	1174	5.2	20	1	2	4	7	10	13	24
35-49	1076	5.9	25	1	2	4	8	13	16	25
50-64	1505	6.0	28	1	2	4	8	12	16	27
65+	2280	7.9	61	2	2	6	10	16	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	690	3.6	7	1	1	3	4	7	8	14
B. *Operated*	2125	3.7	12	1	1	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	2475	6.8	30	2	2	6	8	13	16	27
B. *Operated*	6576	6.3	38	1	2	4	8	13	17	31
1. SINGLE DX	2815	3.7	11	1	1	3	5	7	9	16
2. MULTIPLE DX	9051	6.4	36	1	2	5	8	13	17	30
A. NOT OPERATED	3165	6.1	27	1	2	5	8	12	15	26
B. OPERATED	8701	5.6	33	1	2	4	7	12	16	28
TOTAL 0-19 YRS	1387	3.5	9	1	1	3	4	6	8	14
20-34	2261	4.6	15	1	1	3	6	9	12	20
35-49	1870	5.3	21	1	2	4	7	11	14	23
50-64	2471	5.5	24	1	2	4	7	11	15	25
65+	3877	7.7	52	2	2	6	10	15	20	37
GRAND TOTAL	11866	5.8	31	1	2	4	7	12	15	27

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.4	4	<1	<1	2	4	5	7	8
20-34	10	3.0	8	<1	<1	2	4	7	10	10
35-49	6	3.3	4	1	1	3	5	6	6	6
50-64	9	5.0	27	1	1	2	7	13	17	17
65+	20	3.8	9	<1	1	3	5	7	10	13
B. *Operated*										
0-19 YRS	1046	1.8	2	<1	1	1	2	3	4	7
20-34	492	3.2	7	1	1	3	4	6	9	14
35-49	361	3.4	8	1	1	3	4	7	9	16
50-64	428	3.8	8	1	2	3	5	7	9	13
65+	513	4.5	16	1	2	3	6	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	3	<1	1	2	3	5	6	7
20-34	20	4.1	10	<1	<1	3	6	9	10	10
35-49	21	6.3	32	1	2	5	8	12	19	27
50-64	29	4.5	8	2	2	4	5	9	10	13
65+	97	6.8	23	1	3	6	8	13	17	24
B. *Operated*										
0-19 YRS	1114	2.4	10	1	1	2	3	5	6	10
20-34	868	4.1	14	1	1	3	5	9	12	22
35-49	847	4.9	18	1	2	3	6	10	14	21
50-64	1218	5.3	20	1	2	4	7	11	14	23
65+	1801	7.2	39	2	2	5	9	15	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.4	10	<1	1	2	5	7	9	16
B. *Operated*	2840	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	185	5.7	20	1	1	5	7	10	15	24
B. *Operated*	5848	5.1	26	1	1	3	7	11	15	25
1. SINGLE DX	2903	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX	6033	5.1	25	1	1	3	7	11	15	25
A. NOT OPERATED	248	5.1	18	1	1	4	7	10	13	23
B. OPERATED	8688	4.4	21	1	1	3	5	9	13	23
TOTAL 0-19 YRS	2196	2.2	6	<1	1	2	2	4	5	9
20-34	1390	3.8	12	1	1	3	4	8	10	18
35-49	1235	4.5	16	1	1	3	6	9	13	19
50-64	1684	4.9	17	1	2	4	6	10	13	22
65+	2431	6.6	35	2	2	5	8	13	17	30
GRAND TOTAL	**8936**	**4.5**	**21**	**1**	**1**	**3**	**5**	**9**	**13**	**23**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1060	3.5	4	1	1	3	4	6	7	11
20-34	652	3.6	5	1	1	3	5	6	8	10
35-49	296	4.3	13	1	1	4	5	7	11	19
50-64	281	4.8	12	1	2	4	6	9	12	18
65+	553	5.8	19	1	2	5	7	10	13	24
B. *Operated*										
0-19 YRS	699	2.9	8	<1	1	2	3	7	8	13
20-34	738	3.5	13	1	1	2	4	7	9	14
35-49	746	3.5	14	1	1	2	4	7	9	17
50-64	861	3.7	10	1	1	3	5	7	10	16
65+	909	5.0	19	1	2	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1600	4.3	11	1	2	4	5	8	9	14
20-34	1602	5.1	13	1	2	4	6	9	12	19
35-49	1078	6.2	20	2	2	5	8	11	14	24
50-64	1835	7.1	34	2	3	6	9	13	16	28
65+	6288	9.3	44	2	3	8	12	17	22	34
B. *Operated*										
0-19 YRS	1281	3.5	11	1	1	2	5	8	9	16
20-34	1765	5.4	31	1	1	4	7	11	15	30
35-49	1748	6.4	42	1	2	4	8	14	18	32
50-64	3052	7.0	50	1	2	5	9	15	20	36
65+	4905	9.9	83	2	2	7	13	20	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2842	4.2	10	1	1	4	5	7	10	16
B. *Operated*	3953	3.8	14	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*	12403	7.5	36	2	2	6	10	14	18	30
B. *Operated*	12751	7.5	60	1	2	5	9	16	22	39
1. SINGLE DX	6795	3.9	12	1	1	3	5	7	10	17
2. MULTIPLE DX	25154	7.5	48	1	2	6	10	15	20	35
A. NOT OPERATED	15245	6.9	33	1	2	5	9	14	17	28
B. OPERATED	16704	6.6	51	1	1	4	8	14	20	36
TOTAL 0-19 YRS	4640	3.7	9	1	1	3	5	7	9	14
20-34	4757	4.8	19	1	1	4	6	9	12	22
35-49	3868	5.6	30	1	1	4	7	11	15	27
50-64	6029	6.5	39	1	2	5	8	13	17	31
65+	12655	9.1	58	2	2	7	12	18	23	39
GRAND TOTAL	**31949**	**6.7**	**43**	**1**	**2**	**5**	**9**	**14**	**18**	**33**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	4.8	11	<1	<1	4	7	9	9	9
50-64	44	3.3	12	<1	1	2	3	6	11	20
65+	89	3.8	13	<1	1	3	4	8	11	20
B. *Operated*										
0-19 YRS	15	6.3	27	<1	1	6	8	13	18	20
20-34	24	3.7	6	1	1	3	5	6	9	11
35-49	231	4.7	16	1	1	3	6	10	13	19
50-64	3024	6.3	13	2	2	6	8	10	13	17
65+	4734	7.7	18	2	3	7	9	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	26	1	1	4	9	13	13	13
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49	22	4.9	11	1	1	4	7	9	12	15
50-64	231	4.6	16	1	1	4	6	9	11	20
65+	690	6.6	35	1	2	5	9	14	17	28
B. *Operated*										
0-19 YRS	13	8.1	49	1	2	6	10	20	22	23
20-34	40	5.9	38	1	2	4	7	14	18	32
35-49	364	6.1	18	1	2	5	8	12	15	20
50-64	5050	8.1	30	2	2	7	10	14	18	29
65+	11796	10.6	51	3	4	9	13	19	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.7	12	<1	1	3	4	8	11	20
B. *Operated*	8028	7.0	17	2	2	6	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	951	6.0	30	1	1	4	8	12	16	26
B. *Operated*	17263	9.8	46	2	3	8	12	18	22	36
1. SINGLE DX	8167	7.0	17	2	2	6	9	12	15	20
2. MULTIPLE DX	18214	9.6	46	2	3	8	12	17	22	35
A. NOT OPERATED	1090	5.7	28	1	1	4	7	12	15	26
B. OPERATED	25291	8.9	38	2	3	8	11	16	20	32
TOTAL 0-19 YRS	33	6.8	34	1	1	6	8	17	20	23
20-34	69	4.9	25	1	2	3	6	10	14	30
35-49	621	5.5	18	1	1	4	8	11	14	19
50-64	8349	7.3	25	2	2	6	9	13	16	25
65+	17309	9.6	44	2	3	8	12	17	22	35
GRAND TOTAL	**26381**	**8.8**	**38**	**2**	**3**	**7**	**11**	**16**	**20**	**32**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	5	1	1	2	4	6	8	8
20-34	102	3.5	4	1	2	3	4	6	7	11
35-49	87	3.9	5	1	1	4	5	7	10	11
50-64	92	4.6	5	2	2	4	6	7	8	12
65+	46	4.6	6	1	2	4	6	9	9	10
B. *Operated*										
0-19 YRS	34	2.9	4	1	1	2	4	6	7	8
20-34	228	2.8	6	1	1	2	3	6	8	13
35-49	294	2.6	4	1	1	2	3	5	7	10
50-64	253	3.6	10	1	1	2	5	7	9	18
65+	143	4.0	14	1	2	3	4	7	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.3	14	1	1	4	7	11	14	14
20-34	107	4.9	8	1	2	4	6	9	11	15
35-49	155	5.1	9	2	2	4	6	9	11	16
50-64	271	5.5	10	2	2	5	7	9	11	19
65+	222	6.5	20	2	2	6	8	11	16	22
B. *Operated*										
0-19 YRS	34	3.6	7	1	1	3	5	7	7	14
20-34	350	4.1	15	1	1	3	5	8	10	20
35-49	487	4.5	14	1	1	3	6	9	12	18
50-64	734	5.4	20	1	2	4	7	11	14	20
65+	594	7.8	52	2	2	6	10	15	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	4.0	5	1	2	4	5	7	9	11
B. *Operated*	952	3.1	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	780	5.6	13	2	2	5	7	10	12	19
B. *Operated*	2199	5.6	28	1	2	4	7	11	15	24
1. SINGLE DX	1293	3.4	7	1	1	2	4	6	8	13
2. MULTIPLE DX	2979	5.6	24	1	2	4	7	11	14	23
A. NOT OPERATED	1121	5.1	11	2	2	4	6	9	11	18
B. OPERATED	3151	4.9	23	1	1	3	6	10	13	22
TOTAL 0-19 YRS	107	3.7	8	1	1	3	5	7	9	14
20-34	787	3.7	10	1	1	3	5	7	9	16
35-49	1023	4.0	10	1	1	3	5	8	10	16
50-64	1350	5.0	16	1	2	4	7	10	12	20
65+	1005	6.8	39	2	2	5	8	13	18	31
GRAND TOTAL	**4272**	**4.9**	**20**	**1**	**1**	**4**	**6**	**10**	**12**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.5	1	<1	<1	1	2	2	3	5
20-34	4	4.3	8	2	2	4	6	8	8	8
35-49	1	3.0		3	3	2	3	3	3	3
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	485	2.4	2	1	1	2	3	4	5	7
20-34	223	3.3	2	1	2	3	4	5	6	8
35-49	207	3.3	2	1	2	3	4	5	6	9
50-64	400	3.5	3	2	2	3	4	5	7	10
65+	209	4.1	10	2	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.4	1	<1	<1	1	1	3	4	4
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	5	7.0	4	4	4	8	8	9	9	9
50-64	13	3.4	16	1	1	2	3	9	14	15
65+	16	4.7	13	<1	1	4	6	9	13	15
B. *Operated*										
0-19 YRS	421	2.4	2	1	1	2	3	4	5	8
20-34	114	4.0	4	2	2	4	5	7	8	11
35-49	154	4.2	7	2	2	4	5	7	8	14
50-64	385	5.1	11	2	2	4	6	9	11	19
65+	367	6.6	25	2	3	5	8	13	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*	1524	3.2	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	72	2.9	9	<1	<1	1	4	7	9	15
B. *Operated*	1441	4.5	13	1	2	4	5	8	12	19
1. SINGLE DX	1557	3.2	4	1	1	3	4	5	6	9
2. MULTIPLE DX	1513	4.4	13	1	2	3	5	8	11	19
A. NOT OPERATED	105	2.6	7	<1	<1	1	3	6	8	15
B. OPERATED	2965	3.8	9	1	2	3	4	7	9	16
TOTAL 0-19 YRS	964	2.4	2	1	1	2	3	4	5	8
20-34	343	3.6	3	1	2	3	4	5	7	10
35-49	367	3.8	5	2	2	3	4	6	8	12
50-64	802	4.3	7	2	2	4	5	7	9	15
65+	594	5.6	21	2	2	4	6	11	15	21
GRAND TOTAL	3070	3.8	9	1	1	3	4	7	9	16

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	3.9	5	1	1	3	5	7	8	10
20-34	434	4.5	7	1	2	4	6	8	10	13
35-49	216	5.2	7	1	2	5	6	9	9	12
50-64	140	6.1	12	2	3	6	7	10	12	18
65+	109	6.0	7	2	3	5	7	9	11	16
B. *Operated*										
0-19 YRS	71	4.1	13	1	1	3	5	9	13	17
20-34	177	4.3	10	1	2	3	5	8	12	16
35-49	116	4.4	10	1	2	3	5	8	12	16
50-64	77	5.7	20	2	2	4	7	11	15	27
65+	53	8.7	61	2	3	6	11	19	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.1	8	2	2	5	6	9	9	16
20-34	192	5.1	8	2	2	5	7	9	10	16
35-49	144	5.9	11	2	3	5	7	10	12	20
50-64	208	7.1	20	3	3	6	9	13	15	25
65+	250	8.3	21	3	4	8	10	13	16	27
B. *Operated*										
0-19 YRS	47	5.8	22	1	1	4	7	14	15	18
20-34	138	6.1	23	2	2	5	8	12	14	25
35-49	122	6.5	15	2	2	6	9	12	13	18
50-64	185	8.4	45	2	3	7	11	14	22	37
65+	188	10.1	46	3	3	8	13	19	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1127	4.9	7	1	2	4	6	8	10	14
B. *Operated*	494	5.0	18	1	2	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	863	6.7	17	2	3	6	8	11	14	23
B. *Operated*	680	7.9	36	2	2	6	10	15	19	32
1. SINGLE DX	1621	4.9	11	1	2	4	6	9	11	17
2. MULTIPLE DX	1543	7.2	26	2	3	6	9	13	16	27
A. NOT OPERATED	1990	5.6	12	2	2	5	7	10	12	18
B. OPERATED	1174	6.7	31	2	2	5	9	14	18	29
TOTAL 0-19 YRS	415	4.3	9	1	1	4	5	8	10	16
20-34	941	4.8	10	1	2	4	6	9	11	16
35-49	598	5.5	11	1	2	5	7	10	12	17
50-64	610	7.1	26	2	3	6	9	13	16	30
65+	600	8.5	31	3	3	7	10	15	20	28
GRAND TOTAL	3164	6.0	19	2	2	5	7	11	14	24

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	1.6	1	<1	<1	2	2	2	2	5
20-34	28	1.8	1	<1	1	2	2	3	4	5
35-49	11	2.2	1	1	1	2	3	3	3	3
50-64	13	1.9	1	<1	<1	2	2	3	4	4
65+	5	3.6	5	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	1353	1.8	1	<1	1	2	2	2	3	4
20-34	467	2.1	1	1	1	2	3	3	4	5
35-49	270	2.1	1	1	1	2	2	3	4	8
50-64	169	2.2	2	1	1	2	2	3	4	12
65+	96	2.4	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	1.8	2	<1	<1	1	2	3	4	8
20-34	9	3.3	18	1	1	2	3	10	14	14
35-49	20	3.8	11	<1	1	2	5	9	12	13
50-64	24	3.5	9	1	1	3	4	5	9	16
65+	25	5.1	20	1	2	3	6	12	16	16
B. *Operated*										
0-19 YRS	361	2.3	3	1	1	2	3	4	5	7
20-34	286	2.8	5	1	1	2	3	5	7	13
35-49	277	3.6	13	1	1	2	4	7	9	19
50-64	313	3.9	13	1	1	3	4	8	11	19
65+	261	5.8	35	2	2	3	7	12	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	1.8	1	<1	1	2	2	3	3	6
B. *Operated*	2357	1.9	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	134	3.1	10	<1	<1	2	3	6	11	16
B. *Operated*	1498	3.6	14	1	1	2	4	7	10	20
1. SINGLE DX	2505	1.9	1	<1	1	2	2	3	3	5
2. MULTIPLE DX	1632	3.5	14	1	1	2	4	7	10	19
A. NOT OPERATED	282	2.4	6	<1	<1	2	2	4	6	15
B. OPERATED	3855	2.6	7	1	1	2	3	4	6	14
TOTAL 0-19 YRS	1861	1.9	1	<1	1	2	2	3	3	5
20-34	790	2.4	3	1	1	2	3	4	5	9
35-49	578	2.9	8	1	1	2	3	5	8	15
50-64	519	3.3	10	1	1	2	3	6	9	17
65+	389	4.8	27	1	2	3	5	11	16	26
GRAND TOTAL	4137	2.6	7	1	1	2	3	4	6	14

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.3	3	<1	1	2	3	5	6	7
20-34	58	3.2	5	<1	1	3	4	7	7	11
35-49	39	3.0	13	<1	<1	2	4	6	11	18
50-64	43	2.7	6	1	1	2	4	7	8	11
65+	29	3.8	18	1	1	2	4	7	13	21
B. *Operated*										
0-19 YRS	808	2.6	4	1	1	2	3	4	5	9
20-34	746	2.7	3	1	1	2	3	4	5	10
35-49	440	2.9	4	1	1	2	3	5	7	12
50-64	474	3.8	9	1	2	3	5	7	8	12
65+	150	3.9	10	1	2	3	5	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.1	6	<1	1	2	4	6	7	14
20-34	73	4.4	16	1	1	3	5	9	15	18
35-49	62	4.0	13	1	1	3	5	7	12	20
50-64	83	5.4	53	1	1	3	6	13	15	45
65+	81	8.8	84	1	1	5	11	22	31	42
B. *Operated*										
0-19 YRS	363	3.3	7	1	1	3	4	6	8	14
20-34	610	3.6	9	1	1	3	4	7	9	14
35-49	475	4.8	22	1	2	4	6	9	11	26
50-64	712	5.4	25	1	2	4	7	10	12	26
65+	394	7.2	52	2	2	5	8	16	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	2.9	7	<1	1	2	4	6	7	15
B. *Operated*	2618	3.0	5	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	365	5.3	41	1	1	3	6	12	16	33
B. *Operated*	2554	4.8	24	1	2	3	6	9	12	27
1. SINGLE DX	2862	2.9	5	1	1	2	3	5	7	11
2. MULTIPLE DX	2919	4.9	26	1	1	3	6	9	13	28
A. NOT OPERATED	609	4.3	29	1	1	3	5	9	14	31
B. OPERATED	5172	3.9	15	1	1	3	4	7	10	20
TOTAL 0-19 YRS	1312	2.8	5	1	1	2	3	5	6	11
20-34	1487	3.2	6	1	1	3	4	6	8	14
35-49	1016	3.9	14	1	1	3	4	7	9	17
50-64	1312	4.8	21	1	2	4	6	9	11	21
65+	654	6.5	48	1	2	4	8	14	21	35
GRAND TOTAL	5781	3.9	17	1	1	3	4	7	10	21

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	1	1	1	2	2	4	4	4
20-34	16	2.5	4	<1	<1	2	4	6	7	7
35-49	31	2.4	3	<1	1	2	3	5	6	8
50-64	9	2.1	1	<1	<1	2	3	4	4	4
65+	5	3.2	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	195	2.3	1	1	1	2	3	4	4	7
20-34	1525	2.4	2	<1	1	2	3	4	5	8
35-49	3553	2.5	2	1	1	2	3	4	5	8
50-64	1630	2.6	2	1	1	2	3	4	5	9
65+	543	2.8	3	1	2	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	11	2	2	4	8	10	10	10
20-34	23	4.7	8	<1	1	4	7	9	10	11
35-49	56	3.8	6	1	1	4	5	7	9	11
50-64	28	4.1	13	<1	1	3	6	9	11	16
65+	19	4.3	7	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	46	3.2	7	1	1	2	4	6	8	17
20-34	730	3.3	8	1	1	2	4	6	8	15
35-49	1954	3.6	10	1	2	3	4	7	9	16
50-64	1311	3.9	11	1	2	3	5	7	9	18
65+	618	4.5	12	2	2	3	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	7446	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	131	4.1	8	1	1	4	6	8	10	12
B. *Operated*	4659	3.8	10	1	2	3	4	7	9	16
1. SINGLE DX	7514	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	4790	3.8	10	1	2	3	4	7	9	16
A. NOT OPERATED	199	3.5	7	<1	1	3	5	7	9	11
B. OPERATED	12105	3.0	6	1	1	2	3	5	7	12
TOTAL 0-19 YRS	253	2.5	3	1	1	2	3	4	5	10
20-34	2294	2.7	4	1	1	2	3	5	6	11
35-49	5594	2.9	5	1	1	2	3	5	7	12
50-64	2978	3.2	7	1	2	2	4	6	8	14
65+	1185	3.7	8	2	2	3	4	7	9	15
GRAND TOTAL	**12304**	**3.0**	**6**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	4	1	1	3	4	6	7	9
20-34	97	3.7	7	1	1	3	5	6	7	17
35-49	40	4.2	11	<1	1	4	5	8	12	16
50-64	21	4.2	20	<1	1	3	6	8	14	20
65+	14	4.1	10	<1	1	4	5	7	12	13
B. *Operated*										
0-19 YRS	535	3.1	3	1	2	3	4	5	6	9
20-34	1017	3.4	6	1	1	3	4	6	7	13
35-49	597	3.2	5	1	1	3	4	6	7	11
50-64	520	3.3	5	1	2	3	4	6	7	10
65+	244	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.7	3	<1	1	3	4	5	6	7
20-34	89	4.4	11	<1	1	4	6	9	10	16
35-49	75	5.6	41	1	1	4	7	11	13	42
50-64	65	6.5	62	<1	1	4	7	14	19	48
65+	64	5.0	18	1	1	4	7	10	12	24
B. *Operated*										
0-19 YRS	104	4.3	27	1	2	3	5	7	9	36
20-34	480	4.1	10	1	2	3	5	7	9	18
35-49	547	4.9	25	2	2	4	6	9	12	28
50-64	503	5.2	21	1	2	4	6	10	13	24
65+	347	5.6	30	2	2	4	7	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	3.8	9	1	1	3	5	7	9	18
B. *Operated*	2913	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	319	5.1	30	<1	1	4	6	10	13	27
B. *Operated*	1981	4.9	22	1	2	4	6	9	12	26
1. SINGLE DX	3110	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2300	4.9	23	1	2	4	6	9	12	26
A. NOT OPERATED	516	4.6	22	1	1	4	6	9	12	21
B. OPERATED	4894	3.9	12	1	2	3	5	7	9	18
TOTAL 0-19 YRS	690	3.3	7	1	2	3	4	5	7	11
20-34	1683	3.6	8	1	1	3	5	6	8	15
35-49	1259	4.1	17	1	2	3	5	7	10	18
50-64	1109	4.4	17	1	2	3	5	8	11	22
65+	669	4.6	20	1	2	3	5	9	13	26
GRAND TOTAL	**5410**	**4.0**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**18**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	2.8	3	1	1	2	4	5	6	9
20-34	786	2.7	3	1	1	2	3	5	6	9
35-49	152	2.6	2	1	1	2	4	5	6	7
50-64	10	2.8	3	1	1	2	3	5	6	6
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	716	4.8	7	1	2	5	6	8	10	13
20-34	2277	4.7	8	1	1	5	6	8	9	14
35-49	501	6.6	12	2	3	6	8	10	12	19
50-64	80	7.6	14	2	3	7	9	12	14	24
65+	46	10.0	14	5	5	9	12	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.8	6	1	1	3	5	7	9	13
20-34	621	3.8	15	1	1	3	5	7	9	14
35-49	166	4.6	12	1	1	4	6	9	10	21
50-64	14	3.4	5	1	1	3	5	6	8	9
65+	15	5.7	10	1	2	5	8	10	11	12
B. *Operated*										
0-19 YRS	668	5.5	11	1	2	5	7	9	11	17
20-34	4242	6.3	14	2	2	6	8	10	13	19
35-49	1733	7.9	27	2	3	7	9	12	16	26
50-64	241	9.6	31	4	6	8	11	14	19	31
65+	129	12.9	50	5	7	11	15	23	28	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1379	2.7	3	1	1	2	3	5	6	9
B. *Operated*	3620	5.1	9	1	2	5	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1060	3.9	12	1	1	3	5	7	9	14
B. *Operated*	7013	6.8	20	2	2	6	8	11	14	24
1. SINGLE DX	4999	4.4	9	1	1	4	6	8	9	14
2. MULTIPLE DX	8073	6.4	20	1	2	6	8	11	14	23
A. NOT OPERATED	2439	3.2	7	1	1	3	4	6	8	12
B. OPERATED	10633	6.2	17	1	2	6	8	10	13	21
TOTAL 0-19 YRS	2058	4.5	8	1	1	4	6	8	10	14
20-34	7926	5.3	13	1	2	5	7	9	11	17
35-49	2552	7.1	24	2	2	6	8	11	15	24
50-64	345	8.7	28	2	4	8	10	13	17	28
65+	191	11.6	43	3	5	10	14	19	25	37
GRAND TOTAL	13072	5.7	16	1	2	5	7	10	12	20

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1347	4.5	5	2	2	4	6	8	9	12
20-34	3261	4.7	6	2	2	4	6	8	9	13
35-49	345	5.1	6	2	2	5	7	8	10	13
50-64	26	5.3	13	1	2	5	7	10	12	16
65+	6	7.2	44	<1	<1	5	7	19	20	20
B. *Operated*										
0-19 YRS	477	5.5	12	1	2	5	7	10	12	18
20-34	2196	5.2	12	1	1	5	7	9	11	18
35-49	432	6.4	17	1	2	6	8	11	13	20
50-64	74	6.7	40	1	2	5	8	14	20	32
65+	19	9.3	26	2	3	8	13	17	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	928	5.3	8	2	2	5	7	9	11	15
20-34	2586	5.8	11	2	3	5	7	10	11	16
35-49	439	6.4	13	2	3	6	8	11	13	18
50-64	62	8.2	23	3	3	7	10	15	17	23
65+	37	8.0	23	2	3	7	11	15	18	22
B. *Operated*										
0-19 YRS	781	7.1	20	2	2	6	9	13	15	20
20-34	6207	6.5	18	1	2	6	8	11	14	21
35-49	1698	8.2	29	2	3	7	10	14	18	29
50-64	226	10.1	79	2	3	8	11	19	24	54
65+	65	17.7	177	3	5	12	26	33	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4985	4.7	6	2	2	4	6	8	9	13
B. *Operated*	3198	5.4	14	1	2	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	4052	5.8	11	2	3	5	7	10	12	17
B. *Operated*	8977	7.0	25	2	2	6	8	12	15	24
1. SINGLE DX	8183	5.0	9	1	2	4	6	8	10	16
2. MULTIPLE DX	13029	6.6	21	2	2	6	8	11	14	22
A. NOT OPERATED	9037	5.2	9	2	2	5	6	9	11	15
B. OPERATED	12175	6.6	22	1	2	6	8	12	14	23
TOTAL 0-19 YRS	3533	5.4	11	2	2	5	7	9	12	17
20-34	14250	5.7	14	1	2	5	7	10	12	18
35-49	2914	7.3	23	2	2	7	9	12	16	26
50-64	388	8.8	61	2	2	7	11	16	21	41
65+	127	13.1	124	2	4	10	17	29	33	64
GRAND TOTAL	21212	6.0	17	2	2	5	7	10	13	20

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	4	<1	<1	2	4	6	7	7
20-34	106	3.4	6	1	1	3	4	6	8	13
35-49	43	3.7	5	1	1	3	5	7	8	11
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	106	3.6	6	1	1	3	5	7	8	12
20-34	1912	4.6	8	1	1	5	7	8	9	12
35-49	833	6.4	7	1	2	7	8	9	10	14
50-64	93	6.1	10	1	1	7	8	9	10	16
65+	5	4.4	13	2	2	2	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.9	7	1	1	4	5	8	9	9
20-34	119	3.8	8	1	1	3	5	7	10	13
35-49	51	4.4	7	1	1	4	6	8	8	14
50-64	3	4.7	4	3	3	4	6	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	137	4.2	10	1	1	3	6	8	10	14
20-34	4740	6.1	13	1	2	6	8	9	11	18
35-49	4517	7.5	10	2	5	7	8	11	13	18
50-64	574	8.4	14	4	6	8	9	12	15	23
65+	55	9.3	41	2	4	8	10	20	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.4	6	<1	1	3	4	7	8	11
B. *Operated*	2949	5.1	9	1	1	6	7	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	184	4.0	8	1	1	3	6	8	9	13
B. *Operated*	10023	6.9	12	2	2	7	8	10	12	19
1. SINGLE DX	3118	5.0	9	1	1	5	7	8	9	13
2. MULTIPLE DX	10207	6.8	12	2	2	7	8	10	12	19
A. NOT OPERATED	353	3.7	7	1	1	3	5	7	9	12
B. OPERATED	12972	6.5	12	1	2	7	8	10	12	18
TOTAL 0-19 YRS	272	3.9	8	1	1	3	6	7	9	13
20-34	6877	5.6	12	1	2	6	7	9	11	16
35-49	5444	7.3	10	2	4	7	8	10	12	18
50-64	671	8.1	14	2	5	8	9	11	15	23
65+	61	8.8	39	2	2	8	9	18	22	34
GRAND TOTAL	**13325**	**6.4**	**12**	**1**	**2**	**6**	**8**	**10**	**12**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	13	2.8	6	<1	<1	2	4	7	7	7
35-49	3	3.7	21	<1	<1	1	7	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	24	2.4	2	<1	1	2	3	4	5	6
20-34	415	2.5	3	1	1	2	3	4	6	8
35-49	246	2.5	3	1	1	2	3	5	6	8
50-64	113	2.6	4	<1	1	2	3	4	7	12
65+	24	4.2	10	2	2	3	5	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.3	6	1	2	4	6	7	9	10
20-34	43	4.4	8	<1	1	4	6	8	10	13
35-49	13	5.3	14	1	1	5	7	11	13	14
50-64	4	8.0	7	5	5	8	10	11	11	11
65+	4	6.5	15	<1	<1	7	9	10	10	10
B. *Operated*										
0-19 YRS	63	3.7	5	1	2	3	5	7	8	10
20-34	1431	4.5	14	1	1	3	7	9	11	17
35-49	1164	5.4	13	1	2	5	8	9	11	17
50-64	357	5.3	36	1	2	4	8	10	12	21
65+	131	6.7	48	2	2	4	8	14	20	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.1	6	<1	<1	2	5	7	8	9
B. *Operated*	822	2.6	3	1	1	2	3	4	7	9
2. MULTIPLE DX										
A. *Not Operated*	77	4.9	10	1	1	5	7	9	10	14
B. *Operated*	3146	5.0	18	1	2	4	7	9	11	18
1. SINGLE DX	842	2.6	3	1	1	2	3	5	7	9
2. MULTIPLE DX	3223	5.0	17	1	2	4	7	9	11	18
A. NOT OPERATED	97	4.5	9	<1	1	4	6	9	10	14
B. OPERATED	3968	4.5	16	1	1	3	7	9	11	17
TOTAL 0-19 YRS	103	3.5	5	1	1	3	5	6	8	10
20-34	1902	4.1	12	1	1	3	6	8	10	16
35-49	1426	4.9	12	1	1	4	7	9	11	16
50-64	475	4.7	30	1	1	3	7	10	11	18
65+	159	6.3	42	2	2	4	8	13	17	36
GRAND TOTAL	**4065**	**4.5**	**15**	**1**	**1**	**3**	**7**	**9**	**11**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.6	3	1	1	4	5	6	7	9
20-34	235	3.9	9	1	1	4	5	6	8	13
35-49	50	4.6	11	1	1	4	5	8	10	19
50-64	16	5.1	16	<1	<1	5	7	10	13	15
65+	7	6.7	15	2	2	6	8	13	14	14
B. *Operated*										
0-19 YRS	152	2.7	3	<1	1	2	4	5	6	8
20-34	1126	2.6	3	<1	1	2	3	4	6	9
35-49	476	2.6	2	1	1	2	3	4	5	9
50-64	185	2.6	2	1	1	2	3	4	5	10
65+	49	3.2	6	1	1	2	3	6	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	4.8	6	1	2	4	6	8	10	13
20-34	318	5.2	11	1	2	4	7	9	11	20
35-49	91	6.2	16	2	2	5	8	11	14	22
50-64	51	7.0	18	2	3	6	9	11	13	26
65+	51	8.3	18	2	3	8	11	14	17	17
B. *Operated*										
0-19 YRS	131	3.7	7	1	1	3	5	7	9	14
20-34	869	4.5	26	1	1	3	6	9	11	19
35-49	523	4.5	12	1	1	3	6	9	12	17
50-64	181	5.6	35	1	1	4	7	12	17	33
65+	84	7.9	79	1	2	5	10	20	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	4.1	8	1	1	4	5	7	8	15
B. *Operated*	1988	2.6	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	627	5.6	13	2	2	5	7	10	13	19
B. *Operated*	1788	4.7	24	1	1	3	6	9	12	21
1. SINGLE DX	2375	2.8	4	1	1	2	3	5	6	10
2. MULTIPLE DX	2415	4.9	22	1	2	4	6	9	12	21
A. NOT OPERATED	1014	5.0	12	1	2	4	6	9	11	18
B. OPERATED	3776	3.6	14	1	1	2	4	7	9	17
TOTAL 0-19 YRS	478	3.6	5	1	1	3	5	7	8	12
20-34	2548	3.7	13	1	1	3	5	7	9	15
35-49	1140	3.8	10	1	1	3	5	8	10	16
50-64	433	4.4	21	1	1	3	5	9	13	24
65+	191	6.8	46	1	2	5	9	14	20	32
GRAND TOTAL	4790	3.9	14	1	1	3	5	8	10	17

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	2.8	5	<1	<1	2	5	6	6	6
35-49	13	4.1	22	1	1	2	5	11	16	17
50-64	13	2.5	9	<1	<1	1	3	7	10	11
65+	9	4.7	15	1	1	4	5	11	14	14
B. *Operated*										
0-19 YRS	14	5.8	6	2	2	5	8	9	9	9
20-34	569	6.2	6	1	3	6	7	9	10	14
35-49	1042	7.5	9	3	4	7	9	11	13	18
50-64	1393	8.0	9	4	5	7	9	12	13	18
65+	1065	8.5	13	4	5	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	3.6	13	1	1	2	5	9	10	14
35-49	78	3.9	12	<1	1	3	5	7	11	19
50-64	96	4.9	21	<1	1	4	7	9	11	26
65+	139	6.2	52	1	1	4	7	12	17	43
B. *Operated*										
0-19 YRS	18	7.3	14	1	3	7	9	12	14	16
20-34	2221	7.3	10	3	4	7	8	11	13	17
35-49	4077	8.5	13	5	5	8	10	12	15	22
50-64	3741	9.2	14	5	6	8	11	14	16	22
65+	2750	10.3	27	5	6	9	12	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.5	13	<1	<1	2	5	7	12	17
B. *Operated*	4083	7.7	10	4	5	7	9	11	14	18
2. MULTIPLE DX										
A. *Not Operated*	343	5.0	32	1	1	4	6	10	13	27
B. *Operated*	12807	8.9	17	4	5	8	10	13	16	23
1. SINGLE DX	4125	7.7	10	4	4	7	9	11	14	18
2. MULTIPLE DX	13150	8.8	17	4	5	8	10	13	16	23
A. NOT OPERATED	385	4.9	30	1	1	3	6	10	13	26
B. OPERATED	16890	8.6	15	4	5	8	10	13	15	23
TOTAL 0-19 YRS	34	6.3	12	1	2	6	8	10	12	16
20-34	2825	7.0	9	2	4	7	8	10	12	17
35-49	5210	8.2	12	4	5	8	9	12	14	21
50-64	5243	8.8	14	4	5	8	10	13	15	21
65+	3963	9.7	25	4	5	9	11	15	18	28
GRAND TOTAL	17275	8.5	16	4	5	8	10	13	15	23

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	2	1	1	3	4	5	6	6
20-34	16	2.5	5	<1	1	2	3	4	8	10
35-49	6	2.5	1	1	1	3	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	26	1.8	1	<1	1	2	2	3	3	4
20-34	262	2.0	3	<1	<1	2	2	4	5	8
35-49	248	2.0	4	<1	<1	2	2	3	6	8
50-64	45	2.1	2	<1	<1	2	2	3	6	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.1	2	2	2	4	6	6	6	6
20-34	27	3.0	2	1	1	3	4	5	5	6
35-49	14	1.9	2	1	1	2	2	4	5	6
50-64	3	3.0	12	1	1	1	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	22	3.1	8	<1	<1	2	4	5	9	14
20-34	392	3.7	10	<1	1	2	6	8	8	17
35-49	469	4.2	12	<1	1	2	6	9	10	16
50-64	68	3.5	9	<1	1	2	5	8	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.6	3	1	1	2	3	4	6	10
B. *Operated*	581	2.0	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	54	2.9	3	1	1	3	4	6	6	7
B. *Operated*	951	3.9	11	<1	1	2	6	8	10	16
1. SINGLE DX	613	2.0	3	<1	<1	2	2	3	5	8
2. MULTIPLE DX	1005	3.9	11	<1	1	2	6	8	9	15
A. NOT OPERATED	86	2.8	3	1	1	3	4	5	6	9
B. OPERATED	1532	3.2	9	<1	<1	2	4	7	9	14
TOTAL 0-19 YRS	66	2.8	4	<1	1	2	3	5	6	13
20-34	697	3.0	8	<1	<1	2	4	7	8	13
35-49	737	3.4	10	<1	1	2	5	8	9	14
50-64	118	2.9	7	<1	<1	2	3	7	9	12
65+										
GRAND TOTAL	1618	3.2	9	<1	1	2	4	7	9	14

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.2	2	<1	1	2	3	4	5	7
20-34	522	2.2	2	<1	1	2	3	4	5	8
35-49	135	2.0	2	<1	1	2	2	4	4	7
50-64	25	2.4	5	<1	<1	2	3	6	7	11
65+										
B. *Operated*										
0-19 YRS	605	2.2	2	1	1	2	3	4	4	7
20-34	6147	2.3	4	<1	1	2	2	4	6	8
35-49	5062	2.2	3	<1	1	2	2	4	7	9
50-64	655	2.1	4	<1	1	2	2	3	6	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	3.8	10	1	1	3	5	6	7	16
20-34	591	3.5	8	<1	1	3	5	7	9	13
35-49	303	3.5	10	<1	1	3	4	7	9	16
50-64	42	3.0	5	1	1	2	5	6	7	10
65+										
B. *Operated*										
0-19 YRS	563	3.4	7	1	1	3	4	7	9	14
20-34	8841	4.1	12	1	1	3	6	8	10	15
35-49	10012	4.7	12	1	1	3	7	9	10	16
50-64	1355	4.6	19	1	1	2	7	9	12	19
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	899	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	12469	2.2	3	<1	1	2	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	1164	3.5	8	1	1	3	5	7	9	15
B. *Operated*	20771	4.4	13	1	1	3	7	9	10	16
1. SINGLE DX	13368	2.2	3	<1	1	2	2	4	6	9
2. MULTIPLE DX	21935	4.4	12	1	1	3	7	9	10	16
A. NOT OPERATED	2063	2.9	6	<1	1	2	4	6	7	12
B. OPERATED	33240	3.6	10	<1	1	2	5	8	9	14
TOTAL 0-19 YRS	1613	2.8	5	1	1	2	3	5	7	13
20-34	16101	3.3	9	<1	1	2	4	7	9	13
35-49	15512	3.8	10	<1	1	2	5	8	10	14
50-64	2077	3.8	15	<1	1	2	6	9	10	18
65+										
GRAND TOTAL	35303	3.6	10	<1	1	2	5	8	9	14

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	19	2.7	5	1	1	2	4	6	8	8
50-64	29	2.7	4	<1	<1	2	3	6	7	8
65+	11	3.0	4	1	1	2	3	7	8	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	1.9	4	<1	<1	1	2	4	7	8
35-49	393	2.1	11	<1	1	2	2	3	3	10
50-64	1497	1.9	1	<1	1	2	2	3	3	8
65+	407	2.3	3	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.0	8	2	2	5	7	9	9	9
35-49	64	4.3	11	<1	1	3	6	9	12	15
50-64	72	3.9	9	<1	1	3	5	8	9	15
65+	89	5.4	20	1	1	4	8	10	13	25
B. *Operated*										
0-19 YRS										
20-34	16	5.1	8	1	2	6	7	9	10	10
35-49	497	3.5	12	<1	1	2	4	8	10	18
50-64	2164	3.5	13	1	1	2	4	8	10	17
65+	924	4.5	19	1	1	3	5	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.9	5	<1	1	2	3	7	8	10
B. *Operated*	2310	2.0	3	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	230	4.6	14	1	1	4	6	9	12	17
B. *Operated*	3601	3.8	14	1	1	2	4	9	11	18
1. SINGLE DX	2371	2.0	3	<1	1	2	2	3	4	8
2. MULTIPLE DX	3831	3.8	14	1	1	2	5	9	11	18
A. NOT OPERATED	291	4.3	13	1	1	3	6	9	11	15
B. OPERATED	5911	3.1	11	<1	1	2	3	7	9	16
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	35	4.1	9	<1	1	3	6	9	10	10
35-49	973	2.9	12	<1	1	2	3	7	9	16
50-64	3762	2.9	9	<1	1	2	3	7	9	14
65+	1431	3.9	16	1	1	2	4	9	11	20
GRAND TOTAL	6202	3.1	12	<1	1	2	3	7	9	16

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	2.6	3	<1	1	2	4	5	6	7
20-34	191	2.6	6	<1	<1	2	3	5	7	13
35-49	59	2.8	4	<1	1	2	4	6	7	9
50-64	23	3.0	3	<1	<1	2	4	6	6	8
65+	12	2.8	4	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	267	3.1	7	1	1	2	4	6	9	12
20-34	2731	3.0	6	<1	1	2	4	6	7	12
35-49	1844	3.1	9	<1	1	2	3	7	9	14
50-64	1173	2.9	8	<1	1	2	3	7	8	14
65+	361	3.5	17	1	1	2	3	7	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.0	6	<1	<1	2	4	6	8	14
20-34	234	3.2	7	<1	1	2	4	7	9	11
35-49	119	4.4	12	1	1	3	6	8	11	19
50-64	76	5.2	26	1	1	4	7	12	16	27
65+	122	6.2	36	1	2	4	7	14	16	33
B. *Operated*										
0-19 YRS	267	4.1	9	1	1	3	6	7	10	15
20-34	3516	4.5	10	1	1	3	6	8	10	15
35-49	4149	5.3	17	1	1	5	7	10	12	19
50-64	2778	5.4	22	1	1	4	8	10	14	25
65+	1058	7.6	70	1	2	4	10	17	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	2.7	5	<1	1	2	3	6	6	12
B. *Operated*	6376	3.1	8	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	607	4.3	18	1	1	3	6	9	12	19
B. *Operated*	11768	5.2	22	1	1	4	7	10	13	23
1. SINGLE DX	6723	3.0	8	<1	1	2	3	6	8	13
2. MULTIPLE DX	12375	5.2	21	1	1	4	7	10	13	23
A. NOT OPERATED	954	3.7	13	<1	1	3	5	7	10	17
B. OPERATED	18144	4.5	18	1	1	3	6	9	11	20
TOTAL 0-19 YRS	652	3.4	7	1	1	3	4	7	9	13
20-34	6672	3.8	9	1	1	3	6	8	9	14
35-49	6171	4.6	15	1	1	3	7	9	11	17
50-64	4050	4.7	19	1	1	3	7	9	12	22
65+	1553	6.5	56	1	2	4	8	15	21	41
GRAND TOTAL	19098	4.4	18	1	1	3	6	9	11	20

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	344	2.2	2	<1	1	2	3	4	5	7
20-34	451	2.4	3	<1	1	2	3	5	6	8
35-49	69	2.4	2	<1	1	2	3	5	5	7
50-64	13	2.5	4	<1	<1	2	3	6	8	8
65+	10	6.7	43	1	1	4	10	16	22	22
B. *Operated*										
0-19 YRS	261	2.7	4	<1	1	2	3	5	6	8
20-34	2251	3.2	7	<1	1	2	5	7	8	11
35-49	911	6.7	14	1	1	7	9	11	13	18
50-64	606	8.5	12	2	5	8	10	12	15	20
65+	219	9.7	23	2	5	9	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.0	5	<1	1	2	4	6	7	9
20-34	575	2.9	7	<1	1	2	4	6	7	13
35-49	153	4.0	12	1	1	3	5	9	10	17
50-64	69	5.0	14	1	1	4	7	11	13	14
65+	56	7.3	31	1	2	6	9	13	19	30
B. *Operated*										
0-19 YRS	250	3.7	9	1	1	3	5	8	9	14
20-34	4432	4.7	11	1	1	5	7	9	10	15
35-49	2391	7.5	16	1	2	7	9	12	14	20
50-64	1100	9.9	33	3	5	9	12	16	20	29
65+	511	11.0	35	2	4	10	14	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	887	2.4	3	<1	1	2	3	4	5	9
B. *Operated*	4248	5.0	15	<1	1	4	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	1097	3.4	10	<1	1	2	4	7	9	16
B. *Operated*	8684	6.5	21	1	2	6	9	12	14	22
1. SINGLE DX	5135	4.6	14	<1	1	3	7	9	11	17
2. MULTIPLE DX	9781	6.2	21	1	1	6	8	11	14	21
A. NOT OPERATED	1984	3.0	7	<1	1	2	4	6	8	13
B. OPERATED	12932	6.0	20	1	1	6	8	11	14	20
TOTAL 0-19 YRS	1099	2.9	5	<1	1	2	3	6	7	12
20-34	7709	4.0	10	<1	1	3	6	8	9	14
35-49	3524	7.1	16	1	2	7	9	12	14	20
50-64	1788	9.2	26	2	4	9	11	15	18	26
65+	796	10.3	33	2	4	9	13	17	21	31
GRAND TOTAL	14916	5.6	19	1	1	5	8	11	13	20

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	3	1	1	2	4	5	5	5
20-34	38	2.5	3	1	1	2	3	5	6	6
35-49	4	2.8	8	<1	<1	1	4	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	163	5.6	4	3	4	5	6	8	9	14
20-34	1946	5.6	3	3	4	5	6	7	8	11
35-49	139	6.0	3	3	4	6	7	8	9	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	24	2.8	4	<1	1	2	4	5	7	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	90	6.6	13	3	4	6	7	10	12	25
20-34	1650	6.2	5	4	4	6	7	9	10	13
35-49	185	7.2	12	3	4	6	8	12	15	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.5	3	1	1	2	3	5	6	7
B. *Operated*	2248	5.6	3	3	4	5	6	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	28	2.7	4	1	1	2	4	5	6	9
B. *Operated*	1925	6.3	6	4	4	6	7	9	11	16
1. SINGLE DX	2298	5.5	4	3	4	5	6	7	8	11
2. MULTIPLE DX	1953	6.3	6	3	4	6	7	9	11	16
A. NOT OPERATED	78	2.6	3	1	1	2	4	5	6	8
B. OPERATED	4173	5.9	5	3	4	6	7	8	9	14
TOTAL 0-19 YRS	265	5.8	6	2	3	5	6	8	10	17
20-34	3658	5.8	4	3	4	6	7	8	9	13
35-49	328	6.6	9	3	4	6	7	9	14	18
50-64										
65+										
GRAND TOTAL	4251	5.9	5	3	4	6	7	8	9	14

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	1.4		<1	1	1	2	2	2	4
20-34	97	1.8	3	<1	<1	1	2	3	5	10
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2045	1.4	1	<1	<1	1	2	2	3	4
20-34	4044	1.4	1	<1	<1	1	2	2	3	4
35-49	286	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	3	<1	<1	2	3	5	6	6
20-34	28	1.9	3	<1	<1	1	2	3	5	9
35-49	11	1.4		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	295	2.5	7	<1	<1	2	3	5	7	11
20-34	1207	2.8	6	<1	<1	2	3	5	8	12
35-49	301	2.6	6	<1	<1	2	3	5	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	1.6	2	<1	1	1	2	3	4	6
B. *Operated*	6375	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	48	1.8	2	<1	<1	1	2	3	5	9
B. *Operated*	1803	2.7	6	<1	<1	2	3	5	8	12
1. SINGLE DX	6552	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	1851	2.7	6	<1	<1	2	3	5	8	12
A. NOT OPERATED	225	1.6	2	<1	<1	1	2	3	4	7
B. OPERATED	8178	1.7	2	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	2425	1.5	1	<1	<1	1	2	2	3	6
20-34	5376	1.7	2	<1	<1	1	2	3	4	8
35-49	602	2.0	4	<1	<1	1	2	4	6	11
50-64										
65+										
GRAND TOTAL	8403	1.7	2	<1	<1	1	2	3	4	8

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	5.6	28	1	1	4	7	14	16	16
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	5	2.2	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	8	5.9	24	1	1	5	8	14	16	16
1. SINGLE DX	6	2.5	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX	10	5.2	21	1	1	4	8	12	16	16
A. NOT OPERATED	3	3.0	1	2	2	3	4	4	4	4
B. OPERATED	13	4.5	18	<1	1	3	6	10	15	16
TOTAL 0-19 YRS	3	2.7	2	<1	<1	3	4	4	4	4
20-34	12	4.3	18	1	1	3	5	10	15	16
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
GRAND TOTAL	16	4.2	15	<1	1	3	5	8	14	16

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	1.8	1	<1	1	1	2	3	4	5
20-34	1397	1.8	2	<1	<1	1	2	3	4	7
35-49	104	1.6	1	<1	<1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2887	1.8	2	<1	1	1	2	3	4	7
20-34	15426	1.7	2	<1	<1	1	2	3	4	6
35-49	1505	1.7	1	<1	<1	1	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	2.6	3	1	1	2	3	5	7	8
20-34	242	2.5	4	1	1	2	3	5	6	11
35-49	26	2.3	1	<1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	439	2.9	8	1	1	2	3	6	7	13
20-34	2357	2.7	10	1	1	2	3	5	7	12
35-49	478	2.6	5	1	1	2	3	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1883	1.8	2	<1	<1	1	2	3	4	6
B. *Operated*	19818	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	341	2.5	3	1	1	2	3	5	6	9
B. *Operated*	3274	2.7	9	1	1	2	3	5	7	12
1. SINGLE DX	21701	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	3615	2.7	8	1	1	2	3	5	7	12
A. NOT OPERATED	2224	1.9	2	<1	1	1	2	3	4	7
B. OPERATED	23092	1.8	3	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	3781	1.9	2	<1	1	1	2	3	5	8
20-34	19422	1.8	3	<1	<1	1	2	3	4	8
35-49	2113	1.9	2	<1	1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	25316	1.8	3	<1	1	1	2	3	4	8

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.1	9	<1	1	2	4	6	6	20
20-34	274	2.5	3	<1	1	2	3	5	6	9
35-49	25	2.1	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	262	2.4	3	<1	1	2	3	5	6	9
20-34	2151	1.9	2	<1	1	2	2	3	4	7
35-49	189	2.3	4	<1	1	2	3	4	5	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.4	4	1	2	5	6	7	8	8
20-34	100	3.3	10	<1	1	2	4	6	7	20
35-49	6	3.3	8	1	1	2	3	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	81	3.7	9	1	1	3	5	7	9	17
20-34	612	2.9	6	1	1	2	4	6	7	13
35-49	75	4.2	27	<1	1	3	5	8	10	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.6	4	<1	1	2	3	5	6	9
B. *Operated*	[illegible]	2.0	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	134	3.6	9	<1	1	3	5	6	8	17
B. *Operated*	768	3.1	9	1	1	2	4	6	8	14
1. SINGLE DX	2980	2.1	2	<1	1	2	2	4	5	8
2. MULTIPLE DX	902	3.2	9	1	1	2	4	6	8	14
A. NOT OPERATED	512	2.9	6	<1	1	2	4	6	6	10
B. OPERATED	3370	2.2	4	<1	1	2	3	4	6	9
TOTAL 0-19 YRS	450	2.9	6	1	1	2	4	6	7	12
20-34	3137	2.2	3	<1	1	2	2	4	5	9
35-49	295	2.8	11	<1	1	2	3	5	8	15
50-64										
65+										
GRAND TOTAL	3882	2.3	4	<1	1	2	3	4	6	10

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	481	2.5	4	1	1	2	3	4	5	8
20-34	2013	2.7	3	1	1	2	3	5	6	9
35-49	148	2.6	3	<1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.9	2	1	1	3	4	5	5	5
20-34	47	3.1	3	1	1	3	4	5	7	7
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.5	4	1	1	3	5	6	7	10
20-34	562	3.8	5	1	1	3	5	7	8	11
35-49	39	3.0	3	1	1	3	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	8	5.6	34	1	1	3	8	15	17	17
20-34	47	4.9	50	1	1	3	5	8	13	47
35-49	5	6.6	11	3	3	6	10	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3442	2.6	3	1	1	2	3	5	6	8
B. *Operated*	60	3.1	3	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	723	3.7	5	1	1	3	5	6	8	11
B. *Operated*	60	5.1	44	1	1	4	6	10	15	44
1. SINGLE DX	3502	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX	783	3.8	8	1	1	3	5	7	8	12
A. NOT OPERATED	4165	2.8	4	1	1	2	4	5	6	9
B. OPERATED	120	4.1	24	1	1	3	5	7	10	27
TOTAL 0-19 YRS	622	2.8	5	1	1	2	3	5	6	10
20-34	3469	2.9	4	1	1	2	4	5	6	10
35-49	194	2.8	3	1	1	2	4	5	6	10
50-64										
65+										
GRAND TOTAL	**4285**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.8	1	<1	1	2	2	3	4	4
20-34	157	2.3	3	<1	<1	2	3	4	6	10
35-49	5	4.8	19	1	1	4	7	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	8	2.3	2	1	1	2	3	4	5	5
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	11	1	1	4	5	10	11	11
20-34	37	2.9	4	<1	1	2	4	6	7	8
35-49	3	2.3		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	6	3.0	9	1	1	2	2	8	9	9
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	2.3	3	<1	1	2	3	4	6	11
B. *Operated*	10	2.7	3	1	1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	47	3.1	5	1	1	2	4	6	8	11
B. *Operated*	8	2.8	7	1	1	2	3	7	9	9
1. SINGLE DX	195	2.4	3	<1	1	2	3	4	6	11
2. MULTIPLE DX	55	3.0	5	1	1	2	4	6	8	11
A. NOT OPERATED	232	2.5	4	<1	1	2	3	4	7	11
B. OPERATED	18	2.7	4	1	1	2	3	6	8	9
TOTAL 0-19 YRS	32	2.3	4	1	1	2	3	4	5	11
20-34	208	2.5	3	<1	1	2	3	4	7	9
35-49	10	4.0	10	1	1	3	5	9	12	12
50-64										
65+										
GRAND TOTAL	**250**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	3.6	4	1	2	3	4	6	7	11
20-34	1667	3.6	6	1	2	3	4	6	8	13
35-49	118	3.5	4	1	1	3	4	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	31	4.2	5	1	2	3	6	7	8	10
20-34	147	3.7	10	<1	1	3	5	8	9	15
35-49	8	3.9	4	1	2	4	4	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.7	11	<1	1	4	6	9	13	16
20-34	471	4.0	11	1	1	3	5	8	10	21
35-49	43	4.5	9	1	2	4	5	8	10	18
50-64										
65+										
B. *Operated*										
0-19 YRS	20	5.5	27	1	1	4	7	13	19	20
20-34	110	4.7	20	<1	<1	3	6	12	14	21
35-49	7	4.9	40	<1	<1	3	4	16	19	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2128	3.6	6	1	2	3	4	6	8	12
B. *Operated*	186	3.8	9	1	1	3	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	602	4.1	11	1	1	3	5	8	10	17
B. *Operated*	137	4.8	22	<1	<1	4	6	12	16	20
1. SINGLE DX	2314	3.6	6	1	1	3	4	6	8	13
2. MULTIPLE DX	739	4.3	13	<1	1	3	5	8	11	19
A. NOT OPERATED	2730	3.7	7	1	1	3	4	7	8	14
B. OPERATED	323	4.2	14	<1	1	3	6	8	12	19
TOTAL 0-19 YRS	482	3.9	7	1	2	3	5	7	8	15
20-34	2395	3.7	8	1	1	3	4	7	9	15
35-49	176	3.8	7	1	1	3	5	6	8	16
50-64										
65+										
GRAND TOTAL	3053	3.8	8	1	1	3	4	7	9	15

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	530	3.4	3	1	2	3	4	5	7	10
20-34	2007	4.1	7	1	2	4	5	7	9	13
35-49	44	4.5	10	1	2	4	5	7	11	19
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	8	2.5	1	1	1	2	3	4	4	4
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	3.7	5	1	2	3	5	6	8	12
20-34	769	4.5	15	1	2	4	5	8	10	22
35-49	19	5.6	18	2	2	4	7	13	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.3		5	5	5	6	6	6	6
20-34	17	6.5	28	2	3	5	8	11	20	24
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2581	4.0	6	1	2	3	5	7	9	13
B. *Operated*	11	3.2	6	1	1	3	3	6	10	10
2. MULTIPLE DX										
A. *Not Operated*	996	4.4	13	1	2	4	5	8	10	18
B. *Operated*	21	6.2	23	2	3	5	7	10	17	24
1. SINGLE DX	2592	4.0	6	1	2	3	5	7	9	13
2. MULTIPLE DX	1017	4.4	13	1	2	4	5	8	10	20
A. NOT OPERATED	3577	4.1	8	1	2	3	5	7	9	14
B. OPERATED	32	5.2	19	2	2	4	6	9	12	24
TOTAL 0-19 YRS	743	3.5	4	1	2	3	4	6	7	11
20-34	2801	4.2	9	1	2	4	5	7	9	15
35-49	65	4.9	13	2	2	4	5	9	13	19
50-64										
65+										
GRAND TOTAL	3609	4.1	8	1	2	3	5	7	9	14

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3348	1.2	1	<1	<1	1	1	1	2	4
20-34	11831	1.2	1	<1	<1	<1	1	1	2	4
35-49	502	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	208	1.3	1	<1	<1	1	1	2	3	6
20-34	854	1.3	1	<1	<1	1	1	2	3	6
35-49	34	1.1		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	1.8	5	<1	<1	1	2	3	4	13
20-34	942	1.9	6	<1	<1	1	2	4	5	10
35-49	43	1.9	2	<1	<1	1	2	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.0	2	<1	<1	1	3	4	5	5
20-34	153	2.5	26	<1	<1	1	2	4	7	16
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15681	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	1096	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	1252	1.9	6	<1	<1	1	2	4	5	12
B. *Operated*	179	2.4	23	<1	<1	1	2	4	6	15
1. SINGLE DX	16777	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	1431	2.0	8	<1	<1	1	2	4	5	12
A. NOT OPERATED	16933	1.2	2	<1	<1	<1	1	2	2	5
B. OPERATED	1275	1.4	4	<1	<1	1	1	2	4	7
TOTAL 0-19 YRS	3848	1.2	1	<1	<1	1	1	2	2	5
20-34	13780	1.3	2	<1	<1	<1	1	2	2	5
35-49	580	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
GRAND TOTAL	18208	1.2	2	<1	<1	1	1	2	2	5

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.6	16	1	1	3	4	6	14	21
20-34	730	3.8	24	1	1	3	4	7	11	21
35-49	49	3.9	13	1	1	3	4	8	12	18
50-64										
65+										
B. *Operated*										
0-19 YRS	3	7.0	52	1	1	5	12	15	15	15
20-34	58	6.5	109	<1	1	3	5	14	27	63
35-49	2	4.0	18	<1	<1	3	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.8	6	<1	1	3	5	7	9	11
20-34	181	4.7	20	1	1	3	6	10	13	23
35-49	16	7.2	64	1	1	4	10	15	27	32
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	23	5.9	39	<1	1	4	8	10	19	31
35-49	3	6.7	32	2	2	5	11	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	872	3.8	22	1	1	3	4	7	11	21
B. *Operated*	63	6.4	103	<1	1	3	6	14	25	61
2. MULTIPLE DX										
A. *Not Operated*	226	4.8	21	1	1	3	6	10	12	26
B. *Operated*	28	6.1	35	1	1	5	8	11	19	31
1. SINGLE DX	935	4.0	28	1	1	3	4	7	13	23
2. MULTIPLE DX	254	4.9	23	1	1	4	6	10	13	31
A. NOT OPERATED	1098	4.0	22	1	1	3	5	7	12	22
B. OPERATED	91	6.4	81	<1	1	4	7	13	23	53
TOTAL 0-19 YRS	127	3.8	14	1	1	3	5	7	12	20
20-34	992	4.2	29	1	1	3	5	8	12	25
35-49	70	4.8	26	1	1	4	5	12	15	29
50-64										
65+										
GRAND TOTAL	1189	4.2	27	1	1	3	5	8	13	24

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	211	2.3	3	<1	<1	2	3	4	6	10
20-34	887	2.3	4	<1	<1	2	3	4	5	10
35-49	49	3.0	10	1	1	2	3	6	8	20
50-64										
65+										
B. *Operated*										
0-19 YRS	17	1.5	1	<1	<1	1	2	3	3	3
20-34	88	2.6	11	<1	<1	2	3	5	7	21
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.7	7	<1	<1	1	4	5	10	11
20-34	241	2.8	7	<1	<1	2	3	5	7	16
35-49	18	2.7	3	1	1	2	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.4	5	<1	<1	3	5	6	7	7
20-34	29	3.1	9	<1	<1	2	4	7	8	15
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1147	2.3	4	<1	<1	2	3	4	6	11
B. *Operated*	107	2.4	9	<1	<1	1	3	5	6	21
2. MULTIPLE DX										
A. *Not Operated*	317	2.7	7	<1	<1	2	3	5	8	13
B. *Operated*	38	3.1	8	<1	<1	2	4	7	8	15
1. SINGLE DX	1254	2.3	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX	355	2.8	7	<1	<1	2	4	5	8	15
A. NOT OPERATED	1464	2.4	5	<1	<1	2	3	5	6	11
B. OPERATED	145	2.6	9	<1	<1	1	3	5	7	19
TOTAL 0-19 YRS	294	2.4	4	<1	<1	2	3	5	6	11
20-34	1245	2.4	5	<1	<1	2	3	5	6	11
35-49	70	2.8	8	1	1	2	3	6	6	18
50-64										
65+										
GRAND TOTAL	1609	2.4	5	<1	<1	2	3	5	6	11

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	3.3	4	<1	<1	3	4	6	7	10
20-34	774	3.1	4	<1	<1	3	4	5	6	10
35-49	16	3.4	6	<1	<1	3	4	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.4	6	<1	<1	3	4	8	9	9
20-34	46	2.7	4	<1	<1	2	3	6	6	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	481	3.8	4	<1	1	4	5	6	7	10
20-34	882	3.8	6	<1	1	3	5	7	8	11
35-49	21	4.0	6	1	2	3	5	8	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	35	5.6	26	<1	1	4	8	13	18	22
20-34	83	4.3	9	1	1	3	6	8	10	14
35-49	2	11.5	145	3	3	11	20	20	20	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1150	3.1	4	<1	<1	3	4	5	7	10
B. *Operated*	69	2.9	5	<1	<1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1384	3.8	5	<1	1	3	5	7	8	11
B. *Operated*	120	4.8	16	1	1	4	6	10	13	21
1. SINGLE DX	1219	3.1	4	<1	<1	3	4	6	7	10
2. MULTIPLE DX	1504	3.9	6	<1	1	3	5	7	8	12
A. NOT OPERATED	2534	3.5	5	<1	1	3	5	6	8	10
B. OPERATED	189	4.1	12	<1	<1	3	6	8	11	18
TOTAL 0-19 YRS	898	3.7	5	<1	1	3	5	6	8	11
20-34	1785	3.5	5	<1	1	3	4	6	8	11
35-49	40	4.1	12	<1	1	3	5	8	10	20
50-64										
65+										
GRAND TOTAL	2723	3.5	5	<1	1	3	5	6	8	11

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.7	18	<1	1	3	4	6	9	25
20-34	674	4.6	17	1	1	3	6	9	12	20
35-49	49	4.4	13	<1	2	4	5	8	9	24
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.9	15	<1	<1	2	5	11	12	12
20-34	59	4.3	22	<1	1	3	5	9	12	29
35-49	7	2.4	2	<1	<1	2	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	4.3	18	<1	1	3	5	8	10	23
20-34	1883	4.3	13	1	1	3	5	8	11	20
35-49	142	5.5	20	1	1	4	7	11	14	21
50-64										
65+										
B. *Operated*										
0-19 YRS	44	4.1	10	<1	1	3	5	8	11	15
20-34	237	6.4	73	<1	1	4	7	14	20	44
35-49	20	8.2	67	<1	<1	5	11	20	26	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	837	4.4	17	1	1	3	5	8	11	21
B. *Operated*	73	4.1	19	<1	<1	3	5	9	12	27
2. MULTIPLE DX										
A. *Not Operated*	2403	4.4	15	1	1	3	5	8	11	20
B. *Operated*	301	6.2	64	<1	1	4	7	13	20	38
1. SINGLE DX	910	4.4	17	1	1	3	5	8	11	22
2. MULTIPLE DX	2704	4.6	20	<1	1	3	6	9	12	22
A. NOT OPERATED	3240	4.4	15	1	1	3	5	8	11	20
B. OPERATED	374	5.8	56	<1	1	4	7	12	17	34
TOTAL 0-19 YRS	543	4.2	17	<1	1	3	5	8	10	20
20-34	2853	4.6	20	1	1	3	6	9	12	22
35-49	218	5.4	23	<1	1	4	7	11	15	26
50-64										
65+										
GRAND TOTAL	3614	4.5	20	<1	1	3	6	9	11	22

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1053	2.5	10	<1	<1	1	3	5	7	15
20-34	4025	2.5	8	<1	<1	2	3	5	7	13
35-49	151	3.3	13	<1	<1	2	4	7	11	19
50-64										
65+										
B. *Operated*										
0-19 YRS	250	3.0	14	<1	<1	2	3	6	7	24
20-34	2043	2.8	7	<1	<1	2	3	5	7	12
35-49	118	2.7	3	<1	<1	3	3	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	424	3.3	14	<1	<1	2	4	6	8	24
20-34	1819	3.5	17	<1	<1	2	4	7	9	20
35-49	99	4.9	25	<1	<1	3	6	13	17	23
50-64										
65+										
B. *Operated*										
0-19 YRS	123	3.9	13	<1	<1	3	6	9	11	17
20-34	791	3.6	20	<1	<1	3	5	7	9	18
35-49	54	3.7	15	<1	<1	2	5	8	12	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5229	2.6	8	<1	<1	2	3	5	7	14
B. *Operated*	2411	2.8	7	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	2342	3.5	17	<1	<1	2	4	7	9	20
B. *Operated*	968	3.7	19	<1	<1	3	5	7	10	18
1. SINGLE DX	7640	2.6	8	<1	<1	2	3	5	7	14
2. MULTIPLE DX	3310	3.6	17	<1	<1	3	4	7	9	20
A. NOT OPERATED	7571	2.9	11	<1	<1	2	3	6	8	16
B. OPERATED	3379	3.1	11	<1	<1	2	4	6	8	15
TOTAL 0-19 YRS	1850	2.9	12	<1	<1	2	3	6	8	17
20-34	8678	2.9	11	<1	<1	2	4	6	8	15
35-49	422	3.6	14	<1	<1	2	4	8	11	19
50-64										
65+										
GRAND TOTAL	10950	2.9	11	<1	<1	2	4	6	8	16

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.3	1	2	2	3	4	4	5	6
20-34	430	3.5	4	2	2	3	4	5	5	10
35-49	18	3.4	1	2	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	45	4.7	14	2	3	4	4	7	12	21
20-34	271	4.8	11	2	3	4	6	7	9	24
35-49	17	6.2	21	2	3	5	6	12	18	21
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	3.7	6	2	2	3	4	5	6	11
20-34	709	3.8	6	2	2	3	4	5	7	16
35-49	47	4.6	17	2	2	3	5	7	9	29
50-64										
65+										
B. *Operated*										
0-19 YRS	217	6.9	79	2	3	4	6	11	24	54
20-34	1459	7.1	67	2	3	5	7	13	22	49
35-49	134	8.0	48	3	3	6	9	16	24	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	3.5	3	2	2	3	4	5	5	9
B. *Operated*	333	4.8	12	2	3	4	6	7	10	22
2. MULTIPLE DX										
A. *Not Operated*	945	3.8	6	2	2	3	4	5	7	16
B. *Operated*	1810	7.1	67	3	3	5	7	13	23	49
1. SINGLE DX	883	4.0	7	2	2	3	4	6	7	16
2. MULTIPLE DX	2755	6.0	48	2	3	4	6	10	17	39
A. NOT OPERATED	1495	3.7	5	2	2	3	4	5	6	12
B. OPERATED	2143	6.8	59	2	3	4	7	12	21	45
TOTAL 0-19 YRS	553	5.0	37	2	3	4	4	7	11	37
20-34	2869	5.5	40	2	3	4	5	9	15	37
35-49	216	6.8	38	2	3	5	7	12	18	36
50-64										
65+										
GRAND TOTAL	**3638**	**5.5**	**39**	**2**	**3**	**4**	**5**	**9**	**15**	**36**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11763	3.2	2	2	2	3	4	4	5	6
20-34	69619	3.3	1	2	2	3	4	4	5	6
35-49	2565	3.3	2	2	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2719	3.2	1	2	2	3	4	4	5	6
20-34	16069	3.3	1	2	2	3	4	4	5	6
35-49	630	3.5	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	519	3.5	4	2	2	3	4	5	6	8
20-34	2526	3.6	2	2	2	3	4	5	6	8
35-49	123	3.5	5	1	2	3	4	5	7	13
50-64										
65+										
B. *Operated*										
0-19 YRS	297	3.7	3	2	2	3	4	5	7	10
20-34	8898	4.0	2	2	3	4	5	5	6	8
35-49	862	4.3	3	3	3	4	5	6	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83947	3.2	1	2	2	3	4	4	5	6
B. *Operated*	19418	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	3168	3.5	2	2	2	3	4	5	6	8
B. *Operated*	10057	4.0	2	2	3	4	5	5	6	8
1. SINGLE DX	103365	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX	13225	3.9	2	2	3	4	4	5	6	8
A. NOT OPERATED	87115	3.3	1	2	2	3	4	4	5	6
B. OPERATED	29475	3.6	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	15298	3.2	2	2	2	3	4	4	5	6
20-34	97112	3.3	1	2	2	3	4	5	5	6
35-49	4180	3.6	2	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**116590**	**3.3**	**1**	**2**	**2**	**3**	**4**	**5**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	79	3.9	12	2	2	3	4	6	7	25
35-49	7	6.9	81	2	2	4	6	23	27	27
50-64										
65+										
B. *Operated*										
0-19 YRS	22	5.3	3	2	3	5	6	8	9	10
20-34	295	9.0	79	3	4	6	8	17	31	50
35-49	27	8.6	41	3	3	7	8	21	24	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	4	2	2	3	6	7	7	7
20-34	48	4.6	28	1	2	3	4	6	12	30
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	38	7.7	59	2	3	5	8	15	19	47
20-34	584	9.5	87	3	4	7	9	19	29	54
35-49	67	10.5	135	3	3	7	10	24	34	65
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.1	17	2	2	3	4	6	7	29
B. *Operated*	344	8.7	72	3	4	6	8	15	29	48
2. MULTIPLE DX										
A. *Not Operated*	54	4.5	26	1	2	3	4	6	10	30
B. *Operated*	689	9.5	90	3	4	7	9	19	30	54
1. SINGLE DX	434	7.7	64	2	3	6	7	12	25	47
2. MULTIPLE DX	743	9.1	87	3	4	6	8	18	28	52
A. NOT OPERATED	144	4.3	20	1	2	3	4	6	8	30
B. OPERATED	1033	9.2	84	3	4	6	8	18	29	51
TOTAL 0-19 YRS	70	6.3	36	2	2	5	6	10	15	41
20-34	1006	8.7	79	3	3	6	8	17	28	50
35-49	101	9.7	106	3	3	7	9	23	29	59
50-64										
65+										
GRAND TOTAL	**1177**	**8.6**	**79**	**3**	**3**	**6**	**8**	**16**	**27**	**50**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.0	1	1	2	3	3	4	5	8
20-34	323	3.2	2	1	2	3	4	5	5	9
35-49	13	3.0	1	1	2	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	83	4.7	5	2	3	4	6	7	7	15
20-34	357	4.7	4	2	2	5	6	7	8	11
35-49	25	5.9	24	2	2	5	6	7	14	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.3	4	1	1	3	4	6	7	12
20-34	215	3.4	4	1	2	3	4	5	6	13
35-49	13	3.9	13	1	1	3	4	8	14	15
50-64										
65+										
B. *Operated*										
0-19 YRS	155	5.2	9	2	2	5	6	8	10	17
20-34	927	5.6	18	2	3	5	6	8	10	24
35-49	72	6.0	9	2	3	6	7	8	10	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	3.2	2	1	2	3	4	5	5	8
B. *Operated*	465	4.8	5	2	2	5	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	288	3.4	4	1	2	3	4	5	7	13
B. *Operated*	1154	5.6	16	2	3	5	7	8	10	23
1. SINGLE DX	858	4.0	4	2	2	4	5	6	7	11
2. MULTIPLE DX	1442	5.2	15	2	2	5	6	8	10	18
A. NOT OPERATED	681	3.3	3	1	2	3	4	5	6	10
B. OPERATED	1619	5.3	13	2	3	5	6	8	10	18
TOTAL 0-19 YRS	355	4.4	7	1	2	4	5	7	8	15
20-34	1822	4.8	12	2	2	4	6	7	9	16
35-49	123	5.4	12	2	2	5	7	8	10	21
50-64										
65+										
GRAND TOTAL	**2300**	**4.7**	**11**	**2**	**2**	**4**	**6**	**7**	**9**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	2	1	2	3	4	5	5	5
20-34	76	3.1	1	1	2	3	4	5	5	7
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	175	3.1	1	1	1	3	4	4	5	7
20-34	1041	3.3	5	1	2	3	4	5	5	7
35-49	46	3.4	3	1	1	3	4	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	26	3.3	1	2	2	3	4	4	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	91	3.8	4	1	2	3	4	6	7	14
20-34	733	4.0	3	2	2	4	5	6	7	12
35-49	47	4.1	2	2	3	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	3.2	1	1	2	3	4	5	5	7
B. *Operated*	1262	3.3	5	1	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	31	3.4	1	2	2	3	4	5	5	6
B. *Operated*	871	4.0	3	2	2	4	5	6	7	12
1. SINGLE DX	1356	3.3	4	1	2	3	4	5	5	7
2. MULTIPLE DX	902	4.0	3	2	2	4	4	6	7	12
A. NOT OPERATED	125	3.2	1	1	2	3	4	5	5	6
B. OPERATED	2133	3.6	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	286	3.3	2	1	2	3	4	5	6	8
20-34	1876	3.6	4	1	2	3	4	5	6	9
35-49	96	3.7	3	1	2	4	4	5	6	10
50-64										
65+										
GRAND TOTAL	**2258**	**3.5**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.3	1	1	2	3	4	4	5	5
20-34	299	3.3	1	1	2	3	4	5	5	6
35-49	12	3.9	1	2	2	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.5	2	2	2	3	4	5	5	7
20-34	194	3.4	2	1	2	3	4	5	6	7
35-49	6	3.5	4	<1	<1	3	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.5	1	2	2	3	4	5	6	7
20-34	141	3.7	1	2	3	4	4	5	5	7
35-49	7	3.4	2	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	43	3.9	1	3	3	4	5	5	6	8
20-34	301	4.2	5	2	3	4	5	6	7	12
35-49	21	4.7	3	2	3	5	6	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	3.3	1	1	2	3	4	5	5	6
B. *Operated*	230	3.4	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	175	3.7	1	2	3	4	4	5	5	7
B. *Operated*	365	4.2	5	2	3	4	5	6	7	12
1. SINGLE DX	597	3.4	1	1	2	3	4	5	5	7
2. MULTIPLE DX	540	4.0	4	2	3	4	4	5	7	10
A. NOT OPERATED	542	3.4	1	2	2	3	4	5	5	6
B. OPERATED	595	3.9	4	2	2	4	4	5	7	10
TOTAL 0-19 YRS	156	3.6	1	2	2	3	4	5	5	7
20-34	935	3.7	3	2	2	4	4	5	6	9
35-49	46	4.1	3	1	2	4	5	6	7	8
50-64										
65+										
GRAND TOTAL	**1137**	**3.7**	**3**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	2	3	3	4	5	7	7	7
20-34	192	4.1	4	2	3	4	5	6	6	10
35-49	9	3.8	2	2	2	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	13	4.4	2	2	3	4	5	6	7	7
20-34	148	5.2	8	3	3	5	6	7	9	19
35-49	12	5.5	7	3	3	5	6	10	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.5	44	1	1	3	4	6	9	38
20-34	192	4.6	13	2	2	4	5	7	9	23
35-49	13	4.5	2	3	3	5	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	88	6.1	27	2	2	5	7	10	12	35
20-34	1144	6.3	24	3	3	5	7	9	12	31
35-49	63	5.1	4	3	3	5	6	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	4.1	4	2	3	4	5	6	6	10
B. *Operated*	173	5.2	7	3	3	5	6	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	234	4.6	16	2	2	4	5	6	8	30
B. *Operated*	1295	6.3	23	3	3	5	7	9	12	31
1. SINGLE DX	387	4.6	6	2	3	4	5	6	7	15
2. MULTIPLE DX	1529	6.0	23	2	3	5	7	9	12	31
A. NOT OPERATED	448	4.3	10	2	2	4	5	6	7	15
B. OPERATED	1468	6.1	22	3	3	5	7	9	12	30
TOTAL 0-19 YRS	143	5.5	26	2	2	4	6	8	11	38
20-34	1676	5.8	20	2	3	5	6	8	11	29
35-49	97	4.9	4	3	3	5	6	8	9	12
50-64										
65+										
GRAND TOTAL	**1916**	**5.7**	**20**	**2**	**3**	**5**	**6**	**8**	**11**	**29**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.9	1	1	1	3	3	4	4	5
20-34	454	3.3	1	2	2	3	4	5	5	6
35-49	27	3.4	1	2	2	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	384	5.2	3	2	3	5	6	7	8	10
20-34	2628	5.1	2	3	3	5	6	7	8	9
35-49	77	4.9	3	2	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.3	4	2	2	3	3	5	7	11
20-34	184	3.7	6	2	2	3	4	6	6	9
35-49	11	5.1	31	1	1	3	6	12	20	21
50-64										
65+										
B. *Operated*										
0-19 YRS	432	5.9	11	3	3	6	7	8	9	18
20-34	3112	5.7	6	3	3	6	6	8	9	14
35-49	241	6.3	16	2	3	6	7	9	13	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	3.3	1	2	2	3	4	5	5	6
B. *Operated*	3089	5.1	2	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	221	3.7	7	2	2	3	4	6	6	14
B. *Operated*	3785	5.7	7	3	3	6	7	8	9	15
1. SINGLE DX	3621	4.9	3	2	3	5	6	7	7	9
2. MULTIPLE DX	4006	5.6	8	3	3	5	6	8	9	15
A. NOT OPERATED	753	3.4	3	2	2	3	4	5	6	7
B. OPERATED	6874	5.5	5	3	3	5	6	7	8	12
TOTAL 0-19 YRS	893	5.3	8	2	3	5	6	8	9	12
20-34	6378	5.2	5	2	3	5	6	7	8	11
35-49	356	5.7	13	2	3	5	7	8	12	21
50-64										
65+										
GRAND TOTAL	**7627**	**5.3**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.3	1	2	2	3	4	5	5	6
20-34	634	3.3	1	2	2	3	4	5	5	6
35-49	26	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	278	4.1	2	2	3	4	5	6	7	8
20-34	1766	4.4	3	2	3	4	5	6	7	9
35-49	95	5.0	5	3	3	5	6	8	8	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.4	1	1	2	4	4	4	5	7
20-34	350	3.8	9	2	2	3	4	5	6	8
35-49	13	4.5	3	3	3	4	5	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	704	4.9	4	3	3	5	6	7	9	12
20-34	4366	5.0	5	3	3	5	6	7	8	12
35-49	305	5.4	4	3	3	5	7	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	3.3	1	2	2	3	4	5	5	6
B. *Operated*	2139	4.4	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	405	3.8	8	2	2	3	4	5	6	9
B. *Operated*	5375	5.0	5	3	3	5	6	7	8	12
1. SINGLE DX	2875	4.1	2	2	3	4	5	6	7	8
2. MULTIPLE DX	5780	4.9	5	3	3	5	6	7	8	12
A. NOT OPERATED	1141	3.5	3	2	2	3	4	5	5	7
B. OPERATED	7514	4.8	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	1100	4.5	3	2	3	4	5	7	8	11
20-34	7116	4.6	4	2	3	4	6	7	8	11
35-49	439	5.2	4	3	3	5	6	8	9	12
50-64										
65+										
GRAND TOTAL	**8655**	**4.7**	**4**	**2**	**3**	**4**	**6**	**7**	**8**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	2	1	2	3	4	5	6	7
20-34	94	3.8	2	2	2	3	4	6	7	9
35-49	5	3.6	2	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	740	5.9	2	4	4	6	7	8	8	10
20-34	2930	6.0	4	4	5	6	7	7	8	10
35-49	72	6.1	2	4	4	6	7	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.3	15	3	3	4	5	12	13	13
20-34	45	4.2	4	2	2	4	5	7	9	9
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1319	6.6	6	4	5	6	7	9	11	14
20-34	5931	6.4	5	4	5	6	7	8	9	14
35-49	244	6.8	3	4	5	7	8	9	10	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.7	2	2	2	3	4	6	7	9
B. *Operated*	3742	6.0	3	4	5	6	7	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	53	4.4	5	2	2	4	5	7	9	13
B. *Operated*	7494	6.4	5	4	5	6	7	8	10	14
1. SINGLE DX	3855	5.9	3	4	4	6	7	7	8	10
2. MULTIPLE DX	7547	6.4	5	4	5	6	7	8	10	14
A. NOT OPERATED	166	3.9	3	2	2	3	4	6	7	9
B. OPERATED	11236	6.3	5	4	5	6	7	8	9	13
TOTAL 0-19 YRS	2079	6.3	5	4	4	6	7	8	10	13
20-34	9000	6.2	5	4	5	6	7	8	9	13
35-49	323	6.6	3	4	5	6	7	9	10	12
50-64										
65+										
GRAND TOTAL	**11402**	**6.2**	**5**	**4**	**5**	**6**	**7**	**8**	**9**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	3.5	1	2	2	3	4	5	5	6
20-34	868	3.6	1	2	3	4	4	5	5	6
35-49	26	3.5	1	2	2	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	236	4.4	3	2	3	4	5	7	7	10
20-34	1324	4.6	3	3	3	4	6	7	7	9
35-49	57	4.8	3	3	3	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	4.1	4	2	2	4	5	6	7	15
20-34	461	3.7	2	2	3	4	4	5	6	7
35-49	18	4.1	1	2	3	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	554	5.3	8	3	3	5	6	8	9	16
20-34	3057	5.0	4	3	3	5	6	7	8	11
35-49	162	5.7	6	3	3	5	7	9	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1078	3.6	1	2	2	4	4	5	5	6
B. *Operated*	1617	4.6	3	3	3	4	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	570	3.8	2	2	3	4	4	5	6	8
B. *Operated*	3773	5.1	5	3	3	5	6	7	8	13
1. SINGLE DX	2695	4.2	2	2	3	4	5	6	7	8
2. MULTIPLE DX	4343	4.9	5	3	3	5	6	7	8	13
A. NOT OPERATED	1648	3.7	1	2	3	4	4	5	5	7
B. OPERATED	5390	4.9	4	3	3	5	6	7	8	12
TOTAL 0-19 YRS	1065	4.7	6	2	3	4	5	7	8	14
20-34	5710	4.6	4	3	3	4	5	7	8	10
35-49	263	5.2	5	3	3	5	6	8	9	17
50-64										
65+										
GRAND TOTAL	**7038**	**4.6**	**4**	**2**	**3**	**4**	**6**	**7**	**8**	**11**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.2	1	2	2	3	3	4	6	7
20-34	152	3.8	6	2	2	3	4	5	6	14
35-49	13	3.9	2	2	2	4	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	64	4.7	6	1	2	4	6	8	9	13
20-34	543	5.1	10	2	3	5	6	7	8	12
35-49	36	6.7	40	3	3	6	7	8	9	42
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.1	2	1	1	3	4	5	6	6
20-34	84	4.0	4	2	2	4	5	7	8	11
35-49	8	3.1		2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	137	6.2	17	2	3	6	7	8	11	23
20-34	1275	6.1	19	3	3	6	7	8	10	17
35-49	96	6.8	16	3	3	6	7	10	13	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	185	3.7	5	2	2	3	4	5	6	13
B. *Operated*	643	5.1	11	2	3	5	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	108	3.8	3	2	2	3	4	7	7	11
B. *Operated*	1508	6.1	19	3	3	6	7	8	10	20
1. SINGLE DX	828	4.8	10	2	3	4	6	7	8	12
2. MULTIPLE DX	1616	6.0	18	3	3	6	7	8	10	19
A. NOT OPERATED	293	3.8	5	2	2	3	4	5	7	12
B. OPERATED	2151	5.8	17	3	3	6	7	8	10	17
TOTAL 0-19 YRS	237	5.3	13	2	2	5	6	8	10	16
20-34	2054	5.5	16	2	3	5	7	8	9	15
35-49	153	6.3	20	3	3	6	7	9	12	27
50-64										
65+										
GRAND TOTAL	**2444**	**5.6**	**16**	**2**	**3**	**5**	**7**	**8**	**9**	**16**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	74	3.7	3	1	2	3	4	6	8	10
35-49	5	3.8	3	1	1	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	549	5.9	2	4	4	6	7	7	8	11
20-34	8841	6.1	2	4	5	6	7	7	8	9
35-49	377	6.4	2	5	5	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	24	5.0	4	2	2	5	7	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	402	6.3	4	4	4	6	7	8	10	15
20-34	8988	6.4	6	4	5	6	7	8	9	15
35-49	640	7.1	11	5	5	7	8	9	11	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.7	3	1	2	3	4	6	7	10
B. *Operated*	9767	6.1	2	4	5	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	26	4.9	4	2	2	5	6	8	8	8
B. *Operated*	10030	6.5	6	4	5	6	7	8	9	15
1. SINGLE DX	9847	6.1	2	4	5	6	7	7	8	9
2. MULTIPLE DX	10056	6.5	6	4	5	6	7	8	9	15
A. NOT OPERATED	106	4.0	3	1	2	4	5	7	8	9
B. OPERATED	19797	6.3	4	4	5	6	7	8	8	12
TOTAL 0-19 YRS	954	6.1	3	4	4	6	7	8	9	13
20-34	17927	6.2	4	4	5	6	7	8	8	12
35-49	1022	6.8	8	5	5	7	7	8	10	17
50-64										
65+										
GRAND TOTAL	**19903**	**6.3**	**4**	**4**	**5**	**6**	**7**	**8**	**8**	**12**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	3.5	1	2	2	3	4	5	5	7
20-34	1652	3.7	2	2	2	4	4	5	6	7
35-49	68	3.6	2	2	2	4	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	283	3.8	2	2	2	4	4	6	6	9
20-34	1807	4.0	3	2	3	4	5	6	7	8
35-49	67	4.2	2	2	3	4	5	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	4.2	6	2	2	4	5	6	8	17
20-34	936	4.0	4	2	2	4	5	6	7	11
35-49	38	4.5	21	1	2	3	5	6	11	29
50-64										
65+										
B. *Operated*										
0-19 YRS	658	5.0	17	2	3	4	6	7	9	15
20-34	4409	5.0	7	3	3	5	6	7	8	13
35-49	281	5.3	5	3	3	5	6	8	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1970	3.7	2	2	2	4	4	5	6	7
B. *Operated*	2157	4.0	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1125	4.1	5	2	2	4	5	6	7	12
B. *Operated*	5348	5.0	8	3	3	5	6	7	9	13
1. SINGLE DX	4127	3.8	2	2	3	4	4	5	6	8
2. MULTIPLE DX	6473	4.8	7	2	3	4	6	7	8	13
A. NOT OPERATED	3095	3.8	3	2	2	4	4	5	6	9
B. OPERATED	7505	4.7	6	2	3	4	6	7	8	12
TOTAL 0-19 YRS	1342	4.4	10	2	3	4	5	7	8	12
20-34	8804	4.4	5	2	3	4	5	7	8	11
35-49	454	4.8	6	2	3	4	6	8	9	13
50-64										
65+										
GRAND TOTAL	**10600**	**4.4**	**6**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1207	3.2	4	2	2	3	4	4	5	6
20-34	7853	3.3	1	2	2	3	4	4	5	6
35-49	288	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	619	3.3	1	2	2	3	4	4	5	7
20-34	3837	3.4	1	2	2	3	4	5	5	7
35-49	162	3.6	2	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	3.4	1	2	2	3	4	5	5	7
20-34	1648	3.5	2	2	2	3	4	5	6	8
35-49	73	3.6	2	2	2	3	4	5	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	563	3.6	3	2	2	3	4	5	6	8
20-34	4890	3.9	4	2	3	4	4	6	6	9
35-49	358	4.0	2	2	2	4	5	6	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9348	3.3	1	2	2	3	4	4	5	6
B. *Operated*	4618	3.4	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	1992	3.5	2	2	2	3	4	5	6	8
B. *Operated*	5811	3.9	3	2	3	4	4	5	6	9
1. SINGLE DX	13966	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX	7803	3.8	3	2	2	4	4	5	6	9
A. NOT OPERATED	11340	3.3	1	2	2	3	4	4	5	6
B. OPERATED	10429	3.7	3	2	2	3	4	5	6	8
TOTAL 0-19 YRS	2660	3.3	3	2	2	3	4	4	5	7
20-34	18228	3.5	2	2	2	3	4	5	5	7
35-49	881	3.7	2	2	2	4	4	5	6	8
50-64										
65+										
GRAND TOTAL	**21769**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	3.0	1	2	2	3	3	4	4	6
20-34	1046	3.1	1	1	2	3	4	4	5	6
35-49	59	3.1	1	1	1	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1474	3.1	2	2	2	3	4	4	4	6
20-34	10774	3.1	1	2	2	3	4	4	5	6
35-49	656	3.3	1	2	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.2	1	2	2	3	4	4	5	6
20-34	260	3.2	2	1	2	3	4	4	5	7
35-49	11	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	655	3.4	2	2	2	3	4	5	5	8
20-34	5350	3.6	2	2	2	3	4	5	6	9
35-49	446	3.9	2	2	2	4	4	5	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1249	3.1	1	1	2	3	4	4	5	6
B. *Operated*	12904	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	298	3.2	2	2	2	3	4	4	5	7
B. *Operated*	6451	3.6	2	2	2	3	4	5	6	8
1. SINGLE DX	14153	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX	6749	3.6	2	2	2	3	4	5	6	8
A. NOT OPERATED	1547	3.1	1	1	2	3	4	4	5	6
B. OPERATED	19355	3.3	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	2300	3.2	2	2	2	3	4	4	5	7
20-34	17430	3.3	2	2	2	3	4	5	5	7
35-49	1172	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**20902**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	3.4	1	2	2	3	4	5	5	8
20-34	515	3.4	2	2	2	3	4	5	5	7
35-49	17	3.1	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1725	3.3	1	2	2	3	4	4	5	6
20-34	7208	3.5	1	2	2	3	4	5	5	6
35-49	143	3.6	1	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.9	2	1	2	3	3	4	5	8
20-34	113	3.6	1	2	2	3	4	5	5	8
35-49	5	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1030	3.7	2	2	2	3	4	5	6	9
20-34	3991	3.9	2	2	3	4	4	5	6	9
35-49	143	4.6	8	2	3	4	5	6	8	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	671	3.4	2	2	2	3	4	5	5	8
B. *Operated*	9076	3.4	1	2	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	147	3.5	2	2	2	3	4	5	5	8
B. *Operated*	5164	3.8	2	2	3	4	4	5	6	9
1. SINGLE DX	9747	3.4	1	2	2	3	4	5	5	6
2. MULTIPLE DX	5311	3.8	2	2	3	4	4	5	6	9
A. NOT OPERATED	818	3.4	2	2	2	3	4	5	5	8
B. OPERATED	14240	3.6	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	2923	3.4	1	2	2	3	4	4	5	8
20-34	11827	3.6	2	2	2	3	4	5	5	7
35-49	308	4.0	5	2	3	4	5	6	6	16
50-64										
65+										
GRAND TOTAL	**15058**	**3.6**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.2	1	2	2	3	4	4	5	5
20-34	492	3.3	1	2	2	3	4	4	5	6
35-49	10	3.1	2	2	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	731	3.2	1	2	2	3	4	4	5	7
20-34	3202	3.4	1	2	2	3	4	5	5	7
35-49	82	3.9	3	2	2	4	4	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.5	1	2	2	3	4	5	6	6
20-34	135	3.4	1	2	2	3	4	5	5	7
35-49	7	3.1		2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	555	3.6	1	2	3	3	4	5	6	7
20-34	2477	3.9	3	2	3	4	4	5	6	9
35-49	113	4.4	5	3	3	4	5	6	7	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	3.2	1	2	2	3	4	4	5	6
B. *Operated*	4015	3.3	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	168	3.4	1	2	2	3	4	5	5	7
B. *Operated*	3145	3.8	3	2	3	4	4	5	6	9
1. SINGLE DX	4670	3.3	1	2	2	3	4	4	5	7
2. MULTIPLE DX	3313	3.8	3	2	3	4	4	5	6	9
A. NOT OPERATED	823	3.3	1	2	2	3	4	4	5	7
B. OPERATED	7160	3.6	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	1465	3.4	1	2	2	3	4	4	5	7
20-34	6306	3.6	2	2	2	3	4	5	6	8
35-49	212	4.1	4	2	3	4	5	6	7	12
50-64										
65+										
GRAND TOTAL	**7983**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1457	3.4	3	1	2	3	4	5	6	9
20-34	7095	3.5	3	2	2	3	4	5	6	9
35-49	349	3.7	7	2	2	3	4	5	6	16
50-64										
65+										
B. *Operated*										
0-19 YRS	4712	3.6	2	2	2	3	4	5	6	9
20-34	22469	3.8	3	2	3	4	4	5	6	9
35-49	884	4.1	4	2	3	4	5	6	7	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	975	3.8	7	1	2	3	4	6	7	15
20-34	3905	3.8	6	1	2	3	4	6	7	14
35-49	226	4.1	17	1	2	3	4	6	7	31
50-64										
65+										
B. *Operated*										
0-19 YRS	4499	4.8	10	2	3	4	5	8	10	18
20-34	22724	4.9	11	2	3	4	6	7	9	18
35-49	1585	5.6	20	2	3	5	6	8	11	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8901	3.5	3	2	2	3	4	5	6	9
B. *Operated*	28065	3.8	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	5106	3.8	7	1	2	3	4	6	7	14
B. *Operated*	28808	4.9	11	2	3	4	6	8	10	18
1. SINGLE DX	36966	3.7	3	2	2	3	4	5	6	9
2. MULTIPLE DX	33914	4.7	11	2	3	4	5	7	9	18
A. NOT OPERATED	14007	3.6	4	1	2	3	4	5	6	11
B. OPERATED	56873	4.4	7	2	3	4	5	7	8	15
TOTAL 0-19 YRS	11643	4.1	6	2	2	3	4	6	8	14
20-34	56193	4.2	7	2	2	4	5	6	8	14
35-49	3044	4.8	14	2	2	4	5	7	9	19
50-64										
65+										
GRAND TOTAL	70880	4.2	7	2	2	4	5	6	8	14

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	4.3	4	2	2	4	5	6	7	14
20-34	178	4.3	6	2	2	4	5	7	9	13
35-49	5	5.2	12	1	1	5	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	7	7.1	12	4	4	7	9	12	13	13
20-34	19	6.6	18	2	2	6	9	12	15	18
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.7	56	2	2	4	5	8	23	37
20-34	91	4.4	11	1	1	4	5	8	10	19
35-49	7	5.9	5	3	3	6	7	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	6	6.2	11	2	2	5	9	11	11	11
20-34	34	7.1	28	2	2	6	8	16	19	25
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	4.3	5	2	2	4	5	7	9	13
B. *Operated*	26	6.7	16	2	2	6	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	119	4.7	18	1	2	4	5	8	11	26
B. *Operated*	42	6.8	25	2	2	6	8	14	18	25
1. SINGLE DX	266	4.5	7	2	2	4	5	8	10	15
2. MULTIPLE DX	161	5.3	21	1	2	4	6	9	13	25
A. NOT OPERATED	359	4.4	10	1	2	4	5	7	9	16
B. OPERATED	68	6.8	21	2	2	6	9	13	17	24
TOTAL 0-19 YRS	91	4.9	17	2	2	4	5	7	11	28
20-34	322	4.7	11	1	2	4	6	8	11	18
35-49	14	5.5	8	1	2	5	7	10	10	10
50-64										
65+										
GRAND TOTAL	427	4.8	12	2	2	4	6	8	11	18

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	1.8	1	<1	1	2	2	3	3	6
20-34	203	1.8	2	<1	1	1	2	3	4	6
35-49	8	2.3	3	<1	<1	2	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	119	2.0	1	1	1	2	2	4	4	6
20-34	659	1.9	3	<1	1	2	2	3	4	6
35-49	30	2.3	10	1	1	2	3	3	4	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	2.5	1	<1	1	2	4	4	4	4
20-34	89	2.5	2	1	1	2	3	4	5	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	51	2.7	3	<1	1	2	3	5	7	8
20-34	330	3.0	7	1	1	2	4	6	8	12
35-49	22	3.1	6	1	1	2	3	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	1.8	2	<1	1	2	2	3	4	6
B. *Operated*	808	2.0	3	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	108	2.5	2	1	1	2	3	4	5	6
B. *Operated*	403	3.0	7	1	1	2	4	6	8	11
1. SINGLE DX	1062	1.9	2	<1	1	2	2	3	4	6
2. MULTIPLE DX	511	2.9	6	1	1	2	4	5	7	11
A. NOT OPERATED	362	2.0	2	<1	1	2	3	4	4	6
B. OPERATED	1211	2.3	4	<1	1	2	3	4	6	9
TOTAL 0-19 YRS	232	2.1	2	<1	1	2	3	4	5	7
20-34	1281	2.2	4	<1	1	2	3	4	5	9
35-49	60	2.6	7	1	1	2	3	5	8	17
50-64										
65+										
GRAND TOTAL	**1573**	**2.2**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.1	12	1	1	3	5	9	13	14
20-34	164	4.2	11	1	1	3	5	9	11	18
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	42	3.9	14	1	1	3	4	8	13	20
20-34	204	3.8	11	1	1	3	4	7	10	16
35-49	10	3.7	6	1	1	3	4	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.6	6	1	1	3	4	7	9	10
20-34	98	4.3	10	1	1	3	5	9	11	16
35-49	7	10.9	39	5	5	9	13	21	23	23
50-64										
65+										
B. *Operated*										
0-19 YRS	33	4.4	16	2	2	3	4	9	15	18
20-34	173	5.5	36	1	1	4	6	12	16	37
35-49	18	3.8	9	1	2	3	4	6	11	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	4.1	11	1	1	3	5	9	11	17
B. *Operated*	256	3.8	11	1	1	3	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	123	4.6	13	1	1	4	5	10	12	18
B. *Operated*	224	5.2	31	1	2	3	6	11	15	31
1. SINGLE DX	457	3.9	11	1	1	3	4	8	11	18
2. MULTIPLE DX	347	5.0	24	1	1	3	6	10	14	26
A. NOT OPERATED	324	4.3	12	1	1	3	5	9	11	17
B. OPERATED	480	4.4	21	1	1	3	5	9	13	25
TOTAL 0-19 YRS	126	4.0	12	1	1	3	4	8	13	18
20-34	639	4.4	18	1	1	3	5	9	12	20
35-49	39	5.0	19	1	2	3	6	11	14	23
50-64										
65+										
GRAND TOTAL	**804**	**4.4**	**17**	**1**	**1**	**3**	**5**	**9**	**13**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1000	4.3	6	2	2	4	5	7	9	12
20-34	870	4.6	7	1	2	4	6	8	10	14
35-49	573	5.3	10	2	2	5	7	9	11	17
50-64	506	6.2	16	2	2	5	8	11	14	20
65+	391	8.0	27	3	3	7	10	14	17	30
B. *Operated*										
0-19 YRS	514	4.9	14	1	2	4	6	9	11	19
20-34	557	5.9	29	1	2	4	7	11	15	30
35-49	312	6.2	28	1	2	5	8	12	14	29
50-64	248	8.3	83	2	2	6	10	15	18	41
65+	185	9.5	66	2	3	7	12	21	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	889	5.0	9	2	2	4	6	8	11	16
20-34	1180	6.2	25	2	2	5	7	11	14	27
35-49	1140	7.6	37	2	3	6	9	14	19	32
50-64	1646	9.0	42	3	3	7	11	16	21	35
65+	2446	10.7	52	3	4	9	13	20	24	39
B. *Operated*										
0-19 YRS	355	8.1	61	2	2	6	10	15	21	41
20-34	729	9.3	67	2	3	7	11	19	27	44
35-49	614	12.3	122	2	3	9	15	25	35	60
50-64	815	14.4	164	3	4	11	18	30	41	73
65+	967	17.8	193	4	5	14	22	37	50	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3340	5.3	12	2	2	4	7	9	12	18
B. *Operated*	1816	6.4	38	1	2	5	8	12	16	32
2. MULTIPLE DX										
A. *Not Operated*	7301	8.4	42	2	3	7	10	16	21	34
B. *Operated*	3480	13.3	146	2	3	10	17	28	39	62
1. SINGLE DX	5156	5.7	21	2	2	4	7	10	13	25
2. MULTIPLE DX	10781	10.0	81	2	3	7	12	20	27	48
A. NOT OPERATED	10641	7.4	35	2	3	6	9	14	18	31
B. OPERATED	5296	10.9	120	2	3	8	14	23	33	58
TOTAL 0-19 YRS	2758	5.1	17	2	2	4	6	9	12	20
20-34	3336	6.4	33	2	2	5	8	12	16	34
35-49	2639	8.0	56	2	2	6	9	15	22	41
50-64	3215	9.9	80	2	3	7	12	19	26	44
65+	3989	12.1	96	3	4	9	15	23	31	54
GRAND TOTAL	**15937**	**8.6**	**66**	**2**	**3**	**6**	**10**	**17**	**23**	**43**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	4.1	5	1	2	4	5	7	8	11
20-34	182	4.5	18	1	2	4	5	7	11	25
35-49	89	5.6	18	1	2	5	6	9	15	26
50-64	78	5.6	14	2	2	4	7	10	12	21
65+	73	8.5	39	2	3	6	11	17	22	31
B. *Operated*										
0-19 YRS	253	3.8	10	1	1	3	5	8	10	18
20-34	276	5.2	32	1	2	4	6	10	14	22
35-49	140	5.3	23	1	1	4	7	12	15	24
50-64	121	7.3	72	2	2	5	8	14	22	49
65+	75	6.5	27	1	2	5	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	412	5.0	18	2	2	4	6	9	11	20
20-34	251	5.8	28	1	2	4	7	10	15	31
35-49	190	7.1	33	2	3	6	8	12	16	34
50-64	272	9.0	58	2	3	7	11	16	23	40
65+	416	10.2	61	3	4	8	13	19	23	47
B. *Operated*										
0-19 YRS	184	5.8	26	1	2	5	8	11	14	28
20-34	217	8.8	99	1	2	6	10	19	29	55
35-49	206	10.1	137	2	2	7	12	19	26	73
50-64	287	12.0	131	2	2	8	15	28	36	51
65+	323	15.4	176	3	4	12	20	32	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	779	5.0	15	1	2	4	6	9	11	22
B. *Operated*	865	5.2	30	1	1	4	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1541	7.5	44	2	2	6	9	15	19	35
B. *Operated*	1217	11.1	133	2	2	8	14	23	33	57
1. SINGLE DX	1644	5.1	23	1	2	4	6	10	13	23
2. MULTIPLE DX	2758	9.1	86	2	2	6	11	18	27	51
A. NOT OPERATED	2320	6.6	36	2	2	5	8	13	17	32
B. OPERATED	2082	8.6	98	1	2	6	10	19	27	54
TOTAL 0-19 YRS	1206	4.6	14	1	2	4	6	8	10	18
20-34	926	6.1	46	1	2	4	7	12	17	35
35-49	625	7.5	66	2	2	5	9	14	20	39
50-64	758	9.5	88	2	2	7	11	20	29	47
65+	887	11.6	107	2	3	9	15	22	30	61
GRAND TOTAL	**4402**	**7.6**	**66**	**1**	**2**	**5**	**9**	**16**	**22**	**44**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.8	5	1	1	2	4	6	7	8
20-34	41	4.3	12	<1	1	3	6	8	10	19
35-49	11	4.0	6	<1	<1	4	5	7	10	10
50-64	3	4.0	19	1	1	2	7	9	9	9
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1343	4.0	4	2	2	4	5	6	8	10
20-34	2443	4.2	8	2	2	4	5	6	8	12
35-49	342	3.9	5	1	2	3	5	6	8	12
50-64	77	4.6	8	2	2	4	6	7	9	19
65+	19	4.6	5	2	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.1	4	<1	<1	1	3	6	7	7
20-34	21	4.4	18	<1	1	3	6	11	15	15
35-49	6	6.3	31	2	2	5	7	16	17	17
50-64	4	7.0	25	2	2	6	11	13	13	13
65+	3	4.3	1	3	3	5	5	5	5	5
B. *Operated*										
0-19 YRS	194	5.3	14	2	2	4	6	9	12	20
20-34	421	5.3	11	2	2	4	6	9	12	18
35-49	123	5.5	14	2	2	5	6	9	13	22
50-64	64	7.9	42	2	3	6	10	16	21	34
65+	18	9.8	62	3	3	9	12	21	28	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.9	9	<1	1	3	5	8	10	17
B. *Operated*	4224	4.1	6	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	48	4.2	17	<1	<1	3	6	9	15	17
B. *Operated*	820	5.6	17	2	2	5	7	10	13	22
1. SINGLE DX	4296	4.1	6	2	2	4	5	6	8	12
2. MULTIPLE DX	868	5.6	17	2	2	4	7	10	13	22
A. NOT OPERATED	120	4.0	12	<1	1	3	5	8	10	18
B. OPERATED	5044	4.4	8	2	2	4	5	7	9	15
TOTAL 0-19 YRS	1567	4.1	5	2	2	4	5	7	8	13
20-34	2926	4.3	9	2	2	4	5	7	9	15
35-49	482	4.3	8	2	2	4	5	7	9	18
50-64	148	6.1	26	2	2	4	7	12	16	25
65+	41	6.8	36	2	3	5	9	12	20	32
GRAND TOTAL	**5164**	**4.3**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	2	2	3	3	3
20-34	4	2.3	4	1	1	2	3	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
0-19 YRS	246	1.8	1	<1	<1	2	2	3	3	5
20-34	353	2.1	2	<1	1	2	2	3	4	6
35-49	261	2.3	4	<1	1	2	3	4	4	10
50-64	213	2.6	5	<1	1	2	3	4	6	14
65+	97	3.2	9	<1	1	2	3	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.2	5	1	1	2	2	5	8	8
20-34	10	3.3	6	<1	<1	3	5	7	8	8
35-49	12	4.1	11	1	1	3	6	10	10	10
50-64	10	4.7	4	2	2	5	6	7	7	7
65+	9	6.2	6	2	3	7	8	9	10	10
B. *Operated*										
0-19 YRS	56	2.4	2	<1	1	2	2	5	6	7
20-34	169	3.8	21	1	1	2	4	6	10	23
35-49	183	4.1	12	1	1	3	5	8	11	17
50-64	187	4.7	18	1	1	3	6	10	13	22
65+	124	6.1	27	1	2	4	9	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.6	5	<1	1	2	3	7	8	8
B. *Operated*	1170	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	51	4.1	8	1	1	4	6	8	10	10
B. *Operated*	719	4.4	18	1	1	3	5	9	13	22
1. SINGLE DX	1185	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	770	4.4	18	1	1	3	5	9	12	22
A. NOT OPERATED	66	3.7	7	1	1	3	6	8	9	10
B. OPERATED	1889	3.1	10	<1	1	2	3	6	9	17
TOTAL 0-19 YRS	319	1.9	2	<1	1	2	2	3	4	7
20-34	536	2.6	9	<1	1	2	3	4	6	14
35-49	457	3.1	3	<1	1	2	4	6	9	14
50-64	411	3.6	12	<1	1	3	4	7	10	19
65+	232	4.9	21	1	1	3	7	11	14	23
GRAND TOTAL	**1955**	**3.1**	**10**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	718	4.5	20	1	1	3	5	9	15	23
20-34	499	6.3	49	1	1	4	7	16	23	32
35-49	310	8.4	66	1	2	6	10	20	25	39
50-64	309	9.5	81	1	2	6	12	21	29	46
65+	356	11.3	90	2	3	8	15	22	32	44
B. *Operated*										
0-19 YRS	1261	2.8	11	<1	1	2	3	5	7	17
20-34	1488	4.1	29	1	1	3	4	8	12	26
35-49	937	4.6	31	1	1	3	5	9	14	29
50-64	899	5.0	42	1	1	3	5	11	17	34
65+	642	9.4	152	1	2	4	12	25	33	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	771	5.0	16	1	2	4	6	10	13	21
20-34	689	8.4	91	1	2	5	9	21	28	47
35-49	736	9.9	93	2	2	7	12	22	29	50
50-64	1118	10.8	93	2	3	8	13	22	30	47
65+	2390	13.3	123	3	4	10	17	27	34	60
B. *Operated*										
0-19 YRS	541	5.7	71	1	1	3	6	14	18	51
20-34	1325	10.9	238	1	2	5	12	31	49	99+
35-49	1319	10.3	184	1	2	5	11	29	43	82
50-64	1743	13.1	235	2	2	7	17	34	47	84
65+	2094	19.4	320	2	3	14	27	47	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2192	7.3	59	1	1	5	9	17	23	38
B. *Operated*	5227	4.7	46	1	1	3	4	10	17	34
2. MULTIPLE DX										
A. *Not Operated*	5704	10.7	103	2	3	8	13	23	30	53
B. *Operated*	7022	13.4	257	1	2	7	18	36	52	91
1. SINGLE DX	7419	5.4	51	1	1	3	6	12	20	36
2. MULTIPLE DX	12726	12.2	190	2	2	7	15	29	43	79
A. NOT OPERATED	7896	9.7	93	1	2	7	12	22	28	50
B. OPERATED	12249	9.7	186	1	1	4	11	27	41	78
TOTAL 0-19 YRS	3291	4.1	25	1	1	3	5	8	13	24
20-34	4001	7.4	119	1	1	4	7	18	29	68
35-49	3302	8.4	115	1	2	5	9	20	32	60
50-64	4069	10.4	151	1	2	6	13	25	35	72
65+	5482	15.0	213	2	3	10	20	34	47	80
GRAND TOTAL	**20145**	**9.7**	**149**	**1**	**2**	**5**	**12**	**24**	**35**	**70**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.5	52	2	2	5	9	15	29	32
20-34	119	7.5	34	2	2	6	9	15	21	31
35-49	55	8.4	29	2	3	7	11	17	20	27
50-64	62	8.0	51	2	3	6	9	14	18	42
65+	24	8.7	42	3	3	7	10	15	24	32
B. *Operated*										
0-19 YRS	13	10.8	65	2	2	8	13	22	29	31
20-34	43	8.6	47	2	2	7	12	19	24	29
35-49	46	10.8	132	2	2	8	12	24	36	56
50-64	44	10.0	37	3	4	8	14	20	23	24
65+	22	11.7	131	1	2	8	13	29	40	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	8.8	101	2	2	5	9	22	28	57
20-34	231	9.4	77	2	3	7	12	19	26	48
35-49	229	9.0	53	2	3	7	11	17	24	38
50-64	279	11.6	118	3	4	9	13	22	40	54
65+	234	11.3	63	3	4	9	14	21	27	39
B. *Operated*										
0-19 YRS	25	12.7	104	2	3	10	16	25	32	46
20-34	145	13.8	205	2	2	10	18	28	46	83
35-49	169	14.5	159	2	3	11	20	31	34	67
50-64	196	17.7	257	3	5	12	23	37	58	97
65+	112	19.3	274	4	6	14	25	34	59	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	7.9	40	2	2	6	10	15	20	32
B. *Operated*	168	10.1	79	2	2	8	12	20	27	51
2. MULTIPLE DX										
A. *Not Operated*	1018	10.3	82	2	3	8	12	20	28	47
B. *Operated*	647	16.0	220	2	3	12	21	32	46	87
1. SINGLE DX	479	8.7	55	2	2	7	11	17	23	38
2. MULTIPLE DX	1665	12.6	143	2	3	9	15	26	35	68
A. NOT OPERATED	1329	9.8	73	2	3	7	12	19	27	44
B. OPERATED	815	14.8	197	2	3	11	19	30	42	84
TOTAL 0-19 YRS	134	9.2	81	2	2	6	11	22	29	48
20-34	538	10.1	105	2	2	7	13	21	28	63
35-49	499	11.0	100	2	3	8	13	23	31	42
50-64	581	13.1	163	3	4	9	15	27	42	75
65+	392	13.4	139	3	4	10	17	26	34	66
GRAND TOTAL	**2144**	**11.7**	**126**	**2**	**3**	**8**	**14**	**24**	**32**	**63**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	179	6.1	18	2	2	5	8	11	15	24
20-34	134	8.0	84	2	2	6	10	16	18	34
35-49	218	9.2	33	2	3	8	12	18	20	26
50-64	373	10.4	45	3	3	9	14	19	22	31
65+	238	10.5	53	3	3	9	13	20	24	37
B. *Operated*										
0-19 YRS	41	8.7	53	1	1	5	15	19	21	25
20-34	96	10.8	133	2	2	8	13	19	37	65
35-49	251	8.5	49	2	2	6	12	17	22	32
50-64	515	10.9	62	2	3	9	16	20	24	36
65+	325	12.9	72	3	3	12	17	25	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	8.6	50	2	3	7	10	18	22	38
20-34	166	8.3	32	2	3	7	10	17	21	25
35-49	361	9.6	44	2	3	8	12	18	22	33
50-64	1004	10.5	50	3	3	9	14	19	22	38
65+	1345	11.6	64	3	4	10	15	21	26	42
B. *Operated*										
0-19 YRS	26	10.9	85	2	2	9	15	18	30	44
20-34	134	11.5	150	2	3	8	13	23	36	68
35-49	313	11.9	129	2	3	8	16	24	35	58
50-64	901	13.7	126	3	4	11	18	27	36	57
65+	745	17.3	191	3	5	14	21	34	48	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1142	9.2	47	2	3	8	12	18	21	30
B. *Operated*	1228	10.9	69	2	3	9	15	21	26	37
2. MULTIPLE DX										
A. *Not Operated*	2981	10.7	55	3	4	9	14	20	24	39
B. *Operated*	2119	14.5	155	3	4	11	19	29	41	63
1. SINGLE DX	2370	10.1	59	2	3	8	14	19	24	35
2. MULTIPLE DX	5100	12.3	100	3	4	10	16	23	31	54
A. NOT OPERATED	4123	10.3	54	3	3	9	13	19	23	37
B. OPERATED	3347	13.2	127	2	3	10	17	26	35	58
TOTAL 0-19 YRS	351	7.5	38	2	2	6	9	16	20	26
20-34	530	9.5	95	2	3	7	12	18	23	64
35-49	1143	9.9	68	2	3	8	13	19	24	41
50-64	2793	11.6	78	2	3	10	15	21	27	47
65+	2653	13.3	107	3	4	11	17	25	32	56
GRAND TOTAL	**7470**	**11.6**	**88**	**2**	**3**	**9**	**15**	**22**	**28**	**50**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	7.1	71	1	1	3	8	21	28	28
20-34	15	6.9	31	1	1	6	10	14	19	20
35-49	79	6.2	31	1	2	5	7	13	16	32
50-64	210	6.3	24	1	2	5	8	12	16	26
65+	420	7.3	22	2	2	6	10	14	16	24
B. *Operated*										
0-19 YRS	38	5.2	26	1	2	3	5	14	17	22
20-34	316	4.6	14	1	2	3	6	10	13	18
35-49	758	6.5	37	1	2	4	9	14	17	25
50-64	2478	10.4	48	2	2	10	15	18	22	31
65+	3022	15.4	54	3	5	15	19	24	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.3	33	1	1	4	10	16	17	17
20-34	49	6.1	26	2	2	5	7	11	13	33
35-49	335	7.1	20	2	3	6	9	12	16	22
50-64	1127	7.8	31	2	3	7	10	14	17	28
65+	3398	8.9	42	2	3	7	11	16	20	35
B. *Operated*										
0-19 YRS	35	7.5	50	1	2	5	11	17	24	31
20-34	267	6.5	39	1	2	4	8	14	18	30
35-49	701	8.4	60	2	2	6	12	18	24	36
50-64	2489	11.7	67	2	3	11	16	22	26	38
65+	4582	18.0	112	4	6	17	22	31	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	733	6.9	24	2	2	6	9	13	16	26
B. *Operated*	6612	11.9	60	2	2	12	17	21	25	35
2. MULTIPLE DX										
A. *Not Operated*	4919	8.5	38	2	3	7	11	15	19	33
B. *Operated*	8074	14.8	106	2	3	14	19	27	33	51
1. SINGLE DX	7345	11.4	59	2	2	11	16	21	24	34
2. MULTIPLE DX	12993	12.4	90	2	3	11	17	24	30	47
A. NOT OPERATED	5652	8.3	37	2	3	7	11	15	19	32
B. OPERATED	14686	13.5	87	2	3	13	18	24	30	45
TOTAL 0-19 YRS	92	6.4	40	1	2	4	9	15	19	30
20-34	647	5.6	26	1	2	4	7	12	15	27
35-49	1873	7.3	43	2	2	5	10	16	20	32
50-64	6304	10.3	54	2	2	9	15	19	24	35
65+	11422	14.2	89	3	4	13	18	25	31	48
GRAND TOTAL	**20338**	**12.1**	**79**	**2**	**3**	**11**	**17**	**23**	**28**	**42**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	7.2	40	2	2	5	9	15	18	31
20-34	157	7.5	34	2	2	6	10	15	20	28
35-49	121	6.5	21	2	2	5	8	11	14	25
50-64	123	6.7	20	1	2	6	9	13	16	20
65+	150	6.7	27	1	2	5	8	14	17	28
B. *Operated*										
0-19 YRS	114	12.1	91	2	2	10	16	25	30	43
20-34	289	6.3	41	1	2	4	7	11	18	33
35-49	255	6.0	22	2	2	4	8	11	17	23
50-64	329	8.7	70	2	2	6	12	17	23	45
65+	206	13.5	63	3	4	13	17	22	26	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	7.5	34	2	2	6	10	17	19	26
20-34	178	8.3	63	2	2	6	9	15	22	45
35-49	208	7.6	31	2	3	7	10	14	17	33
50-64	379	8.4	46	2	3	7	10	15	20	43
65+	757	9.6	61	2	3	7	12	18	25	41
B. *Operated*										
0-19 YRS	73	16.5	113	2	3	15	25	32	36	41
20-34	180	10.4	124	2	2	6	12	25	35	54
35-49	238	9.4	83	2	2	6	12	19	26	53
50-64	367	12.9	140	2	3	9	17	27	39	59
65+	347	18.8	190	3	4	16	25	36	44	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	723	7.0	29	2	2	6	9	14	17	28
B. *Operated*	1193	8.7	61	2	2	6	12	18	23	40
2. MULTIPLE DX										
A. *Not Operated*	1635	8.8	53	2	3	7	11	17	22	41
B. *Operated*	1205	13.8	152	2	3	10	19	31	39	56
1. SINGLE DX	1916	8.1	50	2	2	6	11	17	21	35
2. MULTIPLE DX	2840	10.9	101	2	3	8	14	23	32	48
A. NOT OPERATED	2358	8.2	46	2	3	6	10	16	21	37
B. OPERATED	2398	11.2	113	2	2	8	15	24	33	52
TOTAL 0-19 YRS	472	9.9	73	2	2	7	14	22	29	38
20-34	804	7.9	66	2	2	5	9	16	24	42
35-49	822	7.5	43	2	2	6	9	14	20	35
50-64	1198	9.7	83	2	2	7	12	19	26	47
65+	1460	12.1	106	2	3	9	16	25	33	48
GRAND TOTAL	**4756**	**9.8**	**82**	**2**	**2**	**7**	**12**	**20**	**28**	**46**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.7	4	<1	1	2	4	5	7	11
20-34	90	2.8	5	<1	1	2	4	6	9	9
35-49	45	3.8	15	<1	1	3	5	9	12	19
50-64	25	4.5	14	<1	<1	3	6	11	12	13
65+	12	4.4	9	1	1	4	7	9	10	10
B. *Operated*										
0-19 YRS	1880	3.3	4	1	1	3	4	6	7	10
20-34	3537	3.6	5	1	1	3	5	6	7	11
35-49	1611	3.8	6	1	1	3	5	7	8	11
50-64	783	4.2	7	1	2	4	5	7	8	15
65+	187	5.7	19	2	2	4	7	10	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.9	7	<1	<1	1	4	7	9	10
20-34	83	3.3	16	<1	<1	2	4	7	9	25
35-49	42	5.0	23	<1	1	3	8	11	15	22
50-64	51	4.5	23	<1	<1	3	5	11	12	24
65+	43	7.4	22	2	2	7	10	13	16	21
B. *Operated*										
0-19 YRS	995	3.7	7	1	1	3	5	7	8	13
20-34	2381	4.1	10	1	2	3	5	7	9	15
35-49	1473	4.5	14	1	2	4	6	8	11	18
50-64	1351	5.0	17	1	2	4	6	9	12	20
65+	414	6.5	27	2	2	5	8	14	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.2	8	<1	1	2	4	8	9	13
B. *Operated*	7998	3.7	6	1	1	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	256	4.5	20	<1	1	3	6	10	13	22
B. *Operated*	6614	4.5	13	1	2	4	5	8	10	18
1. SINGLE DX	8225	3.7	6	1	1	3	5	6	8	12
2. MULTIPLE DX	6870	4.5	14	1	2	4	5	8	11	18
A. NOT OPERATED	483	3.9	15	<1	1	3	5	9	11	20
B. OPERATED	14612	4.0	9	1	2	3	5	7	9	15
TOTAL 0-19 YRS	2967	3.4	5	1	1	3	4	6	7	11
20-34	6091	3.8	7	1	1	3	5	7	8	13
35-49	3171	4.2	10	1	2	3	5	7	9	15
50-64	2210	4.7	14	1	2	4	6	8	11	19
65+	656	6.3	24	2	2	5	8	13	16	23
GRAND TOTAL	**15095**	**4.0**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	302	3.8	8	1	1	3	5	7	9	16
20-34	245	3.5	13	<1	1	2	4	7	9	17
35-49	130	4.6	21	1	1	3	6	10	14	21
50-64	130	4.8	20	1	1	3	6	10	16	21
65+	140	7.2	43	1	1	5	9	14	22	33
B. *Operated*										
0-19 YRS	2015	3.7	5	1	2	3	5	6	7	11
20-34	2793	4.0	8	1	2	4	5	7	8	14
35-49	857	4.2	14	1	2	3	5	7	9	18
50-64	461	5.3	23	1	2	4	6	11	15	25
65+	200	8.2	71	1	2	5	11	17	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	265	4.2	12	1	1	3	6	8	10	16
20-34	264	5.7	35	1	1	4	7	11	16	31
35-49	253	5.9	32	1	1	5	7	11	14	26
50-64	339	7.3	41	1	2	6	9	15	20	37
65+	576	8.6	41	2	3	7	11	17	22	32
B. *Operated*										
0-19 YRS	714	4.8	17	1	2	4	6	9	11	21
20-34	1357	5.0	25	1	2	4	6	9	12	25
35-49	681	6.0	34	1	2	4	7	12	17	30
50-64	594	7.4	68	2	2	5	9	15	23	35
65+	405	12.8	133	2	3	10	16	26	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	947	4.5	19	1	1	3	5	9	12	24
B. *Operated*	6326	4.2	12	1	2	3	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1697	6.8	37	1	1	5	9	14	19	31
B. *Operated*	3751	6.4	49	1	2	4	7	13	18	35
1. SINGLE DX	7273	4.2	13	1	2	3	5	7	9	17
2. MULTIPLE DX	5448	6.5	45	1	2	4	8	13	19	33
A. NOT OPERATED	2644	6.0	32	1	1	4	7	12	17	28
B. OPERATED	10077	5.0	27	1	2	4	5	9	13	26
TOTAL 0-19 YRS	3296	4.0	8	1	2	3	5	7	9	15
20-34	4659	4.4	15	1	2	4	5	7	10	19
35-49	1921	5.1	24	1	2	4	6	10	14	25
50-64	1524	6.5	45	1	2	4	8	13	18	30
65+	1321	9.7	78	2	2	7	13	20	26	40
GRAND TOTAL	**12721**	**5.2**	**28**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.7	17	2	2	8	9	10	10	10
20-34	19	5.7	17	1	2	5	7	11	15	18
35-49	12	5.8	8	2	3	5	7	10	12	12
50-64	9	8.2	28	3	4	7	9	17	21	21
65+	5	5.4	9	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS										
20-34	3	12.0	12	8	8	14	14	14	14	14
35-49	2	14.5	41	10	10	14	19	19	19	19
50-64	5	6.2	8	2	2	6	8	10	10	10
65+	2	15.0	8	13	13	15	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	19	8.1	27	2	3	6	11	17	18	18
35-49	36	7.5	45	1	2	6	10	13	16	39
50-64	33	9.2	23	3	4	9	11	15	20	23
65+	29	10.8	50	2	3	9	15	20	26	30
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	3	24.0	829	4	4	11	45	57	57	57
35-49	15	14.3	39	3	4	16	19	20	25	26
50-64	16	16.6	95	6	7	16	22	29	37	40
65+	9	12.3	88	2	3	10	14	28	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	6.3	16	2	2	5	8	10	13	21
B. *Operated*	12	10.5	25	2	5	10	14	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	118	8.8	38	2	3	8	11	16	19	33
B. *Operated*	44	15.4	109	4	5	13	19	28	36	57
1. SINGLE DX	60	7.1	20	2	2	6	9	13	17	21
2. MULTIPLE DX	162	10.6	65	2	3	9	14	20	26	40
A. NOT OPERATED	166	8.1	32	2	3	7	10	15	18	29
B. OPERATED	56	14.3	94	3	5	12	18	26	32	56
TOTAL 0-19 YRS	5	8.0	17	2	2	8	11	13	13	13
20-34	44	8.4	79	2	2	6	11	17	18	57
35-49	65	9.0	46	2	2	7	12	18	20	37
50-64	63	10.7	52	3	4	9	13	20	25	39
65+	45	10.7	53	2	3	9	15	18	27	34
GRAND TOTAL	**222**	**9.7**	**55**	**2**	**3**	**8**	**12**	**18**	**23**	**39**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.8	25	1	2	4	7	14	18	18
20-34	75	6.0	12	1	2	6	8	10	12	16
35-49	235	6.8	15	2	3	6	9	12	14	19
50-64	392	7.2	18	2	3	6	9	13	16	21
65+	395	7.6	24	2	3	7	10	14	17	24
B. *Operated*										
0-19 YRS	8	4.1	8	1	1	3	5	9	10	10
20-34	115	6.4	30	2	2	5	8	12	17	30
35-49	398	8.0	36	2	2	7	11	16	18	32
50-64	557	8.6	44	2	2	7	11	16	21	30
65+	186	11.0	90	2	2	9	15	22	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	13.9	576	2	3	5	8	54	73	73
20-34	129	7.8	24	3	4	6	9	14	19	26
35-49	849	7.5	19	2	3	7	9	13	15	21
50-64	2137	7.9	26	2	3	7	10	14	17	26
65+	3247	9.3	39	3	3	8	12	17	21	31
B. *Operated*										
0-19 YRS	13	12.9	281	1	3	8	12	29	59	66
20-34	105	9.3	103	2	2	7	11	17	21	64
35-49	540	10.2	61	2	3	9	13	19	23	45
50-64	1141	12.0	82	2	3	10	15	23	28	46
65+	814	14.7	125	3	4	12	19	27	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	7.2	19	2	3	6	9	13	16	21
B. *Operated*	1264	8.5	48	2	2	7	11	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	6370	8.5	33	2	3	7	11	15	19	29
B. *Operated*	2613	12.4	96	2	3	10	16	23	30	50
1. SINGLE DX	2372	7.9	35	2	2	7	10	15	18	28
2. MULTIPLE DX	8983	9.7	54	2	3	8	12	18	23	37
A. NOT OPERATED	7478	8.3	31	2	3	7	11	15	19	28
B. OPERATED	3877	11.1	84	2	3	9	14	21	27	46
TOTAL 0-19 YRS	40	9.4	215	1	2	5	9	17	43	73
20-34	424	7.5	44	2	2	6	9	13	18	30
35-49	2022	8.2	35	2	3	7	10	15	18	31
50-64	4227	9.0	46	2	3	8	11	17	21	33
65+	4642	10.2	59	2	3	8	13	19	24	38
GRAND TOTAL	**11355**	**9.3**	**51**	**2**	**3**	**8**	**12**	**17**	**22**	**36**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	7.1	13	2	3	7	9	12	14	16
20-34	1276	7.7	22	2	3	7	10	14	16	23
35-49	1803	8.0	26	2	3	7	10	14	17	26
50-64	1067	8.3	25	2	3	7	11	15	17	26
65+	270	9.3	33	2	3	8	12	17	20	30
B. *Operated*										
0-19 YRS	212	8.0	25	2	2	7	11	15	18	22
20-34	4295	8.9	34	2	2	8	12	16	20	27
35-49	6289	9.6	40	2	3	9	13	18	21	31
50-64	3136	10.4	44	2	3	9	14	19	23	31
65+	554	12.6	76	2	3	11	17	22	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	8.1	17	2	3	8	10	14	16	17
20-34	631	8.7	27	2	3	8	11	15	18	27
35-49	1357	9.3	38	2	3	8	11	16	20	32
50-64	1502	9.5	36	3	4	8	12	16	20	30
65+	1142	10.6	41	3	4	9	14	19	23	32
B. *Operated*										
0-19 YRS	44	11.6	72	3	4	9	15	23	26	48
20-34	1239	11.4	55	2	3	10	15	20	26	40
35-49	2637	12.5	74	2	4	11	16	23	29	42
50-64	2505	13.8	89	3	4	12	18	25	30	44
65+	957	16.9	114	3	5	15	22	31	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4485	8.1	25	2	3	7	10	14	17	25
B. *Operated*	14486	9.7	40	2	2	9	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	4660	9.6	37	3	4	8	12	17	21	31
B. *Operated*	7382	13.3	84	2	4	11	17	25	30	43
1. SINGLE DX	18971	9.3	37	2	3	8	12	17	21	30
2. MULTIPLE DX	12042	11.9	69	3	4	10	15	22	28	41
A. NOT OPERATED	9145	8.9	32	2	3	8	11	15	19	28
B. OPERATED	21868	10.9	58	2	3	9	14	20	25	37
TOTAL 0-19 YRS	353	8.3	29	2	2	8	10	15	18	24
20-34	7441	9.1	36	2	3	8	12	16	20	29
35-49	12086	10.0	47	2	3	9	13	18	22	34
50-64	8210	11.0	58	2	3	9	14	20	25	36
65+	2923	12.9	79	3	4	11	17	24	30	44
GRAND TOTAL	**31013**	**10.3**	**51**	**2**	**3**	**9**	**13**	**19**	**23**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	7.0	24	1	1	8	10	14	15	15
20-34	317	7.4	19	2	3	7	9	12	15	25
35-49	637	8.1	22	2	3	7	10	14	17	23
50-64	340	8.6	26	2	3	8	11	15	19	25
65+	113	7.6	23	2	3	6	10	13	18	24
B. *Operated*										
0-19 YRS	20	8.4	33	1	2	8	10	15	21	26
20-34	616	8.3	31	2	2	7	11	16	19	29
35-49	1310	9.1	37	2	2	8	12	17	21	29
50-64	771	9.3	39	2	2	8	12	17	20	29
65+	85	10.8	48	2	3	10	14	21	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	17	4	4	6	8	14	15	15
20-34	187	8.0	25	2	3	7	10	14	18	26
35-49	606	8.5	26	2	3	8	11	14	16	28
50-64	728	9.0	32	2	3	8	11	16	20	27
65+	461	9.7	36	3	4	9	12	17	20	35
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	168	10.8	53	2	3	9	15	20	24	36
35-49	740	11.2	61	2	3	10	15	20	24	39
50-64	722	11.1	56	2	3	10	15	19	24	39
65+	204	15.9	156	3	4	12	20	33	43	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1421	8.0	23	2	3	7	10	14	17	24
B. *Operated*	2802	9.0	37	2	2	8	12	17	21	29
2. MULTIPLE DX										
A. *Not Operated*	1988	8.9	30	2	3	8	11	15	19	28
B. *Operated*	1835	11.7	71	2	3	10	15	21	28	43
1. SINGLE DX	4223	8.7	32	2	3	8	11	16	19	29
2. MULTIPLE DX	3823	10.2	52	2	3	9	13	18	22	38
A. NOT OPERATED	3409	8.5	27	2	3	8	11	15	18	27
B. OPERATED	4637	10.1	52	2	3	9	13	19	23	35
TOTAL 0-19 YRS	41	7.6	27	1	2	8	10	15	16	26
20-34	1288	8.4	31	2	2	7	11	15	19	30
35-49	3293	9.3	39	2	3	8	12	17	21	31
50-64	2561	9.6	41	2	3	8	13	17	21	32
65+	863	11.0	72	3	3	9	14	20	26	43
GRAND TOTAL	**8046**	**9.4**	**42**	**2**	**3**	**8**	**12**	**17**	**21**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	6.4	13	2	2	6	9	11	12	14
20-34	686	7.2	18	2	3	6	9	12	15	23
35-49	720	8.1	35	2	2	7	10	14	17	35
50-64	329	8.3	42	1	2	7	10	14	19	39
65+	80	7.2	34	1	1	6	10	13	16	32
B. *Operated*										
0-19 YRS	8	4.6	12	2	2	3	7	10	10	10
20-34	292	6.8	28	1	2	5	9	14	17	27
35-49	285	8.5	54	2	2	7	11	16	21	32
50-64	99	8.7	40	1	2	7	10	18	21	32
65+	5	10.2	26	2	2	12	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.0	14	1	2	6	8	11	13	19
20-34	582	7.9	22	2	3	7	10	14	17	23
35-49	770	8.7	31	2	3	8	11	16	19	29
50-64	580	8.8	29	1	2	8	12	15	18	25
65+	226	10.2	36	3	4	9	13	16	24	32
B. *Operated*										
0-19 YRS	6	9.7	26	3	3	9	15	16	16	16
20-34	210	10.8	60	2	2	9	13	21	27	37
35-49	303	11.6	46	2	3	11	15	21	24	33
50-64	186	12.4	68	3	3	11	16	24	29	40
65+	35	13.7	56	5	6	13	18	22	31	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1842	7.7	30	2	2	7	10	13	16	34
B. *Operated*	689	7.8	41	1	2	7	10	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	2200	8.6	29	2	3	8	11	15	19	28
B. *Operated*	740	11.7	56	2	3	10	15	21	27	36
1. SINGLE DX	2531	7.7	33	1	2	7	10	14	17	31
2. MULTIPLE DX	2940	9.4	37	2	3	8	12	17	21	32
A. NOT OPERATED	4042	8.2	29	2	2	7	10	14	18	28
B. OPERATED	1429	9.8	53	2	2	8	13	19	24	34
TOTAL 0-19 YRS	83	6.3	15	1	2	6	9	11	14	18
20-34	1770	7.8	27	2	2	7	10	14	17	28
35-49	2078	8.9	39	2	2	8	11	16	20	33
50-64	1194	9.2	41	1	2	8	12	17	21	35
65+	346	9.8	40	2	3	9	13	17	23	34
GRAND TOTAL	**5471**	**8.6**	**36**	**2**	**2**	**8**	**11**	**16**	**19**	**32**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	11	4.1	6	1	1	4	5	8	8	8
20-34	153	7.5	20	2	3	7	9	12	17	26
35-49	184	7.4	21	1	3	6	10	12	16	26
50-64	149	8.1	25	2	3	7	10	13	16	32
65+	96	8.6	46	2	3	7	11	18	24	36
B. Operated										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	117	6.2	29	1	2	4	9	14	18	24
35-49	180	7.7	46	2	2	6	12	16	20	34
50-64	100	6.6	27	2	2	5	9	14	17	26
65+	27	8.2	39	1	2	7	14	18	20	22
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	7.6	15	<1	2	7	11	13	13	13
20-34	152	7.9	24	1	3	7	9	15	17	26
35-49	289	8.7	29	3	4	7	11	16	17	32
50-64	379	9.2	23	3	4	8	12	15	18	24
65+	370	10.1	33	3	4	9	13	18	23	27
B. Operated										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	73	11.0	88	2	3	8	13	21	31	52
35-49	134	11.3	54	2	4	9	16	22	26	34
50-64	119	13.9	102	2	3	12	19	24	30	56
65+	85	15.3	95	3	5	14	20	29	36	45
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	593	7.7	26	2	3	7	10	13	17	27
B. Operated	426	7.1	37	2	2	5	10	15	19	27
2. MULTIPLE DX										
A. Not Operated	1201	9.2	28	3	4	8	12	16	19	27
B. Operated	412	12.8	85	2	3	11	18	24	30	43
1. SINGLE DX	1019	7.5	30	2	2	6	10	14	18	27
2. MULTIPLE DX	1613	10.1	45	3	4	8	13	18	23	34
A. NOT OPERATED	1794	8.7	28	3	3	8	11	15	19	27
B. OPERATED	838	9.9	68	2	2	8	14	21	25	37
TOTAL 0-19 YRS	25	6.0	12	1	1	5	8	12	13	13
20-34	495	7.9	35	1	2	7	10	15	18	29
35-49	787	8.6	37	2	2	7	11	16	20	31
50-64	747	9.4	41	2	3	8	12	17	21	31
65+	578	10.5	49	3	4	9	14	20	25	35
GRAND TOTAL	**2632**	**9.1**	**41**	**2**	**3**	**8**	**12**	**17**	**21**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	257	5.0	17	1	1	4	6	10	13	21
20-34	2012	6.8	22	1	2	6	9	12	15	23
35-49	2335	7.3	23	1	2	7	10	13	16	24
50-64	1271	7.6	30	2	2	7	10	14	17	26
65+	442	8.6	32	2	2	7	11	17	21	26
B. Operated										
0-19 YRS	119	5.6	21	1	2	4	8	12	15	23
20-34	1540	6.2	29	1	2	4	9	13	17	26
35-49	1922	7.1	32	2	2	6	10	15	18	26
50-64	1198	8.6	48	2	2	7	11	18	22	35
65+	398	10.5	70	2	2	9	15	21	26	39
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	214	5.7	22	1	1	4	8	12	15	24
20-34	2064	7.6	29	2	3	6	10	14	17	27
35-49	3044	8.6	33	2	3	7	11	15	20	29
50-64	2637	8.9	37	2	3	8	11	16	20	30
65+	2161	9.6	45	2	3	8	12	18	22	34
B. Operated										
0-19 YRS	73	6.5	20	2	2	5	8	14	16	19
20-34	1224	8.9	47	2	2	8	12	18	21	31
35-49	1954	10.1	67	2	2	8	13	19	25	39
50-64	1810	12.2	106	2	3	10	16	23	30	52
65+	976	15.7	150	2	4	13	21	31	39	62
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	6317	7.2	25	1	2	6	9	13	16	25
B. Operated	5177	7.4	39	1	2	6	10	15	19	30
2. MULTIPLE DX										
A. Not Operated	10120	8.7	36	2	3	7	11	16	20	30
B. Operated	6037	11.4	93	2	3	9	15	22	29	47
1. SINGLE DX	11494	7.3	31	1	2	6	10	14	18	26
2. MULTIPLE DX	16157	9.7	59	2	3	8	12	18	24	38
A. NOT OPERATED	16437	8.1	32	2	3	7	10	15	19	28
B. OPERATED	11214	9.5	72	2	2	8	13	19	25	40
TOTAL 0-19 YRS	663	5.5	20	1	2	4	7	11	15	21
20-34	6840	7.3	31	1	2	6	10	14	18	27
35-49	9255	8.3	39	2	2	7	11	16	19	30
50-64	6916	9.5	58	2	3	8	12	18	23	36
65+	3977	11.1	79	2	3	9	14	22	27	43
GRAND TOTAL	**27651**	**8.7**	**49**	**2**	**2**	**7**	**11**	**17**	**21**	**34**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	252	3.9	6	1	1	3	5	7	9	12
20-34	232	4.8	11	1	2	4	6	9	11	16
35-49	282	5.0	12	1	2	4	6	9	11	18
50-64	279	4.9	8	1	2	4	6	9	11	14
65+	156	5.7	12	1	2	5	8	11	12	18
B. *Operated*										
0-19 YRS	569	2.9	4	1	1	2	3	5	6	10
20-34	1442	3.1	4	1	1	3	4	5	6	10
35-49	1926	3.4	7	1	1	3	4	6	7	13
50-64	1858	3.6	8	1	1	3	4	6	8	15
65+	438	3.9	10	1	1	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.0	9	1	1	3	5	7	9	18
20-34	211	6.0	20	1	2	5	7	11	15	21
35-49	422	6.3	16	2	2	5	8	12	14	20
50-64	622	6.9	23	2	2	6	9	13	16	25
65+	639	8.3	30	2	3	7	11	15	19	28
B. *Operated*										
0-19 YRS	190	3.6	16	1	1	3	4	6	8	17
20-34	756	4.2	21	1	2	3	5	7	10	19
35-49	1129	4.9	22	1	2	4	5	9	13	21
50-64	1487	5.3	29	1	2	4	6	10	14	27
65+	570	7.1	55	2	2	5	8	15	20	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1201	4.8	10	1	2	4	6	9	11	15
B. *Operated*	6233	3.4	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	2015	6.9	24	2	2	6	9	13	16	23
B. *Operated*	4132	5.2	29	1	2	4	6	10	14	25
1. SINGLE DX	7434	3.6	7	1	1	3	4	6	8	14
2. MULTIPLE DX	6147	5.7	28	1	2	4	7	11	15	25
A. NOT OPERATED	3216	6.1	20	1	2	5	8	12	15	22
B. OPERATED	10365	4.1	16	1	2	3	5	7	10	20
TOTAL 0-19 YRS	1132	3.3	7	1	1	3	4	6	8	12
20-34	2641	3.8	11	1	1	3	4	7	9	17
35-49	3759	4.3	14	1	2	3	5	8	11	18
50-64	4246	4.8	19	1	2	4	6	9	12	22
65+	1803	6.6	34	1	2	5	8	13	17	29
GRAND TOTAL	**13581**	**4.6**	**18**	**1**	**2**	**3**	**5**	**9**	**12**	**21**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	14	2.1	2	<1	1	2	3	4	5	5
35-49	10	2.7	6	<1	<1	2	3	6	9	9
50-64	10	2.5	4	<1	<1	2	4	6	6	6
65+	6	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	608	3.6	3	2	2	3	4	5	6	11
20-34	1559	3.5	3	1	2	3	4	5	7	9
35-49	1228	3.8	3	2	2	4	5	6	7	10
50-64	1445	4.3	6	2	2	4	5	7	8	13
65+	642	4.4	6	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	1	<1	<1	1	3	3	3	3
20-34	56	1.5	1	<1	<1	1	2	3	4	4
35-49	35	2.7	5	<1	<1	1	4	6	8	10
50-64	56	3.2	8	<1	<1	2	4	7	8	16
65+	50	3.8	18	<1	<1	2	5	9	14	18
B. *Operated*										
0-19 YRS	534	4.0	2	2	2	4	5	6	7	9
20-34	2559	4.0	5	2	2	4	5	6	7	11
35-49	2523	4.4	5	2	2	4	5	7	8	12
50-64	3841	4.9	8	2	3	4	6	8	9	14
65+	1859	6.0	23	2	3	5	7	9	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	5482	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	211	2.7	8	<1	<1	1	3	6	8	17
B. *Operated*	11316	4.7	9	2	2	4	5	7	9	15
1. SINGLE DX	5529	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX	11527	4.7	9	2	2	4	5	7	9	15
A. NOT OPERATED	258	2.6	7	<1	<1	1	3	6	8	16
B. OPERATED	16798	4.4	8	2	2	4	5	7	9	14
TOTAL 0-19 YRS	1163	3.7	3	2	2	4	5	6	7	10
20-34	4188	3.7	4	2	2	3	5	6	7	10
35-49	3796	4.2	5	2	2	4	5	6	8	12
50-64	5352	4.7	7	2	2	4	6	7	9	14
65+	2557	5.5	19	2	2	5	6	9	12	23
GRAND TOTAL	**17056**	**4.4**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	<1	2	3	3	4	4
20-34	27	1.9	4	<1	<1	1	2	3	7	10
35-49	13	2.7	15	<1	<1	1	2	9	13	14
50-64	7	2.9	2	1	1	3	4	5	5	5
65+	5	4.8	10	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	941	2.0	2	<1	1	2	2	3	4	5
20-34	1786	2.1	1	<1	1	2	2	3	4	6
35-49	889	2.5	5	<1	1	2	3	4	5	10
50-64	612	3.0	4	<1	1	2	4	5	7	10
65+	222	3.3	7	1	1	2	4	6	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.3		<1	<1	1	2	2	2	2
20-34	22	2.6	8	<1	<1	1	3	7	10	12
35-49	20	3.3	10	<1	1	2	5	8	10	11
50-64	27	5.2	10	1	2	5	8	10	11	13
65+	14	7.8	23	<1	2	7	11	16	16	16
B. *Operated*										
0-19 YRS	133	2.6	5	1	1	2	3	4	5	12
20-34	434	2.9	4	1	1	2	3	5	6	10
35-49	417	3.4	7	1	1	3	4	6	8	15
50-64	417	4.8	24	1	2	3	6	9	12	27
65+	223	6.4	62	1	2	4	7	12	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.3	6	<1	<1	1	3	5	8	13
B. *Operated*	4450	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	94	4.1	14	<1	<1	3	7	9	12	16
B. *Operated*	1624	3.9	19	1	1	3	4	7	10	23
1. SINGLE DX	4520	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1718	4.0	19	1	1	3	4	8	10	22
A. NOT OPERATED	164	3.4	11	<1	<1	2	4	8	10	16
B. OPERATED	6074	2.8	8	<1	1	2	3	5	6	13
TOTAL 0-19 YRS	1103	2.1	2	<1	1	2	2	3	4	6
20-34	2269	2.2	2	<1	1	2	3	4	4	8
35-49	1339	2.8	6	<1	1	2	3	5	6	12
50-64	1063	3.7	13	1	1	3	4	7	9	19
65+	464	4.9	36	1	1	3	5	9	14	36
GRAND TOTAL	**6238**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	14.2	98	2	4	13	19	28	30	48
20-34	57	10.5	127	1	3	6	12	27	38	54
35-49	45	10.2	78	1	2	7	13	22	29	42
50-64	54	14.4	177	3	4	11	18	31	43	75
65+	35	14.1	135	1	2	10	20	35	37	49
B. *Operated*										
0-19 YRS	139	15.6	118	2	3	14	24	29	35	44
20-34	199	15.7	216	2	2	10	24	35	46	66
35-49	134	14.1	165	2	2	9	22	34	37	54
50-64	129	14.8	149	2	3	11	22	36	42	58
65+	83	14.8	146	3	4	10	21	36	39	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	18.5	144	2	6	17	26	33	40	61
20-34	56	16.4	164	3	4	12	22	38	43	55
35-49	71	15.6	216	3	4	12	19	34	45	79
50-64	148	16.0	165	3	4	12	20	35	44	59
65+	144	16.3	158	4	5	12	19	33	46	59
B. *Operated*										
0-19 YRS	93	22.6	254	3	4	21	31	44	50	75
20-34	207	20.6	251	2	3	16	30	44	51	77
35-49	234	21.9	305	4	5	17	29	48	56	92
50-64	342	23.1	328	3	5	18	32	49	64	92
65+	316	23.6	258	4	6	20	33	46	54	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	12.9	121	2	3	10	17	28	35	51
B. *Operated*	684	15.1	164	2	3	11	23	34	40	57
2. MULTIPLE DX										
A. *Not Operated*	485	16.4	167	3	4	13	21	34	44	59
B. *Operated*	1192	22.5	286	3	5	18	32	46	55	82
1. SINGLE DX	976	14.4	152	2	3	10	22	32	39	56
2. MULTIPLE DX	1677	20.8	259	3	4	16	29	44	52	78
A. NOT OPERATED	777	15.1	153	3	4	12	20	31	42	57
B. OPERATED	1876	19.8	255	2	3	16	29	42	51	78
TOTAL 0-19 YRS	399	17.3	158	2	3	15	25	33	42	53
20-34	519	17.1	224	2	3	12	26	40	46	67
35-49	484	17.8	249	2	3	13	25	41	51	78
50-64	673	19.3	261	3	4	15	27	42	51	80
65+	578	20.0	225	4	5	16	29	42	50	73
GRAND TOTAL	**2653**	**18.4**	**229**	**2**	**4**	**14**	**27**	**40**	**48**	**73**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	5.8	27	1	1	4	8	11	18	27
20-34	237	3.7	8	1	1	3	4	8	9	14
35-49	248	4.0	9	1	1	3	5	7	10	15
50-64	226	5.8	21	1	2	5	7	11	16	22
65+	358	8.3	52	2	2	7	11	16	20	25
B. *Operated*										
0-19 YRS	1591	4.3	14	1	2	3	5	8	10	18
20-34	1822	4.6	19	1	2	3	5	8	11	23
35-49	928	5.7	29	2	2	4	7	11	15	26
50-64	645	7.7	43	2	2	5	11	17	20	29
65+	390	12.5	93	2	3	11	17	23	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	5.0	29	<1	1	3	6	11	16	31
20-34	419	5.0	15	1	1	4	7	9	12	19
35-49	655	6.0	27	1	2	5	7	11	15	29
50-64	1013	7.8	35	2	2	6	10	15	19	32
65+	3292	11.3	63	3	4	9	15	21	26	39
B. *Operated*										
0-19 YRS	530	5.2	24	1	2	4	6	11	15	27
20-34	1099	6.3	68	2	2	4	7	12	17	44
35-49	830	8.0	74	2	2	5	10	17	24	46
50-64	1013	12.6	160	2	3	9	17	26	37	91
65+	1261	18.2	169	3	5	15	23	34	42	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	5.7	29	1	1	4	7	12	16	24
B. *Operated*	5376	5.6	32	1	2	4	6	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	5547	9.4	55	2	3	7	12	19	23	37
B. *Operated*	4733	11.0	136	2	2	7	15	25	33	63
1. SINGLE DX	6645	5.7	32	1	2	4	7	12	17	27
2. MULTIPLE DX	10280	10.1	93	2	2	7	13	21	28	48
A. NOT OPERATED	6816	8.7	52	1	2	7	11	18	22	36
B. OPERATED	10109	8.1	88	2	2	5	10	19	26	47
TOTAL 0-19 YRS	2489	4.6	19	1	1	3	5	9	12	24
20-34	3577	5.1	34	1	2	4	6	9	13	29
35-49	2661	6.3	42	1	2	4	7	13	17	35
50-64	2897	9.3	86	2	2	6	12	19	25	49
65+	5301	12.9	99	3	4	10	17	24	31	50
GRAND TOTAL	**16925**	**8.4**	**74**	**2**	**2**	**5**	**11**	**18**	**24**	**42**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	30	<1	<1	1	3	7	18	23
20-34	7	3.9	16	1	1	3	5	11	12	12
35-49	5	4.8	19	1	1	2	9	10	10	10
50-64	5	3.2	5	<1	<1	4	5	6	6	6
65+	6	4.0	15	1	1	2	6	10	11	11
B. *Operated*										
0-19 YRS	358	3.8	5	1	2	3	5	7	8	11
20-34	451	3.3	5	1	2	3	4	6	8	12
35-49	245	3.5	6	1	1	3	4	7	9	12
50-64	176	4.3	11	1	2	3	5	9	11	20
65+	29	6.7	43	2	2	4	8	16	24	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	21	<1	<1	2	3	7	15	20
20-34	24	4.0	23	<1	1	3	4	9	16	22
35-49	21	7.1	86	1	1	3	9	17	32	39
50-64	25	9.4	109	<1	1	4	14	27	31	39
65+	30	13.8	179	3	4	11	17	24	27	74
B. *Operated*										
0-19 YRS	295	5.6	42	1	2	4	6	9	14	41
20-34	529	4.6	37	1	2	3	5	8	11	41
35-49	382	4.3	8	2	2	3	5	8	10	16
50-64	390	6.7	70	2	2	5	7	12	16	45
65+	158	10.9	148	2	2	6	13	26	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.7	19	<1	1	2	4	10	12	23
B. *Operated*	1259	3.7	7	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	118	8.0	105	<1	1	4	10	21	27	50
B. *Operated*	1754	5.7	52	2	2	4	6	11	15	40
1. SINGLE DX	1298	3.7	7	1	1	3	5	7	9	12
2. MULTIPLE DX	1872	5.9	55	2	2	4	6	11	16	40
A. NOT OPERATED	157	7.0	87	<1	1	3	9	18	25	39
B. OPERATED	3013	4.9	34	1	2	3	5	9	12	30
TOTAL 0-19 YRS	687	4.5	22	1	2	4	5	8	10	25
20-34	1011	4.0	22	1	2	3	4	7	10	21
35-49	653	4.1	10	1	2	3	5	8	9	17
50-64	596	6.1	55	2	2	4	7	12	15	34
65+	223	10.6	138	2	2	6	13	24	34	59
GRAND TOTAL	**3170**	**5.0**	**37**	**1**	**2**	**3**	**5**	**9**	**13**	**31**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	10.1	221	<1	1	6	8	31	50	55
20-34	91	6.0	17	1	2	5	8	12	15	17
35-49	123	7.2	34	1	2	6	9	13	17	37
50-64	73	6.5	25	1	1	5	9	13	17	23
65+	37	9.6	56	1	3	8	13	18	23	37
B. *Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	64	8.6	62	1	2	7	11	17	25	41
35-49	88	6.9	34	2	2	5	9	16	18	28
50-64	55	7.9	41	1	2	6	10	19	21	27
65+	23	5.8	25	1	2	4	8	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	14	1	1	6	10	11	11	11
20-34	67	7.6	31	1	3	7	9	14	20	31
35-49	124	7.2	25	1	2	6	10	12	17	26
50-64	186	8.1	28	2	2	7	10	16	19	26
65+	189	9.5	50	2	3	8	11	17	23	42
B. *Operated*										
0-19 YRS	4	10.8	264	1	1	3	20	35	35	35
20-34	42	8.0	32	1	2	7	11	17	19	20
35-49	96	10.8	42	3	3	10	14	19	24	32
50-64	103	11.4	78	2	3	10	15	23	30	43
65+	41	14.6	193	3	4	11	20	23	37	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	7.1	38	1	2	6	9	14	18	36
B. *Operated*	233	7.5	43	2	2	5	9	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	572	8.3	35	2	2	7	11	16	20	30
B. *Operated*	286	11.1	79	2	3	9	15	20	26	44
1. SINGLE DX	570	7.3	40	1	2	6	9	15	18	35
2. MULTIPLE DX	858	9.2	52	2	3	8	11	17	22	35
A. NOT OPERATED	909	7.8	37	1	2	7	10	15	18	31
B. OPERATED	519	9.5	66	2	2	8	12	19	24	40
TOTAL 0-19 YRS	26	8.7	146	<1	1	5	8	24	39	55
20-34	264	7.4	35	1	2	6	10	15	18	32
35-49	431	7.9	35	2	2	7	10	16	19	30
50-64	417	8.6	44	1	2	7	11	17	21	34
65+	290	9.9	73	2	3	8	12	19	23	49
GRAND TOTAL	**1428**	**8.4**	**48**	**2**	**2**	**7**	**11**	**17**	**20**	**35**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	319	3.7	10	1	1	3	5	7	9	14
20-34	809	5.3	13	1	2	4	7	10	12	17
35-49	805	6.2	23	1	2	5	8	12	14	25
50-64	520	5.7	19	1	2	5	8	11	14	19
65+	250	6.3	19	1	2	6	9	11	15	20
B. *Operated*										
0-19 YRS	843	4.2	23	1	1	2	4	11	15	23
20-34	1346	4.5	24	1	1	3	5	10	14	25
35-49	997	4.8	23	1	2	3	6	10	14	23
50-64	1009	4.1	14	1	2	3	4	9	11	19
65+	536	4.3	25	1	2	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	294	4.5	17	1	1	3	6	8	11	22
20-34	1350	6.8	27	1	2	6	9	13	16	23
35-49	1788	7.3	24	2	2	6	9	13	16	25
50-64	1548	7.2	24	2	2	6	9	13	16	25
65+	1397	8.3	42	2	3	7	11	16	19	32
B. *Operated*										
0-19 YRS	683	4.5	28	1	1	3	4	10	15	29
20-34	1501	5.3	33	1	2	3	6	11	15	29
35-49	1269	6.9	51	1	2	5	9	14	20	35
50-64	1289	7.5	61	2	2	5	10	17	23	36
65+	724	9.3	82	2	2	6	12	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2703	5.6	18	1	1	4	8	11	13	20
B. *Operated*	4731	4.4	21	1	1	3	5	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	6377	7.2	29	2	2	6	9	13	17	26
B. *Operated*	5466	6.6	52	1	2	4	8	15	20	36
1. SINGLE DX	7434	4.8	20	1	1	3	6	10	13	22
2. MULTIPLE DX	11843	6.9	40	1	2	5	9	14	18	31
A. NOT OPERATED	9080	6.7	26	1	2	6	9	13	16	25
B. OPERATED	10197	5.6	39	1	2	3	6	13	17	31
TOTAL 0-19 YRS	2139	4.3	22	1	1	3	5	9	14	23
20-34	5006	5.5	26	1	2	4	7	11	15	24
35-49	4859	6.5	31	1	2	5	9	13	16	28
50-64	4366	6.4	34	1	2	5	8	13	17	28
65+	2907	7.6	50	2	2	5	10	15	20	37
GRAND TOTAL	**19277**	**6.1**	**33**	**1**	**2**	**4**	**8**	**13**	**16**	**28**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	7	1	1	4	6	8	8	8
20-34	88	6.4	14	2	3	6	8	11	13	22
35-49	81	6.7	12	2	3	6	8	11	13	19
50-64	31	6.4	14	2	2	7	8	11	15	15
65+	9	7.2	21	2	2	5	11	14	14	14
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	17	7.5	12	2	3	8	9	13	14	14
35-49	22	7.1	11	2	3	7	10	12	13	14
50-64	6	4.7	8	1	1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.8	12	2	3	5	8	11	13	14
20-34	214	6.4	12	3	3	6	8	11	13	18
35-49	260	6.9	17	3	3	6	9	12	14	21
50-64	148	7.4	17	3	3	7	10	13	15	21
65+	45	7.8	45	2	3	7	9	12	14	46
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	46	8.7	33	3	3	7	12	15	19	31
35-49	64	10.7	37	3	4	10	14	20	24	29
50-64	34	10.4	143	3	3	8	11	15	28	71
65+	12	11.3	88	2	3	8	16	24	33	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	6.5	13	2	2	6	8	11	13	18
B. *Operated*	46	6.9	11	1	3	7	9	12	13	14
2. MULTIPLE DX										
A. *Not Operated*	687	6.9	17	3	3	6	9	12	14	20
B. *Operated*	157	10.1	62	3	3	8	13	17	23	35
1. SINGLE DX	263	6.5	13	2	2	6	8	11	13	18
2. MULTIPLE DX	844	7.5	27	3	3	7	9	13	16	25
A. NOT OPERATED	904	6.8	16	2	3	6	9	12	14	19
B. OPERATED	203	9.4	52	3	3	8	12	16	21	33
TOTAL 0-19 YRS	30	5.6	12	2	2	5	8	11	13	14
20-34	365	6.7	16	2	3	6	8	12	14	21
35-49	427	7.5	20	2	3	7	10	13	16	23
50-64	219	7.7	37	2	3	7	10	13	15	24
65+	66	8.3	50	2	3	7	10	14	17	44
GRAND TOTAL	1107	7.3	24	2	3	6	9	13	15	22

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.8	15	<1	1	3	4	9	11	20
20-34	10	4.6	8	2	2	4	5	9	12	12
35-49	5	4.2	5	2	2	5	6	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	57	8.2	44	2	2	6	11	17	20	36
20-34	22	11.1	38	2	3	10	17	20	22	23
35-49	16	8.4	32	2	2	8	10	15	21	24
50-64	9	15.7	159	2	2	15	23	35	39	39
65+	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	5.9	76	1	1	4	7	11	15	38
20-34	28	9.4	198	2	3	6	11	15	21	78
35-49	12	7.4	34	2	2	6	8	18	21	21
50-64	7	9.3	65	3	3	7	13	23	25	25
65+	9	9.6	37	1	2	12	13	60	99+	99+
B. *Operated*										
0-19 YRS	125	11.0	99	2	3	9	14	24	38	65
20-34	23	17.7	269	4	5	13	24	40	56	72
35-49	16	13.4	147	2	3	9	19	34	41	44
50-64	5	17.8	158	4	4	15	24	38	38	38
65+	10	19.5	346	5	5	15	22	46	69	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	4.0	12	<1	1	3	5	9	11	19
B. *Operated*	106	9.5	53	2	2	8	12	19	23	38
2. MULTIPLE DX										
A. *Not Operated*	215	6.7	88	1	1	4	7	13	19	82
B. *Operated*	179	12.7	144	2	3	9	16	28	40	71
1. SINGLE DX	170	7.4	45	1	2	5	10	17	21	35
2. MULTIPLE DX	394	9.5	122	1	2	6	12	20	31	75
A. NOT OPERATED	279	6.1	72	1	1	4	7	12	16	66
B. OPERATED	285	11.5	113	2	3	9	15	23	37	64
TOTAL 0-19 YRS	387	7.7	78	1	1	5	10	16	24	44
20-34	83	11.6	166	2	3	8	14	21	31	76
35-49	49	9.4	74	2	2	7	10	21	25	44
50-64	22	13.7	124	2	3	11	19	32	38	39
65+	23	13.3	191	2	3	12	18	28	78	99+
GRAND TOTAL	564	8.8	100	1	2	6	11	19	27	67

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	1.3	1	<1	<1	1	1	2	3	5
20-34	6	5.0	1	4	4	5	6	6	6	6
35-49	3	4.3	6	2	2	4	6	7	7	7
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	683	2.4	2	1	1	2	3	4	5	8
20-34	213	3.1	3	1	1	3	4	5	7	9
35-49	143	2.9	4	1	2	2	3	4	6	13
50-64	187	3.3	3	2	2	3	4	5	6	11
65+	201	3.2	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.6	42	<1	<1	1	1	4	9	45
20-34	4	3.8	4	2	2	4	5	6	6	6
35-49	3	5.3	8	2	2	7	7	7	7	7
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	6	3.5	15	1	1	2	4	10	11	11
B. *Operated*										
0-19 YRS	196	2.9	7	1	1	2	3	5	7	11
20-34	72	3.6	8	1	2	3	4	8	9	17
35-49	65	3.8	7	1	2	3	4	6	9	16
50-64	147	3.6	3	2	2	3	4	5	8	10
65+	169	4.1	7	2	2	3	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	1.5	2	<1	<1	1	1	3	5	7
B. *Operated*	1427	2.8	3	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	69	3.0	35	<1	<1	1	2	7	10	40
B. *Operated*	649	3.6	7	1	2	3	4	6	8	14
1. SINGLE DX	1601	2.6	3	1	1	2	3	4	6	9
2. MULTIPLE DX	718	3.5	9	1	1	3	4	6	8	14
A. NOT OPERATED	243	1.9	12	<1	<1	1	2	4	6	10
B. OPERATED	2076	3.0	4	1	1	3	3	5	6	11
TOTAL 0-19 YRS	1095	2.3	5	<1	1	2	3	4	5	9
20-34	295	3.3	5	1	2	3	4	6	8	12
35-49	214	3.2	5	1	2	3	4	5	7	14
50-64	338	3.4	3	2	2	3	4	5	6	11
65+	377	3.6	5	2	2	3	4	5	7	14
GRAND TOTAL	**2319**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.5	6	<1	1	3	4	7	9	11
20-34	15	4.7	6	2	2	4	6	9	9	9
35-49	18	4.4	14	1	2	3	6	8	13	17
50-64	6	4.3	5	1	1	4	6	7	7	7
65+	5	4.8	8	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	482	5.2	32	1	2	2	8	11	13	20
20-34	171	6.3	51	2	2	3	9	13	18	46
35-49	94	6.8	36	1	2	4	10	15	18	28
50-64	62	6.8	56	1	2	3	11	15	23	35
65+	17	5.1	16	2	2	3	9	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	5.2	29	1	1	4	6	10	14	34
20-34	108	7.0	68	1	2	5	8	13	23	51
35-49	65	6.3	48	1	1	4	8	13	16	41
50-64	62	7.3	37	1	2	6	10	14	15	34
65+	82	8.0	36	2	3	7	9	17	21	29
B. *Operated*										
0-19 YRS	660	7.6	78	2	2	4	10	16	25	43
20-34	171	8.9	80	2	2	7	12	19	24	56
35-49	133	9.9	96	2	2	8	14	22	27	41
50-64	143	10.6	178	2	2	8	12	18	31	89
65+	99	13.3	135	2	2	11	17	31	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.0	7	1	1	3	5	8	9	14
B. *Operated*	826	5.7	38	1	2	3	9	12	15	31
2. MULTIPLE DX										
A. *Not Operated*	550	6.3	42	1	1	4	8	13	18	35
B. *Operated*	1206	8.9	100	2	2	7	12	19	28	52
1. SINGLE DX	923	5.6	35	1	2	3	8	11	14	30
2. MULTIPLE DX	1756	8.1	83	2	2	5	10	17	25	45
A. NOT OPERATED	647	6.0	37	1	1	4	7	11	16	34
B. OPERATED	2032	7.6	77	2	2	4	10	16	23	45
TOTAL 0-19 YRS	1428	6.3	54	1	2	3	9	13	19	39
20-34	465	7.4	66	2	2	5	9	16	21	51
35-49	310	7.9	66	1	2	5	11	17	23	34
50-64	273	8.8	118	2	2	6	11	16	26	58
65+	203	10.3	91	2	2	8	13	21	31	47
GRAND TOTAL	**2679**	**7.2**	**68**	**1**	**2**	**4**	**9**	**15**	**21**	**42**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.1	46	1	1	3	5	17	20	20
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	409	4.1	6	2	2	3	5	8	9	13
20-34	24	3.3	3	2	2	3	4	5	7	8
35-49	7	5.7	9	2	2	5	9	9	9	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	14	<1	<1	1	3	6	11	17
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	260	4.2	20	1	2	3	5	8	9	34
20-34	26	4.8	80	1	1	3	4	6	15	48
35-49	3	2.7	2	1	1	3	4	4	4	4
50-64	3	11.0	84	3	3	9	18	21	21	21
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	46	1	1	3	5	17	20	20
B. *Operated*	444	4.1	6	2	2	3	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	21	2.8	14	<1	<1	1	3	6	11	17
B. *Operated*	293	4.3	26	1	2	3	5	8	9	37
1. SINGLE DX	451	4.1	7	1	2	3	5	8	9	13
2. MULTIPLE DX	314	4.2	25	1	1	3	5	8	9	36
A. NOT OPERATED	28	3.4	22	<1	1	1	4	6	17	20
B. OPERATED	737	4.2	14	1	2	3	5	8	9	15
TOTAL 0-19 YRS	697	4.1	12	1	2	3	5	8	9	15
20-34	50	4.1	43	1	2	3	4	6	7	48
35-49	10	4.8	8	1	1	4	8	9	9	9
50-64	5	7.2	69	1	1	3	12	21	21	21
65+	3	5.3	9	2	2	6	7	8	8	8
GRAND TOTAL	**765**	**4.2**	**14**	**1**	**2**	**3**	**5**	**8**	**9**	**17**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.4	6	1	1	3	4	6	7	15
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	435	4.1	5	2	2	4	5	7	8	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.4	6	2	2	4	5	8	10	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	100	6.2	8	3	3	6	7	10	12	16
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.4	6	1	1	3	4	6	7	15
B. *Operated*	435	4.1	5	2	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	33	4.4	6	2	2	4	5	8	10	11
B. *Operated*	100	6.2	8	3	3	6	7	10	12	16
1. SINGLE DX	476	4.0	5	2	2	4	5	7	8	10
2. MULTIPLE DX	133	5.7	8	2	3	5	7	10	11	15
A. NOT OPERATED	74	3.8	6	1	2	3	5	7	9	14
B. OPERATED	535	4.5	6	2	2	4	5	7	9	12
TOTAL 0-19 YRS	609	4.4	6	2	2	4	5	7	9	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**609**	**4.4**	**6**	**2**	**2**	**4**	**5**	**7**	**9**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	2.8	13	<1	<1	2	3	6	8	21
20-34	17	3.4	5	1	1	4	5	7	8	8
35-49	8	7.6	59	2	2	4	12	20	22	22
50-64	12	3.8	7	1	1	3	5	8	9	9
65+	9	4.0	8	<1	<1	3	7	8	8	8
B. *Operated*										
0-19 YRS	299	4.9	26	<1	1	3	6	11	18	23
20-34	102	5.3	18	1	2	4	7	11	14	22
35-49	40	6.2	20	2	2	5	8	14	16	19
50-64	33	6.2	20	1	2	5	9	13	14	18
65+	30	9.2	74	2	2	5	15	22	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	5.5	43	1	1	4	7	10	16	39
20-34	21	6.3	16	1	2	5	8	13	15	16
35-49	26	4.4	9	1	1	4	6	8	11	14
50-64	52	7.1	38	1	2	5	9	13	22	30
65+	69	6.0	15	2	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	261	8.0	83	1	2	5	10	16	22	46
20-34	110	7.3	28	2	2	6	10	15	18	22
35-49	71	10.9	117	2	2	9	13	19	24	65
50-64	96	11.6	112	2	2	10	16	22	26	64
65+	76	13.6	112	2	3	12	18	27	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.2	15	<1	<1	2	4	7	8	21
B. *Operated*	504	5.4	27	1	1	4	7	12	18	23
2. MULTIPLE DX										
A. *Not Operated*	297	5.8	31	1	1	4	7	11	15	32
B. *Operated*	614	9.4	90	2	2	7	12	19	24	51
1. SINGLE DX	676	4.9	25	<1	1	3	6	11	17	23
2. MULTIPLE DX	911	8.3	73	1	2	6	11	16	22	42
A. NOT OPERATED	469	4.9	26	<1	1	3	6	9	13	29
B. OPERATED	1118	7.6	65	1	2	5	10	16	21	38
TOTAL 0-19 YRS	815	5.7	48	<1	1	4	7	12	17	34
20-34	250	6.1	23	1	2	5	9	13	16	22
35-49	145	8.3	74	2	2	6	11	16	20	59
50-64	193	8.9	77	1	2	7	12	18	23	36
65+	184	9.5	77	2	2	7	12	21	27	42
GRAND TOTAL	**1587**	**6.8**	**55**	**1**	**1**	**4**	**9**	**15**	**20**	**34**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.7	2	<1	<1	1	2	5	6	6
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	917	2.9	2	1	2	3	3	5	6	8
20-34	90	3.4	4	1	1	3	4	6	7	13
35-49	17	3.4	2	2	2	3	4	4	7	8
50-64	5	5.0	9	3	3	4	6	10	10	10
65+	3	4.3	9	1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	1.7	3	<1	<1	1	2	4	5	9
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	952	3.4	4	1	2	3	4	6	7	10
20-34	99	4.7	8	2	2	4	6	8	10	17
35-49	29	3.9	3	1	2	4	5	6	8	8
50-64	10	5.5	25	2	2	4	6	13	19	19
65+	7	6.3	25	3	3	4	7	15	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	1032	3.0	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	40	1.9	3	<1	<1	1	2	4	5	9
B. *Operated*	1097	3.5	5	1	2	3	4	6	8	11
1. SINGLE DX	1051	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1137	3.5	5	1	2	3	4	6	8	11
A. NOT OPERATED	59	1.9	3	<1	<1	1	2	5	6	9
B. OPERATED	2129	3.3	4	1	2	3	4	5	7	10
TOTAL 0-19 YRS	1921	3.1	3	1	1	3	4	5	6	10
20-34	195	4.0	7	1	2	4	5	7	8	15
35-49	46	3.7	3	1	2	3	4	6	8	8
50-64	16	5.4	17	2	2	4	6	10	16	19
65+	10	5.7	19	1	2	5	7	12	17	17
GRAND TOTAL	**2188**	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**10**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	3	1	1	2	3	5	6	8
20-34	19	4.2	29	<1	1	2	5	8	17	24
35-49	13	4.4	6	1	1	5	6	8	9	9
50-64	14	3.6	3	<1	2	3	4	6	7	7
65+	12	5.8	20	1	1	3	10	12	12	12
B. *Operated*										
0-19 YRS	669	5.1	15	<1	1	4	8	11	12	16
20-34	296	4.5	14	1	1	4	6	9	11	17
35-49	103	5.5	20	1	2	4	7	12	16	20
50-64	43	4.9	17	<1	1	3	8	10	14	16
65+	29	4.9	18	1	1	3	8	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.0	40	<1	<1	2	4	8	13	41
20-34	60	4.6	13	1	1	3	6	10	12	18
35-49	72	4.7	12	1	1	4	6	9	11	17
50-64	71	5.0	9	2	2	4	6	10	11	13
65+	68	7.6	48	1	3	5	8	15	28	34
B. *Operated*										
0-19 YRS	532	5.7	27	1	1	4	8	12	14	26
20-34	415	5.7	22	1	2	5	7	11	14	26
35-49	208	7.4	40	1	2	6	9	14	20	43
50-64	201	8.3	52	1	2	6	11	18	22	32
65+	127	9.7	73	2	2	7	13	20	26	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	3.8	12	1	1	3	5	8	10	20
B. *Operated*	1140	5.0	16	1	1	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	341	5.2	26	1	1	4	6	10	13	29
B. *Operated*	1483	6.6	36	1	2	5	9	14	18	31
1. SINGLE DX	1224	4.9	15	1	1	4	7	10	12	17
2. MULTIPLE DX	1824	6.4	35	1	1	5	8	13	17	31
A. NOT OPERATED	425	4.9	23	1	1	4	6	10	12	28
B. OPERATED	2623	5.9	28	1	1	5	8	12	16	26
TOTAL 0-19 YRS	1297	5.2	21	1	1	4	8	11	14	20
20-34	790	5.1	19	1	1	4	6	10	13	21
35-49	396	6.3	30	1	2	5	8	12	17	29
50-64	329	7.0	39	1	2	5	9	15	20	28
65+	236	8.3	59	1	2	6	11	18	26	45
GRAND TOTAL	**3048**	**5.8**	**27**	**1**	**1**	**4**	**8**	**12**	**15**	**26**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.0	6	<1	<1	1	2	5	6	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	528	3.7	5	1	2	3	4	6	7	13
20-34	68	5.7	12	2	2	5	7	10	13	18
35-49	20	4.1	3	1	2	4	5	6	8	9
50-64	19	4.6	4	2	2	5	5	7	9	9
65+	6	6.2	3	5	5	6	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	1.4	2	<1	<1	1	1	2	5	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	2	7.0	2	6	6	7	8	8	8	8
B. *Operated*										
0-19 YRS	273	4.5	8	1	2	4	5	8	10	16
20-34	131	5.2	8	3	3	5	6	8	11	18
35-49	90	5.4	10	3	3	5	6	9	11	21
50-64	124	6.6	43	3	3	5	7	11	14	40
65+	41	6.3	11	3	3	5	7	10	14	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.0	6	<1	<1	1	2	5	6	12
B. *Operated*	641	4.0	6	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	39	1.9	4	<1	<1	1	2	6	7	8
B. *Operated*	659	5.3	15	2	3	5	6	8	11	19
1. SINGLE DX	670	3.9	6	1	2	3	5	6	8	13
2. MULTIPLE DX	698	5.1	15	1	2	4	6	8	11	18
A. NOT OPERATED	68	2.0	5	<1	<1	1	2	5	7	11
B. OPERATED	1300	4.6	11	2	2	4	5	8	10	17
TOTAL 0-19 YRS	862	3.8	6	1	1	3	5	6	8	13
20-34	200	5.3	9	2	3	5	6	8	12	18
35-49	112	5.2	9	2	3	4	6	8	11	19
50-64	145	6.3	38	2	3	5	6	10	13	34
65+	49	6.3	10	3	4	5	7	9	11	19
GRAND TOTAL	**1368**	**4.5**	**11**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	3.4	16	<1	1	2	3	8	10	25
20-34	76	5.3	16	1	1	4	8	10	13	19
35-49	66	6.8	42	1	1	5	8	14	23	31
50-64	56	7.7	25	1	2	7	11	15	18	22
65+	28	9.3	39	2	3	7	13	19	22	24
B. *Operated*										
0-19 YRS	1628	4.6	20	1	1	3	5	10	13	23
20-34	813	4.1	14	1	1	3	5	9	11	18
35-49	421	5.1	23	1	1	3	6	12	14	26
50-64	224	6.7	34	2	2	4	9	14	20	27
65+	64	7.6	73	2	2	4	8	17	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	5.1	35	<1	1	3	6	12	17	33
20-34	158	6.6	23	1	2	6	8	13	15	27
35-49	168	7.0	17	2	2	7	9	13	14	20
50-64	175	8.3	26	3	3	7	11	15	18	30
65+	137	9.0	30	2	3	8	12	17	20	24
B. *Operated*										
0-19 YRS	616	6.4	44	1	2	4	8	14	20	39
20-34	433	6.8	55	1	2	4	8	15	21	38
35-49	386	8.6	58	2	2	6	12	19	23	35
50-64	341	10.1	92	2	2	8	13	21	27	49
65+	143	14.1	166	2	3	10	18	32	38	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	5.2	26	1	1	3	7	11	17	25
B. *Operated*	3150	4.7	22	1	1	3	5	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	944	6.9	29	1	1	6	9	14	17	27
B. *Operated*	1919	8.2	71	1	2	5	11	18	25	42
1. SINGLE DX	3593	4.8	22	1	1	3	6	10	14	25
2. MULTIPLE DX	2863	7.8	58	1	2	5	10	16	22	38
A. NOT OPERATED	1387	6.3	29	1	1	5	9	13	17	26
B. OPERATED	5069	6.0	43	1	2	4	7	13	18	33
TOTAL 0-19 YRS	2767	5.0	28	1	1	3	6	11	15	28
20-34	1480	5.3	29	1	1	3	6	11	15	31
35-49	1041	6.8	38	1	2	5	9	14	19	30
50-64	796	8.6	58	2	2	6	12	17	23	36
65+	372	10.7	97	2	2	8	14	22	32	48
GRAND TOTAL	**6456**	**6.1**	**40**	**1**	**1**	**4**	**8**	**13**	**18**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1576	3.9	22	1	1	3	4	7	12	27
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	37	5.1	53	<1	1	3	5	7	24	37
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1033	8.7	89	1	2	5	11	22	30	44
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	85	16.8	388	1	2	12	26	64	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1576	3.9	22	1	1	3	4	7	12	27
B. *Operated*	37	5.1	53	<1	1	3	5	7	24	37
2. MULTIPLE DX										
A. *Not Operated*	1033	8.7	89	1	2	5	11	22	30	44
B. *Operated*	85	16.8	388	1	2	12	26	64	99+	99+
1. SINGLE DX	1613	4.0	23	1	1	3	4	7	12	28
2. MULTIPLE DX	1118	9.3	116	1	2	5	12	23	33	85
A. NOT OPERATED	2609	5.8	54	1	1	3	6	14	22	38
B. OPERATED	122	13.3	314	1	1	6	18	51	95	99+
TOTAL 0-19 YRS	2731	6.2	68	1	1	3	6	15	23	44
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2731**	**6.2**	**68**	**1**	**1**	**3**	**6**	**15**	**23**	**44**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2534	3.3	7	1	1	3	4	6	7	13
20-34	1216	4.2	12	1	1	3	5	8	10	16
35-49	550	4.6	14	1	1	4	6	9	12	19
50-64	400	4.7	15	1	1	4	6	9	11	18
65+	291	5.2	21	1	2	4	6	10	13	25
B. *Operated*										
0-19 YRS	47	4.7	9	1	2	4	7	8	11	13
20-34	50	6.5	17	1	2	6	10	12	14	17
35-49	32	6.1	15	2	3	5	7	13	14	17
50-64	26	6.3	13	2	4	5	7	10	15	19
65+	13	7.6	58	3	3	5	8	14	29	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3470	4.0	11	1	1	3	5	7	9	17
20-34	1473	5.8	26	1	2	4	8	11	15	24
35-49	1212	6.5	24	1	2	5	8	13	16	23
50-64	1490	7.3	35	2	2	6	9	14	17	28
65+	1658	8.3	45	2	3	6	10	16	22	34
B. *Operated*										
0-19 YRS	111	9.0	86	2	2	6	10	18	28	56
20-34	143	10.1	104	2	2	7	12	21	29	52
35-49	152	12.0	136	2	3	9	15	22	29	66
50-64	156	13.7	151	3	4	11	17	27	33	81
65+	153	15.9	147	4	4	13	21	30	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4991	3.9	10	1	1	3	5	7	9	16
B. *Operated*	168	6.0	17	2	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	9303	5.9	28	1	2	4	7	12	15	27
B. *Operated*	715	12.3	133	2	3	9	16	25	31	66
1. SINGLE DX	5159	4.0	11	1	1	3	5	7	10	16
2. MULTIPLE DX	10018	6.4	38	1	2	5	8	13	17	30
A. NOT OPERATED	14294	5.2	23	1	1	4	6	10	14	24
B. OPERATED	883	11.1	117	2	3	8	14	23	30	61
TOTAL 0-19 YRS	6162	3.8	11	1	1	3	5	7	9	16
20-34	2882	5.4	26	1	1	4	7	10	14	25
35-49	1946	6.4	33	1	2	5	8	13	16	27
50-64	2072	7.3	44	1	2	5	9	14	18	31
65+	2115	8.4	55	2	2	6	10	17	23	36
GRAND TOTAL	**15177**	**5.6**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	884	3.2	4	1	1	3	4	6	7	11
20-34	174	5.4	12	2	2	5	7	10	12	17
35-49	91	4.6	8	2	2	4	6	8	11	16
50-64	91	5.3	12	2	2	4	7	10	13	18
65+	103	6.8	30	2	3	5	8	11	17	34
B. *Operated*										
0-19 YRS	12	6.2	15	2	2	5	8	13	14	14
20-34	23	10.6	65	4	4	8	10	25	29	34
35-49	18	16.8	232	3	4	12	20	44	53	55
50-64	19	12.3	38	5	6	11	15	22	25	26
65+	12	13.8	25	6	7	13	17	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1319	3.8	8	1	2	3	4	6	9	14
20-34	372	5.6	18	2	2	4	7	10	13	22
35-49	268	6.7	18	2	3	6	9	12	15	20
50-64	476	6.8	22	2	3	6	8	12	16	22
65+	817	8.3	34	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	59	9.6	67	2	2	7	13	26	31	93
20-34	81	12.4	139	3	4	9	14	23	26	79
35-49	78	14.2	142	4	5	11	18	28	40	62
50-64	115	13.5	73	2	4	12	18	23	31	43
65+	152	15.0	122	3	5	12	19	28	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1343	4.0	9	1	1	3	5	7	10	16
B. *Operated*	84	12.1	89	3	4	9	15	24	29	53
2. MULTIPLE DX										
A. *Not Operated*	3252	5.8	22	2	2	4	7	11	14	24
B. *Operated*	485	13.4	112	3	4	11	17	26	33	60
1. SINGLE DX	1427	4.5	18	1	2	3	5	8	11	21
2. MULTIPLE DX	3737	6.8	40	2	2	5	8	14	18	33
A. NOT OPERATED	4595	5.3	19	1	2	4	7	10	13	22
B. OPERATED	569	13.2	109	3	4	11	17	26	33	59
TOTAL 0-19 YRS	2274	3.7	9	1	1	3	4	6	9	15
20-34	650	6.6	39	2	2	5	8	12	15	27
35-49	455	8.0	58	2	3	6	10	15	19	50
50-64	701	7.8	36	2	3	6	10	16	20	32
65+	1084	9.2	52	2	3	7	11	17	23	39
GRAND TOTAL	**5164**	**6.2**	**35**	**1**	**2**	**4**	**7**	**12**	**17**	**30**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	623	3.2	4	1	1	3	4	6	7	10
20-34	960	4.3	11	1	1	4	5	8	10	18
35-49	499	4.9	14	1	1	4	6	10	12	20
50-64	205	5.0	18	1	2	4	7	10	12	23
65+	81	5.4	20	1	2	4	7	11	14	24
B. *Operated*										
0-19 YRS	15	5.7	21	1	2	4	8	14	15	15
20-34	105	5.1	12	2	2	4	7	9	12	19
35-49	79	5.3	12	2	2	4	8	10	12	18
50-64	50	5.4	16	2	2	4	8	12	13	17
65+	17	7.8	68	2	2	5	9	15	29	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	618	4.1	9	1	2	3	5	8	9	16
20-34	1458	5.3	18	1	2	4	6	10	13	23
35-49	1131	6.1	18	2	2	5	8	11	14	21
50-64	757	6.5	22	2	2	5	8	12	16	26
65+	585	6.6	23	2	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	21	5.2	6	2	2	5	7	9	10	10
20-34	155	7.9	24	2	2	7	10	15	17	22
35-49	161	8.6	45	2	2	7	11	16	22	28
50-64	139	8.6	40	2	2	7	11	17	20	36
65+	97	9.5	38	2	2	8	12	20	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2368	4.2	11	1	1	3	5	8	10	17
B. *Operated*	266	5.4	17	2	2	4	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	4549	5.7	19	1	2	5	7	11	14	22
B. *Operated*	573	8.4	36	2	2	7	11	16	21	27
1. SINGLE DX	2634	4.4	12	1	1	3	5	8	11	18
2. MULTIPLE DX	5122	6.0	21	1	2	5	8	11	15	24
A. NOT OPERATED	6917	5.2	17	1	2	4	7	10	13	21
B. OPERATED	839	7.5	32	2	2	6	10	14	18	26
TOTAL 0-19 YRS	1277	3.7	7	1	1	3	5	7	8	14
20-34	2678	5.1	16	1	2	4	6	10	13	22
35-49	1870	5.9	20	1	2	5	8	11	15	23
50-64	1151	6.5	24	2	2	5	8	12	16	26
65+	780	6.9	26	2	2	6	9	13	16	25
GRAND TOTAL	**7756**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**14**	**22**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.3	2	<1	1	2	3	4	5	8
20-34	92	3.7	5	1	1	3	5	7	7	10
35-49	123	3.4	3	1	1	3	5	6	6	9
50-64	222	3.6	4	1	1	3	5	6	8	10
65+	260	3.4	4	1	1	3	5	6	7	9
B. *Operated*										
0-19 YRS	73	2.2	4	<1	<1	1	3	5	6	9
20-34	70	4.5	6	<1	1	4	6	7	8	13
35-49	100	5.0	7	1	2	5	6	8	10	13
50-64	157	4.7	6	1	2	4	6	8	9	12
65+	146	5.1	12	1	1	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	3.1	9	1	1	2	4	6	7	20
20-34	74	4.4	14	1	1	4	5	7	10	23
35-49	172	4.2	6	1	1	4	6	8	9	11
50-64	523	4.9	11	1	1	4	6	9	10	17
65+	931	5.0	15	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	40	3.4	8	<1	<1	2	4	9	9	12
20-34	52	4.8	9	1	2	4	7	9	11	14
35-49	97	6.1	16	2	2	5	8	11	16	20
50-64	293	6.4	17	2	3	5	8	12	15	20
65+	358	7.4	35	2	2	6	9	15	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.4	4	1	1	3	5	6	7	9
B. *Operated*	546	4.5	8	1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	1812	4.8	13	1	1	4	6	9	11	19
B. *Operated*	840	6.5	25	1	2	5	8	13	16	26
1. SINGLE DX	1307	3.9	6	1	1	3	5	7	8	12
2. MULTIPLE DX	2652	5.3	17	1	2	4	7	10	13	21
A. NOT OPERATED	2573	4.4	10	1	1	4	6	8	10	17
B. OPERATED	1386	5.7	19	1	2	5	7	10	14	24
TOTAL 0-19 YRS	289	2.7	6	<1	1	2	3	6	7	12
20-34	288	4.3	8	1	1	4	6	7	9	14
35-49	492	4.5	8	1	2	4	6	8	10	16
50-64	1195	5.0	11	1	2	4	6	9	11	17
65+	1695	5.3	19	1	2	4	7	10	13	24
GRAND TOTAL	**3959**	**4.8**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	3.5	5	1	1	3	5	6	7	11
20-34	83	3.1	3	<1	1	3	4	5	7	9
35-49	55	3.1	4	1	1	3	4	7	7	9
50-64	47	3.9	7	1	1	3	4	8	9	15
65+	53	4.3	12	1	1	3	5	8	12	17
B. *Operated*										
0-19 YRS	326	2.7	9	<1	1	2	3	5	8	13
20-34	326	3.2	8	1	1	2	4	6	8	16
35-49	139	3.3	9	1	1	3	4	6	8	13
50-64	154	4.6	72	1	2	3	4	7	15	23
65+	66	4.1	16	1	1	3	4	9	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	4.4	8	1	2	4	5	8	10	17
20-34	158	5.1	22	1	1	4	7	9	13	32
35-49	146	5.2	56	1	1	4	6	9	12	34
50-64	237	5.6	28	1	2	4	7	10	15	31
65+	358	8.4	61	1	2	5	10	20	24	41
B. *Operated*										
0-19 YRS	104	5.5	32	1	1	3	7	13	17	29
20-34	158	6.6	46	1	2	4	8	15	20	36
35-49	154	7.4	64	1	2	5	9	14	22	41
50-64	214	7.1	80	1	2	4	8	16	23	39
65+	165	10.4	153	2	2	6	12	25	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	3.5	6	1	1	3	5	7	8	13
B. *Operated*	1011	3.3	19	1	1	2	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	1016	6.3	43	1	2	4	7	14	20	34
B. *Operated*	795	7.5	81	1	2	4	9	16	25	41
1. SINGLE DX	1350	3.4	16	1	1	2	4	6	8	16
2. MULTIPLE DX	1811	6.9	60	1	2	4	8	15	21	38
A. NOT OPERATED	1355	5.6	35	1	1	4	7	11	17	31
B. OPERATED	1806	5.2	51	1	1	3	6	11	16	35
TOTAL 0-19 YRS	648	3.6	13	1	1	2	4	7	10	18
20-34	725	4.3	20	1	1	3	5	8	12	27
35-49	494	5.1	43	1	1	3	6	10	14	31
50-64	652	5.8	55	1	2	4	6	11	17	32
65+	642	8.1	80	1	2	5	10	19	24	42
GRAND TOTAL	3161	5.4	44	1	1	3	6	11	16	33

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.8	49	3	3	10	15	20	20	20
20-34	3	1.3		1	1	1	2	2	2	2
35-49	3	9.3	44	2	2	11	14	15	15	15
50-64	12	15.6	296	1	4	11	15	39	62	66
65+	25	9.0	55	2	2	8	11	19	25	35
B. *Operated*										
0-19 YRS	30	5.2	23	1	1	4	6	11	18	21
20-34	53	7.3	59	1	2	5	8	15	23	44
35-49	38	11.8	235	2	2	4	13	31	47	72
50-64	75	21.8	425	2	3	13	35	52	62	85
65+	171	19.2	227	3	6	14	25	38	52	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.3	44	<1	<1	10	14	16	16	16
20-34	8	4.6	20	<1	<1	3	6	12	14	14
35-49	10	9.5	36	3	3	8	15	18	21	21
50-64	48	15.9	248	2	4	11	19	27	50	89
65+	199	12.6	90	3	4	10	16	25	33	50
B. *Operated*										
0-19 YRS	25	8.4	111	1	1	3	11	28	32	39
20-34	70	11.2	156	2	2	7	15	31	42	93
35-49	88	23.8	353	2	4	19	37	51	62	95
50-64	383	24.4	310	3	5	20	33	50	58	86
65+	1179	26.7	331	7	9	22	34	55	67	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	10.4	118	1	2	8	12	20	28	66
B. *Operated*	367	16.1	260	2	2	11	21	38	52	75
2. MULTIPLE DX										
A. *Not Operated*	269	12.8	117	2	4	10	16	24	34	52
B. *Operated*	1745	25.2	331	4	7	21	33	52	65	94
1. SINGLE DX	414	15.4	247	2	2	10	20	36	52	74
2. MULTIPLE DX	2014	23.5	320	3	6	19	31	49	64	93
A. NOT OPERATED	316	12.4	117	2	3	10	16	24	33	54
B. OPERATED	2112	23.6	330	3	5	19	32	50	64	92
TOTAL 0-19 YRS	63	7.1	62	1	1	4	10	19	23	38
20-34	134	9.1	111	1	2	6	11	23	33	70
35-49	139	19.0	328	2	2	14	28	48	56	88
50-64	518	23.0	326	2	4	18	31	50	58	87
65+	1574	23.8	313	5	7	19	31	49	64	93
GRAND TOTAL	2428	22.1	317	3	4	17	29	47	61	90

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	3.3	7	1	1	3	4	6	8	16
20-34	1024	3.4	5	1	1	3	4	6	8	12
35-49	2406	3.5	6	1	1	3	4	6	8	12
50-64	1837	3.8	6	1	1	3	5	7	8	13
65+	724	4.0	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	5	2.4		2	2	2	3	3	3	3
20-34	118	4.2	19	2	2	3	5	9	12	27
35-49	808	3.2	6	1	2	2	4	6	8	14
50-64	820	3.3	16	1	2	2	3	6	9	14
65+	136	3.4	7	1	2	2	4	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	3.5	4	1	1	3	5	6	7	9
20-34	1595	4.4	14	1	1	4	6	8	10	16
35-49	4981	4.8	11	1	2	4	6	8	10	17
50-64	6189	5.0	12	1	2	4	6	9	11	17
65+	4012	5.7	19	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	15	5.3	8	2	2	5	7	8	11	12
20-34	227	6.1	20	2	2	5	9	12	14	21
35-49	1165	5.8	28	2	2	4	8	12	15	23
50-64	1746	6.0	30	2	2	4	8	12	16	26
65+	557	9.1	72	2	2	7	12	18	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6150	3.6	6	1	1	3	5	7	8	13
B. *Operated*	1887	3.3	11	1	2	2	3	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	16987	5.0	14	1	2	4	6	9	11	18
B. *Operated*	3710	6.4	36	2	2	4	9	13	17	30
1. SINGLE DX	8037	3.6	7	1	1	3	4	7	8	13
2. MULTIPLE DX	20697	5.3	18	1	2	4	7	10	13	21
A. NOT OPERATED	23137	4.7	12	1	2	4	6	8	11	17
B. OPERATED	5597	5.4	30	2	2	3	7	12	15	25
TOTAL 0-19 YRS	389	3.5	5	1	1	3	4	6	8	11
20-34	2964	4.2	12	1	1	3	5	8	10	15
35-49	9360	4.4	12	1	2	4	6	8	10	17
50-64	10592	4.8	15	1	2	4	6	9	12	19
65+	5429	5.8	24	2	2	4	7	11	15	25
GRAND TOTAL	28734	4.8	16	1	2	4	6	9	12	19

336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	3.4	6	1	1	3	4	7	8	13
20-34	86	2.8	3	1	1	2	4	5	6	7
35-49	92	3.1	4	1	1	3	4	6	7	10
50-64	107	4.4	14	1	1	3	5	9	12	20
65+	129	5.1	13	1	1	4	8	10	12	16
B. *Operated*										
0-19 YRS	32	3.7	6	1	1	3	5	8	9	10
20-34	55	4.3	11	1	1	3	6	9	13	14
35-49	105	4.6	17	1	1	3	6	9	11	22
50-64	156	4.4	13	1	1	3	6	8	10	18
65+	125	5.9	34	1	2	4	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	534	4.6	17	1	1	3	6	9	12	20
20-34	240	4.3	28	<1	1	3	5	8	11	27
35-49	325	5.6	19	1	2	4	7	11	14	25
50-64	740	7.2	46	1	2	6	9	14	17	34
65+	1077	8.3	48	2	3	6	11	16	21	35
B. *Operated*										
0-19 YRS	42	10.9	213	1	1	6	11	34	52	61
20-34	101	5.9	33	1	2	5	7	10	14	35
35-49	218	7.5	68	2	2	5	9	15	21	39
50-64	535	8.1	56	2	2	6	10	16	24	36
65+	460	9.9	75	2	2	8	13	21	29	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	3.7	8	1	1	3	5	7	9	14
B. *Operated*	473	4.8	19	1	1	3	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	2916	6.7	39	1	2	5	8	13	17	31
B. *Operated*	1356	8.5	69	2	2	6	10	18	24	43
1. SINGLE DX	1317	4.1	12	1	1	3	5	8	10	18
2. MULTIPLE DX	4272	7.3	49	1	2	5	9	15	20	36
A. NOT OPERATED	3760	6.1	34	1	1	4	8	12	16	27
B. OPERATED	1829	7.6	59	1	2	5	9	16	22	38
TOTAL 0-19 YRS	1038	4.3	22	1	1	3	5	8	11	20
20-34	482	4.4	24	1	1	3	6	8	11	22
35-49	740	5.7	33	1	2	4	7	11	16	25
50-64	1538	7.1	45	1	2	5	9	14	18	32
65+	1791	8.3	53	2	2	6	11	16	22	37
GRAND TOTAL	5589	6.5	42	1	2	5	8	13	18	32

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	2.5	2	1	1	2	3	4	5	9
20-34	355	2.6	10	<1	1	2	3	4	6	9
35-49	336	2.4	3	<1	1	2	3	5	6	10
50-64	232	2.8	4	1	1	2	4	5	7	11
65+	187	4.0	15	1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	265	2.0	3	<1	1	1	2	4	6	10
20-34	124	5.1	16	1	1	4	7	10	12	20
35-49	119	5.6	17	1	1	5	8	11	14	19
50-64	136	5.7	15	1	1	5	8	11	12	18
65+	146	8.3	34	2	2	7	11	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.0	51	1	1	3	4	7	8	42
20-34	387	3.4	8	1	1	3	4	6	8	14
35-49	399	4.0	10	1	1	3	5	8	10	16
50-64	483	4.8	23	1	1	4	6	9	12	29
65+	929	7.1	33	1	2	5	9	14	18	28
B. *Operated*										
0-19 YRS	308	2.7	13	<1	1	2	3	5	7	16
20-34	226	6.6	32	1	2	5	8	12	18	28
35-49	297	7.5	35	2	3	6	9	15	18	32
50-64	449	9.1	41	2	3	8	12	16	21	32
65+	1093	11.9	75	2	4	10	15	23	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1228	2.8	7	1	1	2	3	5	7	11
B. *Operated*	790	4.8	20	1	1	3	7	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	2319	5.3	26	1	1	4	6	11	15	26
B. *Operated*	2373	9.1	61	1	2	7	12	18	24	37
1. SINGLE DX	2018	3.6	13	1	1	2	4	8	10	18
2. MULTIPLE DX	4692	7.2	47	1	2	5	9	15	20	33
A. NOT OPERATED	3547	4.4	21	1	1	3	5	9	13	24
B. OPERATED	3163	8.1	54	1	1	6	11	17	22	35
TOTAL 0-19 YRS	812	2.6	14	<1	1	2	3	5	7	12
20-34	1092	4.0	17	1	1	3	5	8	10	21
35-49	1151	4.6	19	1	1	3	6	9	13	22
50-64	1300	6.0	31	1	1	4	8	13	16	29
65+	2355	9.1	59	1	2	7	12	18	24	37
GRAND TOTAL	6710	6.1	40	1	1	4	8	14	18	30

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3211	2.8	4	1	1	2	4	5	6	10
20-34	3147	3.3	6	1	1	3	4	6	8	11
35-49	1445	3.8	7	1	1	3	5	7	9	13
50-64	1026	4.1	8	1	1	3	5	8	10	13
65+	687	4.5	12	1	1	4	6	9	11	18
B. *Operated*										
0-19 YRS	370	4.3	7	1	2	4	5	8	10	13
20-34	576	4.9	13	1	2	4	6	9	12	19
35-49	257	5.5	18	1	2	5	7	10	13	19
50-64	143	6.3	22	1	2	5	8	12	16	24
65+	78	7.9	30	1	2	8	11	14	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2144	3.3	6	1	1	3	4	6	8	13
20-34	3309	4.2	13	1	1	3	5	8	10	17
35-49	2140	5.3	16	1	2	4	7	10	13	21
50-64	2442	5.6	19	1	2	5	7	10	13	21
65+	3216	6.4	24	2	2	5	8	12	16	24
B. *Operated*										
0-19 YRS	315	5.4	15	1	2	4	6	10	14	20
20-34	803	6.9	31	1	2	6	9	13	18	27
35-49	599	9.3	48	2	3	8	12	17	22	34
50-64	523	10.0	55	2	3	8	13	19	24	35
65+	468	12.2	85	3	4	10	16	23	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9516	3.4	6	1	1	3	4	6	8	12
B. *Operated*	1424	5.1	15	1	2	4	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	13251	5.0	17	1	1	4	6	10	12	20
B. *Operated*	2708	8.8	51	2	2	7	11	17	22	35
1. SINGLE DX	10940	3.6	8	1	1	3	5	7	9	14
2. MULTIPLE DX	15959	5.7	25	1	2	4	7	11	15	25
A. NOT OPERATED	22767	4.3	13	1	1	3	5	8	11	18
B. OPERATED	4132	7.5	42	1	2	6	10	15	20	31
TOTAL 0-19 YRS	6040	3.2	6	1	1	3	4	6	8	12
20-34	7835	4.2	13	1	1	3	5	8	10	18
35-49	4441	5.3	20	1	1	4	7	10	14	23
50-64	4134	5.8	24	1	2	5	7	11	14	24
65+	4449	6.8	33	1	2	5	9	13	17	29
GRAND TOTAL	26899	4.8	19	1	1	4	6	9	13	22

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	321	3.2	7	1	1	2	4	6	8	13
20-34	179	3.3	6	1	1	3	5	7	8	11
35-49	99	3.4	6	1	1	3	5	6	8	13
50-64	123	3.7	10	1	1	3	4	8	10	17
65+	156	4.3	13	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	17	3.5	6	1	1	3	5	8	9	9
20-34	68	5.7	23	1	1	4	7	12	18	21
35-49	52	5.4	25	1	1	3	8	13	15	25
50-64	76	6.1	37	1	2	4	8	13	17	33
65+	52	7.5	46	1	2	6	10	13	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	767	3.6	14	1	1	3	4	6	8	14
20-34	469	4.8	22	1	1	3	6	9	12	23
35-49	452	5.7	28	1	1	4	7	12	15	25
50-64	737	6.8	42	1	2	5	9	14	18	31
65+	1465	7.5	42	2	2	6	9	14	19	31
B. *Operated*										
0-19 YRS	53	7.8	67	1	2	6	10	14	17	50
20-34	207	7.9	52	1	2	7	9	14	18	39
35-49	216	9.2	63	1	2	7	12	18	24	39
50-64	273	10.7	104	2	2	8	13	22	30	55
65+	331	13.6	156	2	3	11	19	27	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	878	3.5	8	1	1	3	4	7	9	14
B. *Operated*	265	6.0	31	1	1	4	8	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	3890	6.1	35	1	2	4	8	12	16	29
B. *Operated*	1080	10.6	104	1	2	8	13	22	28	53
1. SINGLE DX	1143	4.1	15	1	1	3	5	8	11	19
2. MULTIPLE DX	4970	7.1	53	1	2	5	9	14	20	36
A. NOT OPERATED	4768	5.6	31	1	1	4	7	11	15	27
B. OPERATED	1345	9.7	93	1	2	7	12	21	27	50
TOTAL 0-19 YRS	1158	3.7	15	1	1	3	4	6	9	16
20-34	923	5.3	28	1	1	4	7	10	13	23
35-49	819	6.4	37	1	1	5	8	14	18	34
50-64	1209	7.3	56	1	2	5	9	15	21	36
65+	2004	8.2	65	2	2	6	10	16	23	39
GRAND TOTAL	6113	6.5	47	1	2	4	8	13	18	33

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2469	3.9	15	1	1	3	5	7	10	21
20-34	1743	4.9	32	<1	1	3	5	9	16	26
35-49	1248	5.6	36	1	1	4	6	11	23	27
50-64	1362	5.3	32	1	1	4	6	10	15	27
65+	1424	5.9	37	1	2	4	7	12	17	32
B. *Operated*										
0-19 YRS	223	3.6	16	<1	1	2	4	7	9	18
20-34	496	4.2	26	1	1	2	5	9	12	28
35-49	459	5.0	37	1	1	3	6	11	15	32
50-64	484	5.7	40	1	2	3	7	13	20	34
65+	286	7.6	96	1	1	4	8	20	29	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3066	5.1	21	1	2	4	6	10	13	24
20-34	2504	5.2	22	1	1	4	6	9	12	25
35-49	2778	5.8	24	1	2	5	7	11	14	27
50-64	5099	6.7	36	1	2	5	8	13	17	31
65+	10246	7.8	44	2	2	6	10	15	20	34
B. *Operated*										
0-19 YRS	250	7.0	71	1	1	4	9	14	21	57
20-34	546	5.6	35	1	1	4	7	12	17	30
35-49	684	7.5	76	1	2	5	9	16	22	49
50-64	1197	9.9	110	2	2	7	12	21	29	66
65+	1599	13.0	146	2	3	10	16	27	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8246	5.0	29	1	1	3	6	9	14	27
B. *Operated*	1948	5.2	43	1	1	3	6	11	17	36
2. MULTIPLE DX										
A. *Not Operated*	23693	6.7	36	1	2	5	8	13	17	30
B. *Operated*	4276	10.0	114	1	2	7	13	22	30	62
1. SINGLE DX	10194	5.0	32	1	1	3	6	10	15	29
2. MULTIPLE DX	27969	7.2	49	1	2	5	9	14	19	36
A. NOT OPERATED	31939	6.3	35	1	2	5	8	12	17	30
B. OPERATED	6224	8.5	96	1	2	5	11	19	27	57
TOTAL 0-19 YRS	6008	4.7	21	1	1	3	6	9	12	23
20-34	5289	5.1	27	1	1	4	6	10	14	26
35-49	5169	5.9	35	1	2	4	7	12	17	30
50-64	8142	6.9	49	1	2	5	8	14	19	35
65+	13555	8.2	59	2	2	6	10	16	22	42
GRAND TOTAL	38163	6.6	45	1	2	5	8	13	19	34

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	638	2.4	4	1	1	2	3	5	6	10
20-34	84	4.9	17	1	1	4	6	10	14	21
35-49	22	6.0	23	2	2	4	7	14	17	19
50-64	16	4.6	20	1	1	3	6	12	15	17
65+	13	6.2	18	2	3	4	8	14	15	15
B. *Operated*										
0-19 YRS	104	6.3	100	1	2	5	7	10	12	61
20-34	45	8.0	52	2	3	7	9	12	19	46
35-49	8	7.9	26	2	2	7	11	16	17	17
50-64	5	9.8	24	4	4	10	14	16	16	16
65+	3	23.3	401	4	4	22	38	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	491	4.3	18	1	1	3	5	9	11	25
20-34	117	5.6	32	<1	1	4	7	11	15	27
35-49	46	7.8	44	1	2	6	9	16	20	37
50-64	63	7.5	44	1	2	5	10	16	20	36
65+	57	11.7	119	3	3	8	15	24	31	62
B. *Operated*										
0-19 YRS	151	12.2	161	1	2	8	16	30	40	72
20-34	147	16.2	357	2	3	10	20	52	84	99+
35-49	57	14.7	196	2	3	10	19	37	47	98
50-64	41	15.0	213	2	3	11	21	35	63	99+
65+	30	25.9	646	1	2	20	29	70	87	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	773	2.9	7	1	1	2	3	6	8	16
B. *Operated*	165	7.3	89	1	2	5	8	12	17	46
2. MULTIPLE DX										
A. *Not Operated*	774	5.5	36	1	1	4	7	11	16	32
B. *Operated*	426	15.2	281	1	2	10	19	36	65	99+
1. SINGLE DX	938	3.7	24	1	1	2	4	7	10	19
2. MULTIPLE DX	1200	8.9	144	1	1	5	10	21	33	85
A. NOT OPERATED	1547	4.2	23	1	1	3	5	9	13	24
B. OPERATED	591	12.9	240	1	2	8	15	32	54	99+
TOTAL 0-19 YRS	1384	4.4	42	1	1	2	5	9	13	34
20-34	393	9.7	178	1	1	6	11	21	41	99+
35-49	133	10.5	117	2	2	7	13	23	37	81
50-64	125	9.7	109	1	2	7	13	21	32	77
65+	103	15.5	312	2	3	9	19	31	56	91
GRAND TOTAL	**2138**	**6.6**	**98**	**1**	**1**	**3**	**7**	**14**	**25**	**68**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	3.0	6	1	1	2	4	6	7	15
20-34	69	4.2	8	1	1	4	6	8	10	13
35-49	17	5.1	12	<1	<1	4	7	11	12	12
50-64	15	5.1	21	<1	2	3	6	8	17	20
65+	9	6.4	32	1	1	6	10	15	15	15
B. *Operated*										
0-19 YRS	34	9.7	72	2	2	7	11	18	33	40
20-34	23	6.0	72	1	1	4	7	43	99+	99+
35-49	17	7.2	26	1	2	7	11	14	16	17
50-64	8	11.5	25	5	5	11	16	17	17	17
65+	4	13.0	117	4	4	10	21	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	4.7	17	1	1	3	6	9	12	20
20-34	138	7.7	60	1	2	5	10	14	23	45
35-49	65	6.5	31	1	2	5	8	13	16	28
50-64	54	8.8	32	2	3	7	13	16	20	24
65+	60	11.9	83	2	3	9	18	27	31	37
B. *Operated*										
0-19 YRS	102	15.0	259	1	2	9	22	38	68	99+
20-34	128	15.1	222	2	3	11	17	44	50	99+
35-49	45	14.8	171	2	3	12	22	58	99+	99+
50-64	35	14.9	130	2	3	11	24	28	39	46
65+	18	23.6	535	3	4	13	35	63	71	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	363	3.5	9	1	1	3	4	7	9	15
B. *Operated*	86	8.5	62	2	2	7	11	17	35	99+
2. MULTIPLE DX										
A. *Not Operated*	557	6.8	43	1	2	5	8	14	19	34
B. *Operated*	328	15.5	235	2	3	10	21	42	62	99+
1. SINGLE DX	449	4.4	23	1	1	3	6	9	14	35
2. MULTIPLE DX	885	10.0	131	1	2	6	13	25	36	96
A. NOT OPERATED	920	5.5	32	1	1	4	7	12	16	29
B. OPERATED	414	14.0	207	2	2	9	18	37	61	99+
TOTAL 0-19 YRS	629	5.9	73	1	1	3	7	12	22	57
20-34	358	9.6	127	1	2	6	12	23	43	99+
35-49	144	9.0	87	1	2	6	12	21	34	99+
50-64	112	10.4	71	2	3	7	14	23	27	44
65+	91	13.7	189	2	3	9	18	29	37	71
GRAND TOTAL	**1334**	**8.1**	**102**	**1**	**1**	**5**	**10**	**19**	**30**	**76**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.2	3	1	1	2	3	3	5	12
20-34	110	2.2	3	<1	<1	2	3	5	5	8
35-49	52	2.1	2	<1	<1	2	3	4	4	8
50-64	22	2.1	1	<1	1	2	3	3	4	4
65+	23	6.1	47	<1	1	3	7	16	25	26
B. *Operated*										
0-19 YRS	1176	2.3	4	<1	1	2	3	4	5	9
20-34	1602	2.9	4	1	1	2	4	5	7	10
35-49	387	3.4	7	1	1	2	4	6	8	15
50-64	142	4.3	11	1	1	3	5	8	11	18
65+	62	6.0	35	1	2	4	7	14	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	2.6	5	<1	1	2	3	5	6	9
20-34	332	3.2	12	<1	1	2	4	6	8	17
35-49	127	3.7	14	<1	1	2	5	8	10	20
50-64	92	5.7	105	1	2	4	6	11	13	63
65+	199	7.2	31	2	2	6	9	14	20	27
B. *Operated*										
0-19 YRS	1020	4.0	14	1	1	3	5	8	10	20
20-34	1830	5.2	34	1	1	4	6	10	13	29
35-49	595	6.3	33	1	2	5	8	12	15	30
50-64	312	7.2	68	1	2	5	9	13	19	65
65+	219	11.3	143	2	3	7	14	25	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	2.5	7	<1	<1	2	3	4	6	14
B. *Operated*	3369	2.9	6	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	921	4.3	27	1	1	3	5	9	12	23
B. *Operated*	3976	5.6	40	1	1	4	7	11	15	33
1. SINGLE DX	3657	2.9	6	1	1	2	3	5	7	11
2. MULTIPLE DX	4897	5.3	38	1	1	4	6	10	14	31
A. NOT OPERATED	1209	3.9	23	<1	1	3	5	8	11	22
B. OPERATED	7345	4.3	26	1	1	3	5	8	12	24
TOTAL 0-19 YRS	2448	3.1	9	<1	1	2	4	6	8	14
20-34	3874	4.0	20	1	1	3	5	8	10	19
35-49	1161	4.9	23	1	1	3	6	10	12	24
50-64	568	6.0	59	1	2	4	7	12	16	41
65+	503	8.8	85	2	2	6	11	18	25	43
GRAND TOTAL	8554	4.3	26	1	1	3	5	8	12	24

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	5.1	19	1	1	4	6	10	13	21
20-34	636	5.6	17	1	2	5	7	11	13	21
35-49	314	6.6	23	2	2	6	9	12	14	26
50-64	383	7.6	23	2	3	7	10	14	17	24
65+	602	10.4	38	3	4	9	13	18	23	31
B. *Operated*										
0-19 YRS	43	13.9	185	3	3	9	16	37	46	57
20-34	118	14.1	103	3	4	12	21	28	33	74
35-49	34	10.5	65	2	3	9	14	20	30	36
50-64	32	13.9	65	5	6	12	20	24	29	34
65+	24	18.0	108	5	6	18	21	31	37	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	6.1	40	1	2	5	7	11	15	29
20-34	578	7.3	41	1	2	6	9	14	18	34
35-49	381	8.4	45	2	3	7	10	17	20	34
50-64	687	10.1	53	3	4	8	13	17	22	36
65+	2785	12.8	69	3	5	11	16	23	28	43
B. *Operated*										
0-19 YRS	108	14.3	126	2	3	11	21	31	40	99+
20-34	248	16.9	256	2	4	12	21	36	49	94
35-49	125	18.2	192	3	4	15	26	43	50	69
50-64	130	19.7	202	5	6	16	27	37	46	72
65+	318	22.1	196	6	8	20	29	41	49	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2317	7.2	29	1	2	6	9	14	17	28
B. *Operated*	251	13.9	109	3	4	12	19	28	34	57
2. MULTIPLE DX										
A. *Not Operated*	4732	10.9	65	2	3	9	14	21	26	41
B. *Operated*	929	18.9	211	3	5	15	26	39	49	94
1. SINGLE DX	2568	7.9	40	2	2	6	10	16	20	31
2. MULTIPLE DX	5661	12.3	98	2	4	10	15	24	31	51
A. NOT OPERATED	7049	9.7	56	2	3	8	13	19	23	36
B. OPERATED	1180	17.9	193	3	5	14	24	36	47	89
TOTAL 0-19 YRS	834	7.1	60	1	2	5	8	14	22	43
20-34	1580	8.7	87	1	2	6	10	18	25	49
35-49	854	9.2	74	2	3	7	11	19	27	48
50-64	1232	10.4	72	2	3	8	13	19	26	43
65+	3729	13.2	83	3	5	11	16	24	30	48
GRAND TOTAL	8229	10.9	84	2	3	8	14	22	28	47

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.1	24	1	1	5	8	14	17	18
20-34	15	10.5	217	<1	2	6	8	35	50	55
35-49	5	6.6	19	<1	<1	6	9	13	13	13
50-64	12	9.2	41	2	3	7	13	20	21	21
65+	18	7.7	17	2	3	7	11	14	16	16
B. *Operated*										
0-19 YRS	6	18.8	155	9	10	14	37	89	99+	99+
20-34	17	22.1	397	3	5	19	31	72	94	99+
35-49	6	16.8	107	6	6	17	20	33	34	34
50-64	7	21.1	204	10	10	16	25	46	51	51
65+	2	18.5	113	11	11	18	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	21.4	1397	<1	<1	5	29	88	88	88
20-34	15	8.3	33	3	4	7	9	12	23	27
35-49	12	13.1	144	3	4	10	14	27	46	49
50-64	21	9.5	28	3	3	10	12	17	19	21
65+	88	12.8	110	3	4	11	14	22	24	68
B. *Operated*										
0-19 YRS	38	45.3	731	9	13	43	78	99+	99+	99+
20-34	54	48.4	820	11	15	56	93	99+	99+	99+
35-49	12	34.8	662	5	8	66	99+	99+	99+	99+
50-64	12	35.0	362	12	17	39	56	99+	99+	99+
65+	21	29.6	394	7	10	25	36	57	76	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	8.2	69	1	2	6	10	15	20	52
B. *Operated*	38	20.4	247	5	6	16	27	47	93	99+
2. MULTIPLE DX										
A. *Not Operated*	141	12.2	133	3	4	9	14	21	25	79
B. *Operated*	137	42.3	711	9	13	43	83	99+	99+	99+
1. SINGLE DX	102	12.7	168	1	2	8	16	31	45	99+
2. MULTIPLE DX	278	27.0	644	4	5	19	50	96	99+	99+
A. NOT OPERATED	205	10.9	116	2	3	8	12	20	24	65
B. OPERATED	175	37.5	690	6	11	36	76	99+	99+	99+
TOTAL 0-19 YRS	63	32.2	830	2	3	29	63	97	99+	99+
20-34	101	32.4	847	3	5	29	72	99+	99+	99+
35-49	35	20.3	401	4	5	15	49	99+	99+	99+
50-64	52	16.9	238	3	4	11	21	47	73	99+
65+	129	14.9	185	3	4	11	17	26	40	80
GRAND TOTAL	380	23.2	555	3	4	15	39	86	99+	99+

346: Fracture of ribs, sternum, larynx, and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.6	5	1	1	2	3	6	7	11
20-34	95	3.4	6	1	1	3	5	6	8	14
35-49	116	3.7	8	1	1	3	5	7	9	14
50-64	174	4.2	9	1	1	3	6	8	10	14
65+	189	6.3	28	1	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	6	7.8	39	2	2	6	12	17	18	18
20-34	10	8.1	51	1	2	7	9	18	27	27
35-49	6	5.8	13	2	2	5	8	12	12	12
50-64	7	10.0	37	4	4	8	12	20	22	22
65+	3	7.0	1	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	4.3	20	1	1	3	5	9	12	23
20-34	441	4.8	14	1	1	4	6	9	12	20
35-49	555	6.2	30	1	2	5	8	11	14	25
50-64	931	7.2	29	1	2	6	9	13	17	27
65+	1824	9.7	45	2	3	8	12	19	23	33
B. *Operated*										
0-19 YRS	55	10.0	77	2	3	7	12	22	30	48
20-34	197	10.6	115	2	3	8	12	22	33	61
35-49	199	10.9	122	3	4	8	12	20	33	62
50-64	227	13.8	133	3	4	10	18	29	39	56
65+	281	16.3	159	3	5	13	22	33	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	619	4.5	15	1	1	3	6	9	11	18
B. *Operated*	32	7.9	32	2	3	7	9	14	22	27
2. MULTIPLE DX										
A. *Not Operated*	3883	7.8	38	1	2	6	10	15	20	30
B. *Operated*	959	13.1	137	3	4	9	16	27	37	65
1. SINGLE DX	651	4.7	17	1	1	4	6	9	12	18
2. MULTIPLE DX	4842	8.9	62	2	2	7	11	18	24	40
A. NOT OPERATED	4502	7.4	36	1	2	6	9	14	19	29
B. OPERATED	991	12.9	134	3	4	9	16	27	36	62
TOTAL 0-19 YRS	238	5.4	37	1	1	3	7	12	15	38
20-34	743	6.2	47	1	1	4	7	12	17	36
35-49	876	6.9	53	1	2	5	8	12	17	43
50-64	1339	8.0	52	1	2	6	10	15	21	39
65+	2297	10.2	64	2	3	8	13	20	28	39
GRAND TOTAL	5493	8.4	58	1	2	6	10	17	23	39

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	6.0	29	1	2	4	7	11	14	33
20-34	138	9.8	115	2	2	6	11	20	33	56
35-49	68	9.3	56	1	2	7	12	19	23	36
50-64	127	10.8	65	3	4	8	14	20	27	43
65+	486	13.4	85	4	5	11	17	24	29	45
B. *Operated*										
0-19 YRS	19	16.3	174	2	3	15	24	29	44	54
20-34	16	27.7	322	10	12	22	35	60	64	66
35-49	10	32.5	461	5	10	28	47	66	69	69
50-64	7	40.3	463	2	8	43	57	66	67	67
65+	9	18.3	116	8	8	12	28	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	10.3	107	2	3	7	12	20	29	62
20-34	247	12.8	115	3	4	9	16	27	37	56
35-49	131	14.3	112	3	4	11	19	30	36	50
50-64	232	16.4	136	4	6	13	20	30	39	59
65+	1683	16.3	94	5	6	14	21	29	35	49
B. *Operated*										
0-19 YRS	112	22.6	398	4	5	15	28	51	71	88
20-34	176	25.3	405	4	6	19	39	59	75	99+
35-49	85	28.2	372	5	8	25	42	57	63	93
50-64	76	29.5	364	6	9	24	47	56	64	79
65+	196	28.9	283	9	12	24	39	51	59	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	11.1	83	2	3	9	15	21	28	44
B. *Operated*	61	25.0	333	3	5	20	33	56	65	69
2. MULTIPLE DX										
A. *Not Operated*	2470	15.4	105	4	5	13	20	29	35	53
B. *Operated*	645	26.8	361	5	7	22	39	54	66	90
1. SINGLE DX	1041	11.9	108	2	3	9	15	23	31	61
2. MULTIPLE DX	3115	17.8	180	4	5	14	23	36	46	72
A. NOT OPERATED	3450	14.2	103	3	4	12	19	27	34	52
B. OPERATED	706	26.7	359	5	7	21	39	54	66	89
TOTAL 0-19 YRS	469	12.0	192	2	3	7	14	27	42	73
20-34	577	16.3	252	3	4	11	21	40	53	85
35-49	294	17.8	245	3	4	12	24	41	54	76
50-64	442	17.4	205	4	5	13	21	38	50	66
65+	2374	16.7	123	4	6	14	21	30	38	56
GRAND TOTAL	4156	16.3	168	3	4	13	21	32	43	66

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	353	3.5	36	<1	1	2	3	8	16	23
20-34	93	4.5	47	1	1	2	4	7	22	38
35-49	67	3.4	12	<1	1	3	4	7	8	22
50-64	179	4.4	24	1	1	3	5	9	14	28
65+	570	6.3	29	1	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	1544	4.6	31	1	1	2	4	13	18	26
20-34	218	5.2	35	1	1	4	6	8	15	32
35-49	170	5.5	25	1	2	4	7	10	14	32
50-64	274	6.2	36	1	2	5	7	12	17	37
65+	416	8.3	56	1	2	6	11	18	22	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	4.7	26	1	1	3	5	13	16	25
20-34	74	4.8	37	1	1	3	6	9	12	40
35-49	79	6.2	48	1	1	4	7	12	21	41
50-64	271	7.3	46	1	2	6	9	15	22	31
65+	1350	10.0	68	2	3	8	13	20	25	41
B. *Operated*										
0-19 YRS	406	8.4	84	1	1	5	11	20	27	48
20-34	218	10.5	122	2	2	6	13	26	32	62
35-49	192	12.8	195	1	2	8	17	31	48	75
50-64	321	13.3	203	2	3	8	17	29	40	78
65+	817	14.1	145	2	3	11	18	27	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1262	5.0	32	1	1	3	6	11	16	28
B. *Operated*	2622	5.5	37	1	1	3	7	13	19	29
2. MULTIPLE DX										
A. *Not Operated*	1883	9.0	63	1	2	7	12	19	24	40
B. *Operated*	1954	12.3	149	1	2	9	16	27	36	61
1. SINGLE DX	3884	5.3	35	1	1	3	6	12	18	29
2. MULTIPLE DX	3837	10.6	109	1	2	7	14	23	30	57
A. NOT OPERATED	3145	7.4	55	1	1	5	10	16	22	34
B. OPERATED	4576	8.4	96	1	1	5	11	20	27	52
TOTAL 0-19 YRS	2412	5.1	43	1	1	3	5	14	19	29
20-34	603	7.0	75	1	1	4	7	15	27	42
35-49	508	8.1	105	1	1	5	9	20	29	58
50-64	1045	8.4	99	1	2	5	10	19	26	49
65+	3153	10.2	86	2	2	8	13	21	27	50
GRAND TOTAL	7721	8.0	79	1	1	5	10	19	25	44

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	1.6	1	<1	<1	1	2	3	4	5
20-34	73	2.3	3	<1	<1	2	3	5	6	8
35-49	35	2.6	5	<1	1	2	3	5	8	10
50-64	64	2.6	5	<1	1	2	3	6	7	11
65+	133	3.4	8	1	1	2	4	7	8	18
B. *Operated*										
0-19 YRS	3436	1.8	3	1	1	1	2	3	5	8
20-34	899	3.2	7	1	1	3	4	6	7	12
35-49	609	3.3	7	1	1	3	4	6	8	12
50-64	975	3.0	6	1	1	2	4	6	7	13
65+	1002	3.8	12	1	1	3	5	7	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	2.8	11	1	1	2	4	6	8	19
20-34	118	4.1	12	1	1	3	6	7	11	20
35-49	87	4.7	14	1	1	3	6	9	12	20
50-64	130	6.5	49	1	1	4	8	17	22	33
65+	382	9.1	76	1	2	7	12	18	25	37
B. *Operated*										
0-19 YRS	702	4.3	44	1	1	2	4	9	15	38
20-34	585	6.9	68	1	2	5	8	13	18	48
35-49	449	7.0	75	1	2	4	8	15	21	49
50-64	668	6.2	38	1	2	4	8	12	17	31
65+	1102	8.9	84	1	2	6	11	19	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	2.4	4	<1	1	2	3	5	6	10
B. *Operated*	6921	2.6	6	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	829	6.7	53	1	1	4	8	14	20	33
B. *Operated*	3506	6.9	66	1	1	4	8	15	21	47
1. SINGLE DX	7409	2.6	6	1	1	2	3	5	7	12
2. MULTIPLE DX	4335	6.8	64	1	1	4	8	15	21	43
A. NOT OPERATED	1317	5.1	39	1	1	3	6	12	17	31
B. OPERATED	10427	4.0	31	1	1	2	4	8	13	27
TOTAL 0-19 YRS	4433	2.3	11	1	1	1	2	4	6	13
20-34	1675	4.5	32	1	1	3	5	8	12	37
35-49	1180	4.8	36	1	1	3	5	9	14	28
50-64	1837	4.4	23	1	1	3	5	9	12	24
65+	2619	6.7	56	1	1	4	8	15	21	37
GRAND TOTAL	11744	4.2	32	1	1	2	5	9	13	27

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	1.7	1	1	1	1	2	4	4	6
20-34	60	2.6	5	<1	<1	2	4	5	8	10
35-49	22	2.4	4	<1	1	2	3	4	7	10
50-64	13	2.0	1	<1	<1	2	3	3	4	4
65+	33	4.1	5	1	1	4	6	7	8	9
B. *Operated*										
0-19 YRS	1038	1.9	2	<1	1	2	2	3	4	7
20-34	1104	2.2	3	<1	1	2	3	4	5	10
35-49	383	2.3	2	<1	1	2	3	4	6	8
50-64	267	2.8	20	<1	1	2	3	5	7	16
65+	158	2.8	4	1	1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	4.5	22	1	1	3	5	10	15	22
20-34	72	3.7	17	<1	1	3	4	7	10	26
35-49	36	4.9	32	1	1	4	8	9	13	33
50-64	51	8.0	75	1	1	9	10	18	22	61
65+	128	9.2	53	1	2	7	12	20	24	30
B. *Operated*										
0-19 YRS	385	3.1	9	1	1	2	4	7	10	15
20-34	675	3.9	17	1	1	3	5	7	10	18
35-49	335	4.2	26	1	1	3	5	8	14	29
50-64	298	4.5	30	1	1	3	5	10	12	31
65+	247	7.0	63	1	1	5	8	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	2.6	4	<1	1	2	4	5	7	10
B. *Operated*	2950	2.2	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	354	6.5	46	1	1	4	8	15	21	33
B. *Operated*	1940	4.3	26	1	1	3	5	9	13	27
1. SINGLE DX	3116	2.2	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	2294	4.6	30	1	1	3	5	10	14	29
A. NOT OPERATED	520	5.3	36	1	1	3	7	12	18	29
B. OPERATED	4890	3.0	14	1	1	2	3	6	8	18
TOTAL 0-19 YRS	1528	2.3	5	<1	1	2	2	4	6	13
20-34	1911	2.9	9	1	1	2	3	5	8	14
35-49	776	3.3	15	1	1	2	4	6	8	22
50-64	629	4.0	31	1	1	2	4	8	12	34
65+	566	6.2	46	1	1	4	7	14	20	32
GRAND TOTAL	5410	3.3	17	1	1	2	3	6	10	21

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	15.2	192	1	2	12	24	31	45	60
20-34	15	11.7	226	1	1	7	15	46	47	47
35-49	19	15.9	390	2	3	5	17	50	64	71
50-64	55	11.6	244	2	2	8	12	18	26	93
65+	309	11.3	97	1	2	9	15	20	25	43
B. *Operated*										
0-19 YRS	132	14.8	163	3	4	11	20	30	42	64
20-34	96	14.3	117	4	5	11	17	27	44	50
35-49	148	13.9	118	5	6	11	15	23	36	71
50-64	654	13.6	43	6	7	12	16	21	26	35
65+	4460	17.8	59	8	10	16	21	27	31	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	15.0	203	1	2	10	23	32	37	64
20-34	21	11.4	185	<1	1	5	14	33	46	50
35-49	33	14.5	246	1	2	12	17	29	40	64
50-64	87	14.9	172	2	3	12	20	30	39	73
65+	916	15.7	163	2	4	13	20	31	40	82
B. *Operated*										
0-19 YRS	105	21.1	306	4	5	16	28	47	63	97
20-34	207	24.3	373	6	7	17	33	55	66	94
35-49	225	21.4	227	7	8	17	26	43	54	90
50-64	1073	20.3	162	8	10	17	24	35	47	83
65+	10385	21.6	125	10	11	19	26	35	43	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	12.1	145	1	2	9	16	24	31	69
B. *Operated*	5490	17.1	64	7	9	16	20	26	31	46
2. MULTIPLE DX										
A. *Not Operated*	1085	15.5	167	2	4	13	20	31	40	83
B. *Operated*	11995	21.5	136	9	11	19	25	35	44	72
1. SINGLE DX	5959	16.7	72	6	8	15	20	26	31	46
2. MULTIPLE DX	13080	21.0	142	8	10	18	25	35	44	73
A. NOT OPERATED	1554	14.5	163	2	3	11	19	29	39	78
B. OPERATED	17485	20.1	118	8	10	18	24	33	41	65
TOTAL 0-19 YRS	336	16.9	223	2	4	12	23	35	49	74
20-34	339	20.1	309	3	5	13	25	47	59	86
35-49	425	18.0	209	5	6	14	21	37	52	82
50-64	1869	17.5	134	6	8	15	20	30	37	78
65+	16070	20.0	114	8	10	18	24	32	40	64
GRAND TOTAL	19039	19.7	124	7	9	17	23	32	41	66

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	577	19.2	181	1	2	20	26	34	44	64
20-34	37	27.6	543	1	1	23	43	66	69	70
35-49	25	20.2	385	<1	2	7	38	44	50	67
50-64	40	27.1	530	2	5	18	45	60	70	91
65+	133	17.4	265	2	3	12	23	40	53	72
B. *Operated*										
0-19 YRS	652	17.1	207	2	2	14	25	34	45	70
20-34	227	15.1	155	2	3	12	18	32	48	55
35-49	66	14.8	134	2	3	12	18	28	44	94
50-64	103	21.1	269	4	6	17	24	45	63	73
65+	302	21.8	189	8	10	18	26	38	56	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	21.8	242	[illegible]	3	21	31	40	46	82
20-34	62	18.6	462	1	2	8	25	55	64	85
35-49	36	25.3	489	2	3	19	42	53	76	78
50-64	73	25.7	523	2	4	18	44	66	74	99+
65+	305	21.1	375	3	4	15	29	50	69	97
B. *Operated*										
0-19 YRS	592	23.4	263	4	5	20	31	45	58	86
20-34	529	23.9	339	4	6	19	32	53	71	99+
35-49	149	26.2	396	4	6	23	36	60	87	99+
50-64	184	26.8	304	5	8	22	36	51	59	97
65+	761	27.6	314	9	12	22	35	57	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	812	19.7	239	1	2	19	27	38	51	69
B. *Operated*	1350	18.0	201	2	3	15	24	37	49	83
2. MULTIPLE DX										
A. *Not Operated*	686	21.8	365	2	3	17	31	49	66	94
B. *Operated*	2215	25.4	314	4	8	21	33	53	68	99+
1. SINGLE DX	2162	18.6	216	2	3	16	25	37	49	70
2. MULTIPLE DX	2901	24.6	328	4	6	20	33	52	67	99+
A. NOT OPERATED	1498	20.7	298	2	3	18	28	44	57	86
B. OPERATED	3565	22.6	284	3	5	19	29	48	61	99+
TOTAL 0-19 YRS	2031	20.0	226	2	3	19	28	39	49	80
20-34	855	21.3	323	2	4	16	28	50	65	99+
35-49	276	22.8	364	2	4	17	33	54	69	99+
50-64	400	25.1	360	3	6	20	36	55	65	95
65+	1501	24.2	309	5	7	19	30	52	66	99+
GRAND TOTAL	5063	22.0	289	2	4	18	29	47	60	97

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	599	2.9	10	1	1	2	4	5	8	14
20-34	221	4.1	11	1	1	3	5	8	10	20
35-49	133	4.7	10	1	1	4	6	9	10	16
50-64	163	6.9	43	1	2	5	8	13	19	33
65+	199	10.5	81	2	3	8	13	20	28	50
B. *Operated*										
0-19 YRS	1307	4.4	17	1	1	3	5	8	11	21
20-34	939	7.2	46	2	2	6	9	14	17	35
35-49	490	7.6	46	2	2	6	9	13	18	36
50-64	454	9.4	64	2	3	7	11	17	27	46
65+	244	12.5	101	3	4	10	16	22	29	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	4.7	23	1	1	4	6	9	10	16
20-34	167	5.7	38	1	1	4	7	11	17	38
35-49	123	6.4	52	1	2	4	8	11	15	47
50-64	191	8.9	60	2	2	7	11	18	29	40
65+	398	12.1	92	3	4	10	16	22	31	49
B. *Operated*										
0-19 YRS	571	10.1	144	1	2	6	11	24	38	72
20-34	786	13.7	177	2	3	10	17	32	46	99+
35-49	364	14.2	208	3	3	10	17	31	46	87
50-64	442	15.1	157	4	5	12	19	32	42	99+
65+	418	17.6	143	3	5	14	23	34	42	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1315	5.0	32	1	1	3	6	10	15	30
B. *Operated*	3434	6.9	47	1	2	5	8	14	18	36
2. MULTIPLE DX										
A. *Not Operated*	1050	8.6	71	1	2	6	11	18	24	42
B. *Operated*	2581	13.8	170	2	3	10	18	31	44	83
1. SINGLE DX	4749	6.3	43	1	1	5	8	13	17	34
2. MULTIPLE DX	3631	12.3	147	2	3	9	16	27	38	73
A. NOT OPERATED	2365	6.6	52	1	1	4	8	14	19	38
B. OPERATED	6015	9.9	112	1	2	6	12	21	32	60
TOTAL 0-19 YRS	2648	5.3	50	1	1	3	6	10	15	41
20-34	2113	9.1	103	1	2	6	11	19	29	65
35-49	1110	9.3	108	2	2	6	10	18	29	61
50-64	1250	11.0	103	2	3	8	13	23	33	61
65+	1259	13.8	116	3	4	11	18	27	36	54
GRAND TOTAL	**8380**	**8.9**	**97**	**1**	**2**	**6**	**11**	**19**	**29**	**55**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	2.7	4	<1	1	2	3	5	7	10
20-34	306	3.2	9	1	1	2	4	6	8	15
35-49	255	3.8	8	1	1	3	5	7	10	13
50-64	269	4.8	13	1	1	4	6	9	13	17
65+	288	6.7	38	1	2	5	8	13	16	35
B. *Operated*										
0-19 YRS	1361	3.9	8	1	1	3	5	7	9	14
20-34	1986	4.9	10	1	2	4	6	9	11	16
35-49	1277	5.7	15	2	2	5	7	10	12	19
50-64	1263	6.5	17	2	3	6	8	11	13	20
65+	693	9.1	41	3	3	8	11	16	19	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	4.1	17	1	1	3	5	9	11	27
20-34	303	4.5	14	1	1	3	6	9	12	18
35-49	223	5.6	21	1	2	4	7	11	15	22
50-64	351	6.7	26	1	2	5	9	13	15	26
65+	645	9.5	64	2	3	8	12	18	23	42
B. *Operated*										
0-19 YRS	713	6.5	57	1	2	5	7	11	18	43
20-34	1358	7.7	64	2	2	6	9	14	21	48
35-49	937	8.1	51	2	3	6	10	14	20	38
50-64	1023	9.5	70	3	3	7	11	17	25	56
65+	949	13.7	111	4	5	11	17	25	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1393	4.2	17	1	1	3	5	8	11	20
B. *Operated*	6580	5.6	17	1	2	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1681	7.0	41	1	2	5	9	14	18	31
B. *Operated*	4980	9.1	77	2	3	7	11	18	25	51
1. SINGLE DX	7973	5.4	18	1	2	4	7	10	12	20
2. MULTIPLE DX	6661	8.6	68	2	2	6	10	17	23	45
A. NOT OPERATED	3074	5.7	32	1	1	4	7	12	15	28
B. OPERATED	11560	7.1	46	2	2	5	8	13	18	36
TOTAL 0-19 YRS	2508	4.5	24	1	1	3	5	8	11	25
20-34	3953	5.7	31	1	2	4	7	10	13	29
35-49	2692	6.3	29	2	2	5	7	11	15	29
50-64	2906	7.4	39	2	2	6	9	13	17	36
65+	2575	10.6	78	2	3	8	13	20	26	45
GRAND TOTAL	**14634**	**6.8**	**43**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	66	2.1	1	1	1	2	3	3	4	5
20-34	44	2.3	2	1	1	2	3	5	5	7
35-49	29	3.4	10	1	1	2	4	6	9	16
50-64	18	3.7	12	<1	1	2	6	9	11	12
65+	45	4.8	15	1	1	4	7	10	14	15
B. Operated										
0-19 YRS	119	2.9	2	1	1	3	4	5	6	8
20-34	109	3.5	4	1	1	3	4	6	7	11
35-49	20	4.6	23	1	1	3	5	12	17	18
50-64	10	4.9	23	1	1	4	5	12	18	18
65+	12	8.4	67	3	4	6	8	19	31	33
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	196	3.9	21	1	1	2	5	8	12	30
20-34	211	4.2	16	<1	1	3	5	8	12	16
35-49	128	4.8	12	1	1	4	7	10	12	16
50-64	161	7.0	27	1	2	6	9	13	15	29
65+	289	9.7	56	2	3	8	13	20	25	37
B. Operated										
0-19 YRS	92	6.3	66	1	1	4	7	13	26	44
20-34	105	7.1	48	1	1	4	10	15	22	33
35-49	63	7.7	57	1	2	6	9	14	24	45
50-64	46	14.1	188	3	4	9	17	34	45	58
65+	70	14.8	182	2	3	11	19	29	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.1	7	1	1	2	4	6	9	15
B. *Operated*	270	3.6	9	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	985	6.3	36	1	1	4	8	13	18	30
B. *Operated*	376	9.3	107	1	2	6	11	21	30	55
1. SINGLE DX	472	3.4	9	1	1	3	4	6	8	16
2. MULTIPLE DX	1361	7.1	57	1	1	5	9	15	21	38
A. NOT OPERATED	1187	5.8	32	1	1	4	8	13	16	29
B. OPERATED	646	6.9	74	1	1	4	8	15	24	47
TOTAL 0-19 YRS	473	3.9	24	1	1	3	4	7	10	32
20-34	489	4.5	21	1	1	3	5	9	14	26
35-49	240	5.4	26	1	1	4	7	11	14	27
50-64	235	8.0	66	1	2	6	10	15	23	44
65+	416	10.0	79	2	2	8	13	20	26	44
GRAND TOTAL	1833	6.2	47	1	1	4	8	13	19	36

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	24	2.0	1	<1	1	2	2	3	4	5
20-34	5	6.2	12	3	3	6	8	12	12	12
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. Operated										
0-19 YRS	10	8.8	116	1	1	7	9	24	38	38
20-34	6	11.0	29	6	6	9	13	20	21	21
35-49	4	9.8	33	3	3	10	14	15	15	15
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	14	4.7	26	1	2	3	5	10	19	21
20-34	10	12.9	89	3	4	10	14	28	36	36
35-49	5	9.2	27	4	4	9	12	17	17	17
50-64	5	6.6	22	2	2	5	11	13	13	13
65+	9	16.1	179	<1	1	15	27	35	38	38
B. Operated										
0-19 YRS	4	19.8	172	4	4	21	30	32	32	32
20-34	14	32.8	654	6	9	25	54	70	82	85
35-49	11	26.7	933	6	8	12	53	97	99+	99+
50-64	6	33.5	396	2	4	34	47	58	59	59
65+	5	27.0	197	12	12	30	38	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.7	5	1	1	2	3	5	6	12
B. *Operated*	21	9.5	66	1	2	8	10	17	29	38
2. MULTIPLE DX										
A. *Not Operated*	43	9.7	87	1	2	6	13	22	33	38
B. *Operated*	40	29.2	560	5	8	25	41	71	90	99+
1. SINGLE DX	53	5.4	40	1	1	3	7	12	15	37
2. MULTIPLE DX	83	19.1	407	2	2	11	29	48	70	99
A. NOT OPERATED	75	6.7	64	1	1	3	9	17	25	37
B. OPERATED	61	22.4	475	2	4	13	30	61	80	99+
TOTAL 0-19 YRS	52	5.4	62	1	1	2	5	11	28	38
20-34	35	19.6	404	3	5	11	23	54	67	85
35-49	22	17.3	552	1	3	10	16	80	97	99+
50-64	13	18.8	374	2	2	10	32	49	57	59
65+	14	20.0	200	1	2	17	31	38	42	43
GRAND TOTAL	136	13.8	308	1	2	9	16	38	57	97

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.1	3	<1	1	1	3	5	6	6
20-34	43	1.7	1	<1	<1	1	2	3	4	6
35-49	11	3.2	13	<1	<1	1	6	9	11	11
50-64	7	2.4	4	<1	<1	2	4	6	6	6
65+	18	3.4	10	<1	1	2	5	7	11	13
B. *Operated*										
0-19 YRS	274	3.1	3	1	1	3	4	5	6	10
20-34	753	3.2	4	1	1	3	4	5	6	10
35-49	209	3.3	4	1	1	3	4	5	6	10
50-64	112	2.9	7	<1	<1	2	4	6	9	13
65+	98	3.0	14	1	1	2	4	6	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	9	<1	<1	2	5	8	10	10
20-34	49	4.3	24	<1	1	3	4	11	15	24
35-49	23	5.7	19	<1	1	3	9	12	14	15
50-64	18	7.9	158	<1	1	4	8	14	40	56
65+	70	8.2	44	1	2	6	12	16	25	27
B. *Operated*										
0-19 YRS	43	5.6	38	<1	1	4	7	10	24	29
20-34	162	4.3	12	1	1	3	5	9	11	17
35-49	77	4.3	8	1	1	3	5	9	11	13
50-64	94	5.7	39	1	1	4	7	11	24	29
65+	192	6.6	59	1	1	4	8	17	24	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	2.3	5	<1	<1	1	3	5	7	12
B. *Operated*	1446	3.2	4	1	1	3	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	174	6.3	47	1	1	4	8	15	18	27
B. *Operated*	568	5.4	35	1	1	3	7	11	17	28
1. SINGLE DX	1539	3.1	5	1	1	3	4	5	6	12
2. MULTIPLE DX	742	5.6	38	1	1	4	7	12	17	28
A. NOT OPERATED	267	4.9	36	<1	1	3	7	12	15	26
B. OPERATED	2014	3.8	14	1	1	3	4	7	9	23
TOTAL 0-19 YRS	345	3.4	8	<1	1	3	4	6	7	13
20-34	1007	3.4	6	1	1	3	4	5	7	14
35-49	320	3.7	6	1	1	3	5	7	9	13
50-64	231	4.4	33	<1	1	3	5	9	12	28
65+	378	5.8	46	1	1	3	7	14	21	28
GRAND TOTAL	2281	3.9	17	1	1	3	4	7	10	24

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.7	15	<1	1	2	5	7	10	22
20-34	57	2.5	3	<1	<1	2	3	6	6	8
35-49	21	4.1	33	<1	<1	2	3	16	19	20
50-64	12	2.4	1	1	1	2	3	4	4	4
65+	7	3.4	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	1599	3.6	4	1	1	3	5	6	7	10
20-34	2957	3.9	5	1	2	4	5	6	7	11
35-49	1263	4.1	5	1	2	4	5	7	8	12
50-64	634	4.5	7	1	2	4	6	7	9	14
65+	120	6.0	15	2	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	4	<1	<1	1	2	4	8	9
20-34	41	2.4	4	<1	<1	2	3	5	6	10
35-49	25	4.6	12	<1	<1	4	6	9	12	16
50-64	15	6.1	17	<1	1	6	10	12	13	13
65+	15	7.6	42	1	1	5	10	18	21	22
B. *Operated*										
0-19 YRS	770	4.2	8	1	2	4	5	7	8	17
20-34	1572	4.7	12	1	2	4	6	8	10	17
35-49	788	5.3	21	1	2	4	6	9	13	26
50-64	685	5.5	18	2	2	5	7	10	13	21
65+	194	7.6	56	2	2	6	9	14	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.1	11	<1	1	2	3	6	8	20
B. *Operated*	6573	4.0	5	1	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	130	3.8	15	<1	<1	2	5	9	11	19
B. *Operated*	4009	5.0	17	1	2	4	6	9	11	22
1. SINGLE DX	6706	3.9	5	1	2	4	5	6	8	12
2. MULTIPLE DX	4139	5.0	17	1	2	4	6	9	11	22
A. NOT OPERATED	263	3.4	13	<1	<1	2	4	7	10	20
B. OPERATED	10582	4.4	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	2439	3.8	6	1	1	3	5	6	7	11
20-34	4627	4.1	7	1	2	4	5	7	8	13
35-49	2097	4.6	12	1	2	4	6	8	10	19
50-64	1346	5.0	13	1	2	4	6	9	11	18
65+	336	7.0	40	2	2	5	9	13	18	36
GRAND TOTAL	10845	4.3	10	1	2	4	5	7	9	16

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	3.3	10	<1	1	2	4	7	8	19
20-34	50	5.7	60	1	1	3	8	12	13	51
35-49	43	6.5	39	1	1	5	9	13	16	35
50-64	13	7.6	22	3	3	6	9	14	19	20
65+	14	8.4	39	2	2	7	9	17	23	25
B. *Operated*										
0-19 YRS	384	3.4	22	1	1	2	4	7	11	27
20-34	428	4.6	31	1	1	3	5	11	16	30
35-49	187	5.3	39	1	1	2	6	13	17	36
50-64	134	4.9	32	1	1	3	5	11	16	33
65+	75	7.4	65	1	1	4	10	18	24	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.7	34	<1	1	3	6	10	19	27
20-34	62	8.9	144	1	1	6	9	17	43	56
35-49	44	6.5	24	1	2	5	9	13	15	26
50-64	46	7.3	35	2	2	6	8	14	16	33
65+	50	11.4	121	2	2	7	16	27	36	51
B. *Operated*										
0-19 YRS	177	8.7	114	1	1	5	11	23	32	57
20-34	369	10.5	140	1	2	6	15	24	33	73
35-49	220	8.9	103	1	2	5	12	21	29	57
50-64	181	7.7	102	1	1	4	8	19	33	43
65+	129	15.3	259	1	2	9	21	35	41	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	5.4	36	1	1	4	7	11	14	32
B. *Operated*	1208	4.5	32	1	1	2	5	11	16	31
2. MULTIPLE DX										
A. *Not Operated*	247	7.9	82	1	1	5	9	16	25	51
B. *Operated*	1076	10.0	140	1	1	5	13	25	34	62
1. SINGLE DX	1389	4.6	33	1	1	3	5	11	16	31
2. MULTIPLE DX	1323	9.6	130	1	1	5	12	24	33	57
A. NOT OPERATED	428	6.9	64	1	1	5	8	14	20	51
B. OPERATED	2284	7.1	91	1	1	3	8	18	27	48
TOTAL 0-19 YRS	667	4.9	52	1	1	2	5	11	19	34
20-34	909	7.4	92	1	1	4	9	18	25	51
35-49	494	7.1	69	1	1	4	9	16	23	49
50-64	374	6.6	67	1	1	4	7	15	26	40
65+	268	12.0	178	1	2	7	17	31	37	67
GRAND TOTAL	2712	7.1	86	1	1	4	8	17	26	47

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	2.6	5	<1	1	2	3	5	6	13
20-34	137	3.0	7	1	1	2	4	5	8	14
35-49	76	3.9	9	1	1	3	5	7	11	16
50-64	62	4.4	10	1	1	3	6	9	11	15
65+	40	6.1	25	1	2	5	7	11	16	28
B. *Operated*										
0-19 YRS	624	3.8	5	1	1	3	5	7	8	11
20-34	815	4.1	6	1	2	4	5	7	8	13
35-49	200	4.5	11	1	2	4	5	8	10	16
50-64	68	6.3	8	2	3	6	8	11	11	16
65+	30	7.5	33	2	3	6	9	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	4.8	35	1	1	3	6	10	12	40
20-34	94	4.6	13	1	1	4	6	9	12	19
35-49	71	5.7	32	1	2	4	7	10	15	37
50-64	104	7.1	38	1	2	5	10	13	16	34
65+	192	9.3	46	3	3	8	12	18	22	36
B. *Operated*										
0-19 YRS	521	4.6	8	1	2	4	6	7	9	15
20-34	770	5.4	12	2	2	5	6	9	12	19
35-49	206	6.1	19	2	2	5	6	11	13	17
50-64	121	7.7	48	2	3	6	8	13	25	36
65+	61	10.7	62	2	2	9	15	20	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	3.6	10	1	1	3	4	7	9	16
B. *Operated*	1737	4.2	7	1	1	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	527	7.0	39	1	2	5	9	14	18	34
B. *Operated*	1679	5.6	18	1	2	5	7	9	13	23
1. SINGLE DX	2158	4.1	8	1	1	4	5	7	9	14
2. MULTIPLE DX	2206	5.9	23	1	2	5	7	11	15	26
A. NOT OPERATED	948	5.5	29	1	1	4	7	11	18	28
B. OPERATED	3416	4.9	13	1	2	4	6	8	11	18
TOTAL 0-19 YRS	1317	4.1	8	1	1	4	5	7	8	14
20-34	1816	4.6	10	1	2	4	6	8	10	17
35-49	553	5.2	17	1	2	4	7	9	13	18
50-64	355	6.7	32	2	2	5	8	12	15	29
65+	323	9.0	46	2	3	7	11	18	23	35
GRAND TOTAL	4364	5.0	16	1	2	4	6	9	12	21

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	5.0	12	1	1	4	7	10	12	16
20-34	2093	6.3	14	2	2	6	8	11	13	19
35-49	1859	6.9	15	2	3	6	9	12	14	20
50-64	871	7.0	16	2	3	6	9	12	14	22
65+	252	7.4	27	2	3	6	9	14	19	26
B. *Operated*										
0-19 YRS	13	6.2	11	1	3	5	9	11	12	12
20-34	307	9.1	42	2	2	8	12	17	21	28
35-49	282	9.3	36	2	3	8	13	17	19	26
50-64	69	10.1	39	2	3	9	14	19	21	25
65+	6	15.3	21	11	11	14	16	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	5.9	20	1	2	5	8	11	14	24
20-34	2062	7.6	20	2	3	7	10	13	16	22
35-49	2282	8.3	23	3	4	7	10	14	18	25
50-64	1749	8.5	28	3	3	8	11	15	18	27
65+	1218	9.1	32	3	3	8	12	16	19	30
B. *Operated*										
0-19 YRS	22	9.0	30	2	2	8	13	16	20	24
20-34	341	12.0	60	3	4	11	16	21	25	42
35-49	455	12.4	54	3	5	11	15	22	25	40
50-64	228	12.7	57	3	4	12	16	23	26	37
65+	68	14.1	78	5	5	13	17	25	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5298	6.7	15	2	3	6	8	11	14	20
B. *Operated*	677	9.3	38	2	2	8	13	18	21	26
2. MULTIPLE DX										
A. *Not Operated*	7507	8.2	25	2	3	7	10	14	18	26
B. *Operated*	1114	12.4	58	3	4	11	16	22	26	40
1. SINGLE DX	5975	7.0	19	2	3	6	9	12	15	22
2. MULTIPLE DX	8621	8.8	31	3	3	8	11	16	19	28
A. NOT OPERATED	12805	7.6	22	2	3	7	10	13	16	24
B. OPERATED	1791	11.2	53	2	3	10	15	20	24	37
TOTAL 0-19 YRS	454	5.7	17	1	2	5	8	11	13	19
20-34	4803	7.5	24	2	3	6	10	14	17	24
35-49	4878	8.2	26	2	3	7	10	15	18	25
50-64	2917	8.4	29	3	3	7	11	15	18	27
65+	1544	9.1	35	2	3	8	12	16	20	30
GRAND TOTAL	14596	8.0	27	2	3	7	10	14	18	26

362: Sprains and strains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	403	3.2	7	1	1	2	4	7	9	13
20-34	1390	5.7	14	1	2	5	8	10	12	18
35-49	968	6.5	20	1	2	5	8	12	15	22
50-64	432	6.5	16	2	2	6	9	12	14	18
65+	121	7.4	20	2	2	6	10	14	17	20
B. *Operated*										
0-19 YRS	14	3.9	19	1	1	2	4	10	15	17
20-34	240	7.6	28	2	2	6	10	15	17	24
35-49	173	7.5	25	1	2	7	10	14	17	21
50-64	47	8.9	54	2	2	7	12	20	25	35
65+	9	9.0	30	2	3	7	13	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	421	4.0	11	1	1	3	5	8	11	14
20-34	2094	6.8	19	1	2	6	9	12	15	22
35-49	1848	7.7	24	2	3	7	10	14	17	24
50-64	1130	7.3	22	2	2	6	10	14	17	23
65+	730	8.4	34	2	3	7	11	16	19	29
B. *Operated*										
0-19 YRS	24	6.1	18	1	2	5	9	12	18	18
20-34	364	10.6	40	3	4	9	15	19	23	30
35-49	304	10.5	43	3	4	9	14	19	23	33
50-64	162	12.8	64	3	4	11	17	25	28	37
65+	50	14.8	129	4	4	13	18	24	44	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3314	5.8	17	1	2	5	8	11	14	20
B. *Operated*	483	7.6	29	2	2	6	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	6223	7.2	23	1	2	6	9	13	16	23
B. *Operated*	984	11.0	51	3	4	9	15	20	24	34
1. SINGLE DX	3797	6.0	19	1	2	5	8	12	14	21
2. MULTIPLE DX	7207	7.7	29	2	2	6	10	15	18	26
A. NOT OPERATED	9537	6.7	22	1	2	6	9	12	16	23
B. OPERATED	1467	9.9	46	2	3	8	13	19	23	33
TOTAL 0-19 YRS	862	3.7	10	1	1	3	5	8	10	14
20-34	4088	6.8	22	1	2	6	9	13	16	23
35-49	3373	7.7	26	2	3	6	10	14	18	25
50-64	1771	7.7	28	2	2	6	10	14	18	27
65+	910	8.6	39	2	3	7	11	16	20	31
GRAND TOTAL	11004	7.1	26	1	2	6	9	14	17	24

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	202	2.8	6	<1	1	2	3	6	8	14
20-34	214	3.6	8	1	1	3	5	7	9	14
35-49	122	3.6	8	1	1	3	5	7	8	14
50-64	106	3.9	6	1	1	3	5	7	9	11
65+	83	5.1	14	1	2	4	8	10	12	18
B. Operated										
0-19 YRS	336	3.0	3	1	1	3	4	5	6	10
20-34	724	3.3	4	1	1	3	4	5	7	10
35-49	543	3.8	5	1	2	3	5	6	7	13
50-64	502	4.9	9	2	2	4	6	8	10	15
65+	159	6.2	22	2	3	5	7	11	14	31
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	127	3.3	7	1	1	3	4	6	8	16
20-34	245	4.8	16	1	1	4	6	9	13	20
35-49	213	5.6	23	1	2	4	7	10	16	27
50-64	246	6.1	25	1	1	5	8	14	18	23
65+	483	7.2	26	2	2	6	9	14	17	28
B. Operated										
0-19 YRS	110	3.7	5	1	1	3	4	7	9	12
20-34	252	4.1	8	1	1	3	5	7	9	17
35-49	186	5.9	52	2	2	4	7	10	13	31
50-64	301	6.6	27	2	2	5	8	12	18	28
65+	122	10.0	88	3	3	7	13	19	29	57
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	727	3.6	8	1	1	3	5	7	9	14
B. Operated	2264	4.0	7	1	2	3	5	7	8	13
2. MULTIPLE DX										
A. Not Operated	1314	5.9	23	1	2	5	8	12	16	26
B. Operated	971	5.9	36	1	2	4	7	11	16	30
1. SINGLE DX	2991	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX	2285	5.9	28	1	2	4	7	11	16	27
A. NOT OPERATED	2041	5.1	19	1	1	4	7	10	14	21
B. OPERATED	3235	4.5	17	1	2	4	5	8	10	19
TOTAL 0-19 YRS	775	3.1	5	1	1	3	4	5	7	12
20-34	1439	3.8	8	1	1	3	5	7	8	15
35-49	1064	4.5	18	1	2	4	5	8	10	19
50-64	1155	5.5	18	1	2	5	7	10	13	22
65+	847	7.2	35	2	2	6	9	14	17	30
GRAND TOTAL	5276	4.8	18	1	1	4	6	9	12	21

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	3753	1.8	2	1	1	1	2	3	4	7
20-34	1054	2.4	4	<1	1	2	3	5	7	10
35-49	316	2.9	6	<1	1	2	4	6	9	12
50-64	153	3.1	7	1	1	2	4	6	9	13
65+	90	3.2	8	1	1	2	5	6	9	16
B. Operated										
0-19 YRS	18	1.7	1	1	1	1	2	3	4	5
20-34	20	3.7	16	<1	<1	2	5	9	12	15
35-49	5	5.8	4	4	4	5	7	9	9	9
50-64	3	6.3	2	5	5	6	7	8	8	8
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	3691	2.5	6	1	1	2	3	5	6	11
20-34	2790	3.8	13	1	1	3	5	8	10	17
35-49	1079	4.8	25	1	1	3	6	10	15	21
50-64	764	5.3	24	1	1	4	7	10	14	23
65+	834	7.1	37	1	2	6	9	14	19	32
B. Operated										
0-19 YRS	737	4.3	54	1	1	2	4	8	15	36
20-34	842	5.5	53	1	1	3	6	12	18	41
35-49	299	5.7	39	<1	1	4	7	13	18	33
50-64	216	8.2	114	1	1	5	10	17	26	57
65+	243	9.9	120	1	1	6	13	24	33	61
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5366	2.0	3	<1	1	1	2	4	5	9
B. Operated	48	3.3	9	1	1	2	5	8	9	15
2. MULTIPLE DX										
A. Not Operated	9158	3.8	17	1	1	2	5	8	11	20
B. Operated	2337	5.9	67	1	1	3	7	13	20	49
1. SINGLE DX	5414	2.0	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	11495	4.2	28	1	1	3	5	9	13	26
A. NOT OPERATED	14524	3.1	12	1	1	2	4	7	9	17
B. OPERATED	2385	5.8	66	1	1	3	7	13	20	48
TOTAL 0-19 YRS	8199	2.3	9	1	1	2	3	4	6	12
20-34	4706	3.8	19	<1	1	2	5	8	11	22
35-49	1699	4.6	24	1	1	3	6	10	14	22
50-64	1136	5.6	41	1	1	4	7	11	15	31
65+	1169	7.4	55	1	1	5	9	15	22	39
GRAND TOTAL	16909	3.5	21	1	1	2	4	8	11	22

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1147	2.1	11	<1	1	1	2	3	6	14
20-34	455	3.0	34	<1	<1	2	3	6	9	22
35-49	106	4.0	36	<1	1	2	4	10	16	34
50-64	74	3.9	16	<1	1	2	5	8	12	22
65+	55	4.8	22	<1	1	3	7	9	16	22
B. *Operated*										
0-19 YRS	56	10.6	206	1	1	7	12	21	38	81
20-34	52	10.9	79	1	2	9	15	25	37	98
35-49	32	17.5	290	2	3	10	21	46	53	71
50-64	53	12.7	146	2	3	9	14	25	35	64
65+	54	18.7	239	4	7	13	26	46	71	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1410	3.1	23	1	1	2	3	6	9	26
20-34	1063	4.8	64	<1	1	2	5	10	15	48
35-49	425	5.3	46	1	1	4	6	10	16	34
50-64	341	6.1	55	1	1	4	7	12	22	47
65+	450	9.2	88	1	1	6	12	20	26	49
B. *Operated*										
0-19 YRS	439	12.1	282	1	1	5	17	41	56	99+
20-34	547	13.7	397	<1	1	5	19	55	84	99+
35-49	221	15.0	420	1	1	7	22	50	79	99+
50-64	201	19.3	438	1	1	12	27	54	75	99+
65+	261	20.3	292	1	3	15	29	48	57	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1837	2.6	19	<1	1	1	2	5	8	20
B. *Operated*	247	13.8	193	1	2	9	16	33	48	99+
2. MULTIPLE DX										
A. *Not Operated*	3689	4.9	52	<1	1	2	5	11	17	39
B. *Operated*	1669	15.2	367	1	1	7	23	49	71	99+
1. SINGLE DX	2084	3.9	53	<1	1	2	3	9	14	43
2. MULTIPLE DX	5358	8.1	173	1	1	3	8	23	39	89
A. NOT OPERATED	5526	4.1	42	<1	1	2	4	9	14	34
B. OPERATED	1916	15.0	345	1	1	8	22	47	68	99+
TOTAL 0-19 YRS	3052	4.2	71	<1	1	2	3	8	18	55
20-34	2117	6.9	161	<1	1	3	6	17	35	99+
35-49	784	8.4	182	1	1	4	8	22	38	82
50-64	669	10.4	211	1	1	5	11	27	47	90
65+	820	13.1	189	1	2	8	17	31	45	75
GRAND TOTAL	**7442**	**6.9**	**143**	**<1**	**1**	**2**	**7**	**18**	**32**	**80**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.5	3	<1	1	2	3	5	6	8
20-34	50	3.4	4	1	1	3	5	6	8	8
35-49	35	4.0	5	1	2	3	6	8	8	10
50-64	16	3.8	6	1	1	3	5	7	9	10
65+	10	4.3	23	<1	<1	2	7	12	15	15
B. *Operated*										
0-19 YRS	53	7.1	17	3	3	6	9	12	13	24
20-34	116	6.6	19	2	3	6	8	13	16	22
35-49	24	6.5	9	3	3	6	9	10	13	14
50-64	20	8.8	60	2	3	6	11	15	26	37
65+	8	13.1	154	4	4	8	18	34	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	5.2	20	1	1	4	6	10	12	24
20-34	149	5.1	33	1	1	4	6	9	12	17
35-49	82	6.5	20	1	2	6	8	12	15	23
50-64	75	6.8	42	2	2	5	9	13	20	33
65+	81	9.6	59	2	3	8	12	17	24	46
B. *Operated*										
0-19 YRS	117	11.3	148	3	4	8	12	18	32	66
20-34	356	11.4	153	3	4	8	12	21	35	86
35-49	127	10.1	63	3	4	7	13	24	26	61
50-64	116	14.4	177	3	4	10	16	37	50	76
65+	90	16.7	276	3	4	11	19	35	52	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.5	6	1	1	3	5	7	8	11
B. *Operated*	221	7.1	27	2	3	6	9	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	459	6.4	37	1	2	5	8	12	17	27
B. *Operated*	806	12.2	159	3	4	8	13	25	39	81
1. SINGLE DX	354	5.8	22	1	2	5	7	11	13	24
2. MULTIPLE DX	1265	10.1	122	2	3	7	12	20	30	67
A. NOT OPERATED	592	5.8	32	1	1	4	7	11	15	26
B. OPERATED	1027	11.1	134	3	3	8	12	22	34	75
TOTAL 0-19 YRS	264	8.0	84	1	2	6	9	14	22	60
20-34	671	8.6	102	1	2	6	10	16	23	72
35-49	268	7.9	42	2	2	6	9	16	24	38
50-64	227	10.7	125	2	2	7	12	24	37	63
65+	189	12.8	178	2	3	9	15	25	38	79
GRAND TOTAL	**1619**	**9.2**	**103**	**2**	**2**	**6**	**10**	**18**	**26**	**63**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	348	3.9	11	1	1	3	5	8	10	17
20-34	193	3.2	5	1	1	3	4	6	8	11
35-49	50	3.7	12	<1	1	2	4	7	12	18
50-64	21	2.6	3	1	1	2	3	4	6	8
65+	4	3.5	8	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	174	7.0	15	3	4	6	8	10	13	21
20-34	179	7.8	22	2	3	7	9	12	16	28
35-49	45	7.2	9	2	3	8	9	9	13	16
50-64	16	8.8	24	2	3	8	10	14	20	23
65+	10	9.2	22	4	5	8	10	16	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	351	4.1	11	1	1	3	5	8	11	17
20-34	312	4.1	11	1	1	3	5	8	12	18
35-49	122	5.7	33	1	2	4	7	10	14	39
50-64	75	5.5	15	2	2	4	7	10	13	21
65+	72	7.7	41	1	2	5	11	14	18	37
B. *Operated*										
0-19 YRS	471	12.4	135	3	5	9	13	24	37	78
20-34	703	13.6	139	4	5	10	16	27	38	82
35-49	255	16.3	185	5	6	11	19	35	47	80
50-64	150	16.9	221	3	7	12	19	41	51	99+
65+	89	16.8	136	5	6	13	24	36	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	616	3.6	9	1	1	3	5	7	10	16
B. *Operated*	424	7.5	18	2	3	7	9	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	932	4.7	18	1	1	3	6	10	12	20
B. *Operated*	1668	14.1	154	4	5	10	16	28	42	82
1. SINGLE DX	1040	5.2	16	1	1	4	7	10	12	21
2. MULTIPLE DX	2600	10.7	126	2	2	8	12	22	35	69
A. NOT OPERATED	1548	4.3	15	1	1	3	5	9	11	18
B. OPERATED	2092	12.8	134	3	5	9	14	26	38	79
TOTAL 0-19 YRS	1344	7.3	70	1	2	5	9	14	21	52
20-34	1387	9.3	97	1	2	7	11	19	27	61
35-49	472	11.4	140	2	2	8	13	26	38	64
50-64	262	12.0	166	2	2	9	13	26	43	84
65+	175	12.3	108	1	3	10	16	26	38	90
GRAND TOTAL	**3640**	**9.2**	**101**	**1**	**2**	**7**	**11**	**19**	**28**	**61**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	2	<1	<1	2	3	4	5	7
20-34	18	2.9	7	1	1	3	3	5	9	12
35-49	9	3.0	5	<1	<1	3	5	6	6	6
50-64	3	4.0	9	1	1	4	6	7	7	7
65+	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
0-19 YRS	271	2.8	5	1	1	2	4	6	8	10
20-34	170	3.2	5	1	1	3	4	7	8	12
35-49	73	3.8	13	1	1	3	5	8	9	22
50-64	29	3.6	6	1	1	3	5	7	8	12
65+	25	3.3	5	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.0	4	<1	1	3	4	5	7	9
20-34	35	3.2	6	1	1	3	4	7	9	10
35-49	13	3.5	5	<1	1	3	4	7	8	8
50-64	9	4.3	6	2	2	4	5	8	10	10
65+	14	6.4	20	1	1	6	11	12	13	14
B. *Operated*										
0-19 YRS	258	4.1	15	1	1	3	5	8	10	25
20-34	282	4.7	22	1	1	4	6	9	12	23
35-49	97	5.2	19	1	1	4	6	12	15	20
50-64	75	6.1	73	1	1	4	6	13	19	55
65+	69	8.1	99	1	2	5	9	16	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.7	4	<1	1	2	4	5	6	11
B. *Operated*	568	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	112	3.6	7	1	1	3	5	8	10	12
B. *Operated*	781	5.0	32	1	1	4	6	9	13	30
1. SINGLE DX	629	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX	893	4.8	29	1	1	4	6	9	12	28
A. NOT OPERATED	173	3.3	7	<1	1	3	4	7	9	12
B. OPERATED	1349	4.2	22	1	1	3	5	8	11	24
TOTAL 0-19 YRS	598	3.3	9	1	1	3	4	7	9	13
20-34	505	4.0	16	1	1	3	5	8	10	15
35-49	192	4.4	15	1	1	3	5	9	12	20
50-64	116	5.3	50	1	1	4	6	9	15	42
65+	111	6.7	69	1	1	4	8	13	21	53
GRAND TOTAL	**1522**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.2	3	<1	1	2	3	4	6	10
20-34	118	2.4	4	<1	1	2	3	5	6	11
35-49	31	2.4	3	1	1	2	3	5	6	8
50-64	20	1.8	1	1	1	2	2	3	3	3
65+	23	2.1	4	<1	<1	1	2	5	7	8
B. *Operated*										
0-19 YRS	626	2.1	4	<1	<1	1	2	4	6	10
20-34	334	2.5	6	<1	1	2	3	5	7	15
35-49	106	3.3	13	1	1	2	4	6	8	24
50-64	58	3.3	14	<1	1	2	4	7	8	24
65+	38	3.8	17	<1	1	2	4	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	339	2.6	4	<1	1	2	3	5	6	9
20-34	506	3.1	14	<1	<1	2	4	6	8	16
35-49	221	3.8	9	<1	1	3	5	8	9	15
50-64	195	4.7	16	1	1	4	6	9	11	21
65+	405	6.6	43	1	1	5	8	14	18	32
B. *Operated*										
0-19 YRS	981	3.3	18	1	1	2	4	6	9	22
20-34	1271	4.6	52	<1	1	3	5	9	13	42
35-49	478	5.1	43	1	1	3	6	11	16	31
50-64	380	5.8	30	1	1	4	7	13	18	29
65+	580	7.4	55	1	2	5	9	16	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	1162	2.4	7	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	1666	4.1	21	<1	1	3	5	8	11	24
B. *Operated*	3690	4.9	42	1	1	3	6	10	15	33
1. SINGLE DX	1511	2.4	6	<1	1	2	3	5	6	13
2. MULTIPLE DX	5356	4.7	35	1	1	3	5	10	14	29
A. NOT OPERATED	2015	3.8	18	<1	1	3	5	8	11	23
B. OPERATED	4852	4.3	34	<1	1	2	5	9	14	28
TOTAL 0-19 YRS	2103	2.7	11	<1	1	2	3	5	7	15
20-34	2229	3.9	35	<1	1	2	4	8	11	30
35-49	836	4.4	30	<1	1	3	5	9	13	27
50-64	653	5.1	24	1	1	4	6	11	15	26
65+	1046	6.8	49	1	1	5	8	15	20	34
GRAND TOTAL	**6867**	**4.2**	**30**	**<1**	**1**	**2**	**5**	**9**	**13**	**27**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	2.3	3	<1	1	2	3	5	6	10
20-34	341	2.5	4	<1	1	2	3	5	6	11
35-49	94	2.9	6	<1	1	2	4	6	8	13
50-64	32	4.0	23	<1	<1	2	5	10	14	23
65+	10	5.8	59	1	1	3	5	17	27	27
B. *Operated*										
0-19 YRS	243	3.7	21	<1	1	2	5	8	10	14
20-34	349	4.9	29	<1	1	4	6	9	12	20
35-49	96	5.6	24	1	1	4	7	11	14	27
50-64	47	5.3	24	<1	1	4	8	12	13	26
65+	22	8.2	77	1	2	5	10	24	30	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	3.2	8	1	1	3	4	7	8	13
20-34	289	4.0	12	<1	1	3	5	9	10	16
35-49	84	5.0	27	1	1	3	6	10	14	31
50-64	50	6.0	82	1	1	4	7	12	15	62
65+	51	8.8	60	2	2	6	13	17	19	44
B. *Operated*										
0-19 YRS	279	6.7	62	1	1	5	9	13	19	34
20-34	663	9.7	106	1	2	7	11	20	28	67
35-49	214	9.9	72	1	2	8	13	21	26	99+
50-64	85	11.6	170	1	2	8	13	25	36	73
65+	49	14.7	281	2	3	9	18	33	46	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.6	6	<1	1	2	3	5	7	13
B. *Operated*	757	4.7	27	1	1	3	6	10	12	25
2. MULTIPLE DX										
A. *Not Operated*	610	4.5	25	1	1	3	5	10	13	25
B. *Operated*	1290	9.4	104	1	2	7	11	19	28	65
1. SINGLE DX	1427	3.7	19	<1	1	2	5	8	11	18
2. MULTIPLE DX	1900	7.8	84	1	1	5	10	16	24	56
A. NOT OPERATED	1280	3.5	16	<1	1	2	4	7	10	18
B. OPERATED	2047	7.7	81	1	1	5	9	16	24	55
TOTAL 0-19 YRS	851	4.3	31	1	1	3	5	9	12	24
20-34	1642	6.2	61	1	1	4	8	13	18	45
35-49	488	6.9	50	1	1	5	9	15	21	49
50-64	214	7.8	105	1	1	5	9	15	25	59
65+	132	10.7	153	1	2	7	14	23	32	62
GRAND TOTAL	**3327**	**6.1**	**60**	**1**	**1**	**4**	**8**	**13**	**18**	**45**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	3.0	6	<1	1	2	4	6	8	15
20-34	289	2.8	3	<1	1	2	4	5	6	8
35-49	75	3.7	11	<1	1	2	5	9	10	16
50-64	41	2.8	5	<1	<1	2	4	6	7	10
65+	27	3.3	5	1	1	3	4	7	8	10
B. *Operated*										
0-19 YRS	1475	2.3	4	<1	1	2	3	4	6	9
20-34	2071	2.5	7	<1	1	2	3	5	7	14
35-49	857	2.6	10	<1	1	2	3	5	7	15
50-64	554	2.9	16	<1	1	2	3	5	9	27
65+	249	3.1	17	1	1	2	3	6	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	4.6	29	1	1	3	5	9	13	38
20-34	309	4.0	17	<1	1	3	5	8	11	21
35-49	133	4.9	30	1	1	4	6	10	15	32
50-64	68	6.5	56	1	1	5	8	13	16	46
65+	79	7.0	38	1	2	5	8	16	20	32
B. *Operated*										
0-19 YRS	1015	3.4	16	1	1	2	4	6	10	19
20-34	1866	3.7	26	1	1	2	4	7	11	28
35-49	700	4.3	33	1	1	2	5	9	13	34
50-64	496	4.9	43	1	1	3	6	10	16	43
65+	282	5.3	36	1	1	3	6	11	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	601	3.0	5	<1	1	2	4	6	7	12
B. *Operated*	5206	2.5	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	729	4.8	28	1	1	3	6	10	14	30
B. *Operated*	4359	3.9	28	1	1	2	4	8	12	29
1. SINGLE DX	5807	2.6	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	5088	4.1	28	1	1	2	5	8	12	29
A. NOT OPERATED	1330	4.0	19	<1	1	3	5	8	11	23
B. OPERATED	9565	3.2	18	<1	1	2	3	6	9	22
TOTAL 0-19 YRS	2799	2.8	10	<1	1	2	3	5	8	16
20-34	4535	3.1	16	<1	1	2	3	6	9	20
35-49	1765	3.5	22	1	1	2	4	7	10	26
50-64	1159	3.9	31	1	1	2	4	8	13	30
65+	637	4.6	30	1	1	3	5	10	15	31
GRAND TOTAL	**10895**	**3.3**	**18**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	262	3.4	12	1	1	3	4	6	8	15
20-34	312	3.3	7	<1	1	3	5	6	8	12
35-49	78	4.5	17	<1	1	4	6	10	12	23
50-64	30	4.0	15	1	1	2	5	10	14	15
65+	26	3.2	7	<1	1	2	4	7	8	12
B. *Operated*										
0-19 YRS	872	4.4	24	1	1	3	5	9	13	24
20-34	651	5.3	37	1	1	4	6	11	15	36
35-49	216	5.4	36	1	1	3	6	11	16	35
50-64	128	6.8	75	1	1	4	7	15	19	45
65+	70	9.1	75	1	2	7	12	19	30	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	4.4	9	1	2	4	5	8	12	15
20-34	188	5.2	21	1	1	4	6	10	14	23
35-49	85	6.6	23	1	2	5	9	12	17	25
50-64	78	7.9	49	1	2	6	9	15	17	38
65+	96	9.3	92	2	3	7	11	17	21	60
B. *Operated*										
0-19 YRS	404	8.4	101	1	2	5	10	20	30	53
20-34	502	8.7	93	1	2	6	11	18	28	51
35-49	191	10.5	179	2	2	6	11	21	43	64
50-64	168	11.9	177	2	2	7	15	28	39	74
65+	133	14.9	178	2	3	10	21	38	43	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	708	3.5	10	<1	1	3	4	7	9	15
B. *Operated*	1937	5.1	36	1	1	3	6	11	16	35
2. MULTIPLE DX										
A. *Not Operated*	565	6.3	37	1	2	5	8	12	17	29
B. *Operated*	1398	9.9	129	1	2	6	12	22	34	59
1. SINGLE DX	2645	4.7	30	1	1	3	5	10	13	28
2. MULTIPLE DX	1963	8.8	105	1	2	6	10	19	29	53
A. NOT OPERATED	1273	4.8	24	1	1	3	6	9	13	24
B. OPERATED	3335	7.1	80	1	1	4	8	16	24	46
TOTAL 0-19 YRS	1656	5.2	43	1	1	3	6	11	16	36
20-34	1653	6.0	50	1	1	4	7	12	18	38
35-49	570	7.1	85	1	1	4	8	14	22	48
50-64	404	8.9	115	1	2	6	11	19	33	60
65+	325	11.0	129	1	2	7	13	26	37	52
GRAND TOTAL	**4608**	**6.5**	**66**	**1**	**1**	**4**	**7**	**13**	**21**	**43**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	58	<1	<1	2	4	21	22	22
20-34	5	1.6	1	<1	<1	1	2	3	3	3
35-49	5	4.8	10	2	2	4	6	10	10	10
50-64	2	6.0	2	5	5	6	7	7	7	7
65+	4	6.0	15	2	2	5	9	11	11	11
B. *Operated*										
0-19 YRS	14	5.8	28	<1	1	4	7	14	19	20
20-34	32	4.0	6	<1	1	4	6	7	9	9
35-49	10	4.8	12	2	2	4	6	10	13	13
50-64	8	4.8	30	1	1	3	6	14	17	17
65+	4	7.3	37	2	2	5	11	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	17	1	1	2	7	11	13	14
20-34	8	3.1	2	<1	<1	4	4	5	5	5
35-49	2	8.0		8	8	8	8	8	8	8
50-64	8	7.5	41	1	1	5	11	18	20	20
65+	14	7.5	22	<1	2	7	12	14	16	17
B. *Operated*										
0-19 YRS	47	5.8	54	1	1	3	7	12	18	43
20-34	120	11.6	239	1	1	5	13	32	50	91
35-49	44	10.5	161	1	1	6	16	25	43	99+
50-64	29	10.9	218	1	1	5	14	26	53	61
65+	16	18.4	375	1	2	11	25	52	65	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	4.6	29	<1	<1	2	6	11	20	22
B. *Operated*	68	4.8	15	1	1	4	6	9	14	19
2. MULTIPLE DX										
A. *Not Operated*	49	5.7	21	1	1	5	8	13	14	20
B. *Operated*	256	10.7	203	1	1	5	13	28	47	86
1. SINGLE DX	96	4.7	19	<1	1	3	6	9	15	21
2. MULTIPLE DX	305	9.9	177	1	1	5	12	26	39	79
A. NOT OPERATED	77	5.3	24	<1	1	4	7	12	16	22
B. OPERATED	324	9.4	169	1	1	5	11	25	37	76
TOTAL 0-19 YRS	90	5.4	42	1	1	3	7	12	20	35
20-34	165	9.4	188	1	1	5	11	27	40	85
35-49	61	9.0	124	1	1	5	13	22	29	97
50-64	47	9.0	150	1	1	5	12	20	32	61
65+	38	11.9	196	1	2	7	14	26	45	69
GRAND TOTAL	**401**	**8.6**	**144**	**1**	**1**	**5**	**10**	**20**	**32**	**72**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	4.7	21	1	1	3	5	10	16	21
20-34	99	5.5	22	1	2	5	7	10	14	27
35-49	54	6.6	22	1	2	6	9	12	16	25
50-64	34	6.6	14	2	2	6	9	12	13	14
65+	17	6.1	21	1	1	4	9	14	15	15
B. *Operated*										
0-19 YRS	355	4.4	20	1	1	3	5	9	13	24
20-34	697	4.1	16	1	2	3	5	8	10	22
35-49	319	4.5	25	1	2	3	5	10	13	25
50-64	182	5.6	62	1	2	3	6	11	16	32
65+	71	7.9	38	2	2	6	11	16	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	6.7	113	<1	1	3	7	12	23	70
20-34	166	7.8	88	1	2	5	9	15	28	64
35-49	122	8.6	78	1	2	6	10	15	28	45
50-64	95	9.1	54	1	3	7	11	18	29	33
65+	126	10.5	62	2	3	8	13	21	29	35
B. *Operated*										
0-19 YRS	300	4.8	37	1	1	3	5	9	15	32
20-34	624	6.6	81	1	2	4	6	14	23	61
35-49	347	6.3	56	1	2	4	7	13	21	46
50-64	251	8.6	124	1	2	5	10	19	31	76
65+	145	15.6	228	2	3	12	20	31	51	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	5.8	21	1	2	5	8	11	15	21
B. *Operated*	1624	4.6	25	1	2	3	5	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	578	8.6	79	1	2	6	10	17	28	47
B. *Operated*	1667	7.3	95	1	2	4	8	17	26	57
1. SINGLE DX	1876	4.7	25	1	2	3	6	10	13	24
2. MULTIPLE DX	2245	7.6	91	1	2	4	8	17	27	56
A. NOT OPERATED	830	7.8	63	1	2	6	9	15	23	36
B. OPERATED	3291	6.0	62	1	2	4	6	12	19	44
TOTAL 0-19 YRS	772	4.8	35	1	1	3	5	9	14	30
20-34	1586	5.6	51	1	2	4	6	11	16	40
35-49	842	6.0	47	1	2	4	7	12	17	35
50-64	562	7.6	88	1	2	5	9	16	25	51
65+	359	11.8	133	2	2	9	15	25	32	63
GRAND TOTAL	**4121**	**6.3**	**63**	**1**	**2**	**4**	**7**	**13**	**20**	**42**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	3.9	5	1	1	4	5	6	7	14
20-34	197	3.4	4	1	1	3	5	5	6	11
35-49	54	3.2	2	1	1	3	4	5	5	6
50-64	24	3.8	3	1	2	4	5	6	7	7
65+	14	4.6	8	1	2	4	6	8	10	11
B. *Operated*										
0-19 YRS	21	5.7	17	<1	1	4	9	11	13	14
20-34	6	6.8	27	3	3	4	10	15	16	16
35-49	3	5.0	3	4	4	4	6	7	7	7
50-64	5	6.6	36	2	2	4	11	16	16	16
65+	4	4.8	19	1	1	3	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	3.9	7	1	1	4	5	7	9	15
20-34	193	3.7	8	1	1	3	5	7	8	15
35-49	89	4.6	18	<1	1	4	6	8	12	26
50-64	46	4.5	13	<1	1	4	5	8	12	20
65+	68	7.2	36	2	3	5	8	16	18	33
B. *Operated*										
0-19 YRS	42	5.5	14	1	2	4	9	11	13	16
20-34	49	4.7	9	1	1	4	6	9	10	13
35-49	13	6.2	15	1	2	5	9	12	14	14
50-64	13	7.0	14	2	3	6	10	12	14	14
65+	20	12.3	87	2	3	10	15	27	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	712	3.7	5	1	1	3	5	6	7	13
B. *Operated*	39	5.8	18	1	1	4	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	665	4.3	13	1	1	4	5	8	10	18
B. *Operated*	137	6.4	29	1	2	5	9	12	14	34
1. SINGLE DX	751	3.8	5	1	1	3	5	6	7	14
2. MULTIPLE DX	802	4.7	16	1	1	4	6	9	12	20
A. NOT OPERATED	1377	4.0	9	1	1	4	5	7	8	16
B. OPERATED	176	6.3	26	1	2	5	9	12	14	30
TOTAL 0-19 YRS	755	4.0	7	1	1	4	5	7	9	14
20-34	445	3.7	6	1	1	3	5	6	8	14
35-49	159	4.2	13	1	1	4	5	7	10	14
50-64	88	4.8	12	1	1	4	6	9	11	18
65+	106	7.7	46	2	2	5	10	16	20	36
GRAND TOTAL	**1553**	**4.3**	**11**	**1**	**1**	**4**	**5**	**7**	**10**	**16**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1281	2.1	3	<1	1	2	2	4	5	8
20-34	980	2.7	6	<1	1	2	3	6	7	12
35-49	419	3.5	8	1	1	3	5	7	9	14
50-64	294	4.2	13	1	1	3	5	9	11	20
65+	398	5.2	19	1	1	4	7	11	14	19
B. *Operated*										
0-19 YRS	201	3.4	24	<1	1	2	4	8	9	16
20-34	169	3.7	7	<1	1	3	5	7	8	13
35-49	75	5.3	25	1	1	4	7	13	17	23
50-64	84	5.3	14	1	2	4	8	10	13	17
65+	50	8.3	61	1	2	6	11	19	23	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2166	2.8	10	1	1	2	3	6	8	14
20-34	2473	3.6	15	<1	1	3	4	7	10	17
35-49	1275	4.8	25	1	1	4	6	10	13	24
50-64	1286	5.6	25	1	1	4	7	12	15	23
65+	3518	8.3	47	2	2	7	11	16	21	34
B. *Operated*										
0-19 YRS	302	3.7	18	1	1	2	5	8	10	18
20-34	461	6.4	58	1	1	4	8	14	18	35
35-49	240	7.7	55	1	1	6	10	15	23	40
50-64	227	11.2	133	1	2	7	15	24	34	57
65+	369	13.9	127	2	3	11	19	28	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3372	3.0	8	<1	1	2	4	7	8	14
B. *Operated*	579	4.4	23	1	1	3	5	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	10718	5.4	32	1	1	4	7	12	16	26
B. *Operated*	1599	8.5	90	1	1	5	11	20	26	46
1. SINGLE DX	3951	3.2	11	<1	1	2	4	7	9	16
2. MULTIPLE DX	12317	5.8	40	1	1	4	7	13	17	30
A. NOT OPERATED	14090	4.8	27	1	1	3	6	11	14	24
B. OPERATED	2178	7.4	75	1	1	4	9	17	23	44
TOTAL 0-19 YRS	3950	2.6	9	<1	1	2	3	5	7	13
20-34	4083	3.7	19	<1	1	2	5	8	11	19
35-49	2009	4.9	26	1	1	3	6	10	14	25
50-64	1891	6.0	39	1	1	4	7	13	17	29
65+	4335	8.5	55	1	2	6	11	17	22	37
GRAND TOTAL	**16268**	**5.1**	**34**	**1**	**1**	**3**	**6**	**11**	**16**	**28**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.8	11	1	1	2	3	5	9	22
20-34	73	2.9	5	1	1	2	4	6	7	10
35-49	32	3.3	7	1	1	2	4	7	10	11
50-64	14	4.1	6	2	2	3	6	8	10	10
65+	4	3.8	10	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	56	6.3	50	<1	1	4	8	17	18	35
20-34	100	6.4	96	1	1	3	7	10	29	55
35-49	54	7.8	170	1	1	4	7	16	34	80
50-64	51	6.2	57	1	1	4	7	17	27	99
65+	12	4.5	26	1	1	2	5	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	3.5	7	1	1	3	4	8	9	12
20-34	60	4.5	10	1	1	4	6	9	11	14
35-49	42	4.5	29	<1	1	3	6	9	15	27
50-64	22	5.4	9	1	2	5	7	9	12	12
65+	20	11.9	166	2	3	7	12	34	44	51
B. *Operated*										
0-19 YRS	87	9.1	130	1	1	4	9	28	36	54
20-34	174	8.1	78	1	1	5	10	19	23	49
35-49	112	9.3	118	1	1	5	12	25	38	46
50-64	64	11.5	274	1	1	6	12	26	47	83
65+	16	9.3	160	1	1	4	15	22	41	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	3.0	8	1	1	2	4	6	8	12
B. *Operated*	273	6.5	90	1	1	4	7	15	28	61
2. MULTIPLE DX										
A. *Not Operated*	192	5.1	34	1	1	4	6	10	12	34
B. *Operated*	453	9.1	128	1	1	5	11	23	36	51
1. SINGLE DX	474	5.0	58	1	1	3	6	10	16	41
2. MULTIPLE DX	645	7.9	103	1	1	5	8	19	28	51
A. NOT OPERATED	393	4.1	22	1	1	3	5	8	11	26
B. OPERATED	726	8.2	115	1	1	4	9	21	31	53
TOTAL 0-19 YRS	269	5.7	63	1	1	3	5	13	23	39
20-34	407	6.2	63	1	1	4	7	14	22	44
35-49	240	7.3	104	1	1	4	8	16	29	44
50-64	151	8.2	145	1	1	5	9	19	35	85
65+	52	8.8	126	1	1	6	10	19	36	51
GRAND TOTAL	**1119**	**6.7**	**86**	**1**	**1**	**4**	**7**	**16**	**25**	**49**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6	2	<1	<1	1	1	4	5	6
20-34	10	2.0	2	<1	<1	2	2	4	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.1	3	<1	<1	2	2	4	7	8
20-34	14	2.4	5	<1	1	2	2	6	8	9
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	7	2.1	2	1	1	2	3	4	4	4
35-49	6	2.3	2	<1	<1	2	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	4	4.3	10	1	1	4	7	7	7	7
20-34	10	6.0	18	2	2	4	9	12	15	15
35-49	7	4.9	10	1	1	6	8	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.9	2	<1	<1	1	2	5	5	6
B. *Operated*	32	2.3	4	<1	<1	2	2	5	8	9
2. MULTIPLE DX										
A. *Not Operated*	18	2.1	2	<1	<1	2	3	4	4	4
B. *Operated*	23	5.5	15	1	2	5	8	11	14	15
1. SINGLE DX	60	2.1	3	<1	<1	1	2	5	6	9
2. MULTIPLE DX	41	4.0	12	<1	1	3	6	9	11	15
A. NOT OPERATED	46	2.0	2	<1	<1	1	3	4	5	6
B. OPERATED	55	3.7	11	<1	1	2	5	9	10	15
TOTAL 0-19 YRS	40	2.1	3	<1	<1	1	2	5	7	8
20-34	41	3.1	9	<1	1	2	4	8	10	15
35-49	17	3.7	6	<1	<1	4	5	8	9	9
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**101**	**2.9**	**7**	**<1**	**<1**	**2**	**4**	**7**	**9**	**14**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	734	1.6	2	<1	<1	1	2	3	4	6
20-34	152	1.7	3	<1	<1	1	2	3	5	10
35-49	128	1.4	1	<1	<1	1	1	3	4	5
50-64	162	1.6	1	<1	<1	1	2	3	4	5
65+	154	1.8	2	<1	1	1	2	3	5	9
B. *Operated*										
0-19 YRS	152	2.1	3	1	1	1	2	4	6	9
20-34	32	3.0	8	1	1	2	4	7	9	12
35-49	27	4.1	16	1	1	2	6	10	12	16
50-64	35	4.5	25	1	1	3	5	9	16	24
65+	24	3.9	15	1	1	2	5	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	3.0	10	<1	1	2	4	7	10	23
20-34	72	3.7	27	<1	1	2	5	7	10	34
35-49	88	3.5	15	<1	1	2	4	8	11	20
50-64	158	3.7	15	1	1	2	4	9	11	16
65+	248	4.9	23	1	1	3	7	12	15	22
B. *Operated*										
0-19 YRS	80	4.6	22	<1	1	3	6	9	16	22
20-34	53	6.3	41	1	1	4	8	13	16	39
35-49	36	6.7	31	<1	1	6	9	13	21	23
50-64	104	8.0	72	1	1	5	10	20	26	43
65+	148	7.6	52	1	1	5	10	18	22	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1330	1.6	2	<1	<1	1	2	3	4	6
B. *Operated*	270	2.9	9	1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	741	3.9	18	1	1	2	5	9	13	22
B. *Operated*	421	6.9	49	1	1	4	9	16	22	34
1. SINGLE DX	1600	1.8	4	<1	<1	1	2	3	5	9
2. MULTIPLE DX	1162	5.0	31	1	1	3	7	11	16	27
A. NOT OPERATED	2071	2.4	9	<1	<1	1	3	5	8	16
B. OPERATED	691	5.3	37	1	1	3	7	12	18	28
TOTAL 0-19 YRS	1141	2.1	6	<1	<1	1	2	4	6	13
20-34	309	3.1	18	<1	<1	1	3	8	10	19
35-49	279	3.0	13	<1	1	1	3	8	10	21
50-64	459	4.0	29	1	1	2	4	10	15	27
65+	574	4.7	29	1	1	3	6	12	16	27
GRAND TOTAL	**2762**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**7**	**11**	**22**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	8.5	68	1	1	6	11	18	26	38
20-34	55	7.3	39	<1	1	5	12	16	20	24
35-49	21	5.9	15	1	2	5	7	12	15	16
50-64	13	9.8	50	1	3	8	12	21	26	27
65+	9	11.4	53	3	3	11	18	21	21	21
B. *Operated*										
0-19 YRS	124	14.8	195	1	2	11	22	34	45	63
20-34	106	15.1	262	2	3	9	21	40	54	71
35-49	61	13.0	115	2	2	10	20	30	35	41
50-64	44	15.3	366	2	3	10	16	27	58	95
65+	32	25.3	375	4	5	21	36	51	66	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	8.3	56	1	2	6	11	20	25	36
20-34	79	8.6	54	1	1	6	13	18	19	38
35-49	65	9.7	56	1	2	8	14	22	25	30
50-64	34	10.7	61	2	2	10	15	18	27	36
65+	45	15.5	145	2	4	11	20	30	41	56
B. *Operated*										
0-19 YRS	195	22.0	281	3	4	17	30	47	55	94
20-34	208	24.0	370	3	5	19	33	53	71	96
35-49	130	24.3	433	2	5	18	39	63	90	99+
50-64	112	29.4	382	5	8	27	41	56	70	99
65+	108	32.5	427	6	9	28	48	71	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	8.0	49	1	1	6	11	18	21	34
B. *Operated*	367	15.6	244	2	2	10	22	36	46	72
2. MULTIPLE DX										
A. *Not Operated*	305	10.0	74	1	2	8	14	21	26	40
B. *Operated*	753	25.6	379	4	6	21	36	55	72	99+
1. SINGLE DX	528	13.3	197	1	2	9	17	30	41	68
2. MULTIPLE DX	1058	21.1	341	2	3	16	30	49	64	99+
A. NOT OPERATED	466	9.3	66	1	2	7	13	19	25	38
B. OPERATED	1120	22.3	357	2	4	17	32	50	66	99+
TOTAL 0-19 YRS	464	15.8	222	1	2	11	23	34	47	71
20-34	448	17.1	295	2	2	12	22	40	56	90
35-49	277	17.0	292	2	2	11	24	45	58	99+
50-64	203	21.9	372	3	4	16	31	45	59	96
65+	194	26.4	391	4	5	21	40	58	75	99+
GRAND TOTAL	**1586**	**18.5**	**306**	**2**	**3**	**13**	**26**	**44**	**56**	**96**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	5.5	34	1	1	4	7	13	18	28
20-34	341	4.7	29	1	1	3	6	10	13	28
35-49	142	4.4	20	1	1	3	6	10	13	22
50-64	73	5.9	29	1	1	4	8	14	17	23
65+	37	11.2	74	1	1	9	17	24	26	30
B. *Operated*										
0-19 YRS	88	9.2	82	1	2	7	11	20	23	52
20-34	81	10.2	102	1	1	7	14	22	30	54
35-49	35	10.6	129	1	2	7	14	19	41	52
50-64	18	15.0	307	2	2	8	13	44	59	67
65+	8	7.0	17	1	1	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1022	6.2	33	1	1	5	9	13	17	25
20-34	668	6.0	46	1	1	4	8	13	17	34
35-49	357	7.5	57	1	1	5	10	17	22	37
50-64	255	9.0	71	1	2	7	12	20	29	37
65+	174	12.8	161	1	2	10	16	27	36	70
B. *Operated*										
0-19 YRS	197	14.8	175	1	2	11	21	32	42	61
20-34	189	14.9	172	2	3	11	20	30	43	66
35-49	108	13.6	142	1	2	11	18	28	36	63
50-64	88	21.7	313	2	4	18	28	47	56	89
65+	57	31.9	511	5	6	29	47	71	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1124	5.3	33	1	1	3	7	12	17	27
B. *Operated*	230	10.1	112	1	2	7	13	21	32	62
2. MULTIPLE DX										
A. *Not Operated*	2476	7.1	56	1	1	5	10	15	20	35
B. *Operated*	639	17.1	243	2	3	13	22	38	49	73
1. SINGLE DX	1354	6.1	49	1	1	4	8	14	20	34
2. MULTIPLE DX	3115	9.1	111	1	1	6	12	20	29	53
A. NOT OPERATED	3600	6.5	49	1	1	4	9	14	19	33
B. OPERATED	869	15.3	218	1	2	11	20	34	47	72
TOTAL 0-19 YRS	1838	7.1	58	1	1	5	9	15	21	38
20-34	1279	7.2	75	1	1	4	9	17	23	43
35-49	642	8.0	75	1	1	5	11	18	24	40
50-64	434	11.3	152	1	2	7	14	25	34	62
65+	276	16.3	280	1	2	11	21	38	51	92
GRAND TOTAL	**4469**	**8.2**	**94**	**1**	**1**	**5**	**11**	**18**	**26**	**49**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.9	6	1	1	2	4	6	9	12
20-34	55	4.5	13	1	1	4	6	8	13	17
35-49	28	5.8	30	<1	1	4	7	13	16	27
50-64	18	6.0	15	1	1	5	9	11	14	15
65+	7	9.6	104	1	1	6	13	27	30	30
B. *Operated*										
0-19 YRS	88	2.4	4	<1	1	2	3	4	5	13
20-34	184	3.0	9	<1	1	2	3	6	9	15
35-49	79	3.1	9	1	1	2	3	6	9	19
50-64	30	4.6	40	<1	1	3	4	11	16	32
65+	13	4.5	20	<1	<1	3	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.1	19	1	1	2	5	10	13	23
20-34	88	8.6	215	1	1	5	8	17	23	90
35-49	68	6.9	56	1	2	5	8	13	17	49
50-64	42	9.5	241	2	2	5	8	15	39	87
65+	70	12.6	183	3	3	8	15	24	34	84
B. *Operated*										
0-19 YRS	133	4.1	67	1	1	2	4	9	26	99+
20-34	228	5.5	71	1	1	3	6	13	33	99+
35-49	80	8.2	210	1	1	3	6	28	53	93
50-64	63	12.4	346	1	1	5	14	38	64	99
65+	30	8.1	134	1	2	4	9	27	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	4.6	20	1	1	3	6	9	14	26
B. *Operated*	394	3.0	11	<1	1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	310	8.6	155	1	1	5	9	17	23	84
B. *Operated*	534	6.5	132	1	1	3	6	17	38	99+
1. SINGLE DX	553	3.5	14	<1	1	2	4	8	10	17
2. MULTIPLE DX	844	7.3	142	1	1	4	8	17	33	99+
A. NOT OPERATED	469	7.2	113	1	1	4	8	15	19	60
B. OPERATED	928	5.0	83	1	1	2	5	11	25	99+
TOTAL 0-19 YRS	314	3.4	33	1	1	2	3	7	11	85
20-34	555	5.0	71	1	1	3	5	10	17	80
35-49	255	6.0	90	1	1	3	6	13	21	59
50-64	153	9.3	225	1	1	5	9	19	39	94
65+	120	10.4	154	1	2	7	13	24	32	94
GRAND TOTAL	**1397**	**5.8**	**94**	**1**	**1**	**3**	**6**	**13**	**21**	**88**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	400	2.5	4	1	1	2	3	5	6	11
20-34	351	3.2	9	<1	1	2	4	7	9	14
35-49	143	3.6	5	1	1	3	5	6	8	11
50-64	90	4.6	15	1	1	4	6	11	12	19
65+	71	5.7	34	1	1	4	7	11	14	36
B. *Operated*										
0-19 YRS	122	3.5	7	1	1	3	4	7	9	14
20-34	162	6.1	42	1	1	4	8	12	18	32
35-49	94	5.6	27	1	1	4	7	12	17	26
50-64	61	7.9	85	1	1	5	9	18	23	48
65+	19	8.8	113	1	1	4	10	28	35	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	3.3	9	1	1	2	4	7	8	14
20-34	556	4.7	32	1	1	3	5	9	13	23
35-49	294	5.4	18	1	1	4	7	11	14	22
50-64	266	6.7	43	1	1	5	8	13	19	32
65+	465	8.7	38	2	2	7	12	16	21	30
B. *Operated*										
0-19 YRS	154	9.2	149	1	1	6	11	21	33	96
20-34	308	9.8	109	1	1	7	13	21	34	66
35-49	127	11.5	130	1	2	8	17	29	43	99+
50-64	101	11.0	116	2	3	8	14	21	34	53
65+	119	17.2	262	2	2	12	24	41	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1055	3.3	9	1	1	2	4	7	9	14
B. *Operated*	458	5.7	40	1	1	4	7	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	2008	5.7	31	1	1	4	7	12	16	27
B. *Operated*	809	11.2	149	1	2	7	14	26	41	71
1. SINGLE DX	1513	4.0	20	1	1	3	5	8	11	22
2. MULTIPLE DX	2817	7.3	71	1	1	5	9	15	22	48
A. NOT OPERATED	3063	4.9	25	1	1	3	6	11	14	24
B. OPERATED	1267	9.2	117	1	1	6	11	21	32	59
TOTAL 0-19 YRS	1103	3.8	31	1	1	2	4	8	11	27
20-34	1377	5.6	50	1	1	3	7	12	18	41
35-49	658	6.2	45	1	1	4	8	12	18	43
50-64	518	7.3	61	1	1	5	9	15	21	48
65+	674	9.9	91	2	2	7	13	20	27	49
GRAND TOTAL	**4330**	**6.1**	**56**	**1**	**1**	**4**	**7**	**13**	**19**	**43**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2560	1.9	5	<1	1	1	2	3	4	9
20-34	1448	2.5	8	<1	<1	2	3	5	6	15
35-49	490	2.9	9	<1	1	2	3	6	8	17
50-64	200	3.5	24	1	1	2	4	7	10	18
65+	155	5.1	13	1	2	4	6	9	11	21
B. *Operated*										
0-19 YRS	6	3.5	3	2	2	3	5	6	6	6
20-34	5	6.6	19	1	1	9	10	11	11	11
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	4	8.5	59	2	2	8	15	17	17	17
65+	6	9.7	29	3	3	10	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2481	4.3	51	1	1	2	4	8	15	42
20-34	4011	4.8	41	1	1	3	5	10	17	31
35-49	2024	5.5	40	1	1	3	6	12	18	30
50-64	1263	7.1	56	1	1	5	9	15	20	40
65+	1639	8.2	44	2	3	7	10	15	20	33
B. *Operated*										
0-19 YRS	34	10.9	166	1	2	8	13	39	54	99+
20-34	235	9.3	145	1	1	5	11	25	34	58
35-49	131	11.1	138	1	2	7	15	25	30	67
50-64	100	18.0	283	3	4	12	24	40	49	82
65+	152	16.0	172	3	4	12	20	32	45	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4853	2.4	8	<1	1	2	3	4	6	14
B. *Operated*	23	6.9	26	1	2	5	11	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	11418	5.6	47	1	1	3	7	12	18	35
B. *Operated*	652	12.6	183	1	2	8	16	30	41	70
1. SINGLE DX	4876	2.4	8	<1	1	2	3	4	6	14
2. MULTIPLE DX	12070	5.9	57	1	1	3	7	13	20	39
A. NOT OPERATED	16271	4.6	37	1	1	3	5	10	15	30
B. OPERATED	675	12.4	178	1	2	8	16	29	41	69
TOTAL 0-19 YRS	5081	3.2	30	<1	1	2	3	5	9	32
20-34	5699	4.4	39	<1	1	2	5	9	15	32
35-49	2647	5.3	42	1	1	3	6	12	18	30
50-64	1567	7.3	75	1	1	5	9	15	23	49
65+	1952	8.6	56	2	2	7	10	16	22	39
GRAND TOTAL	**16946**	**4.9**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**35**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1090	1.8	2	<1	1	1	2	3	5	8
20-34	473	1.9	4	<1	1	1	2	3	5	9
35-49	256	2.2	5	<1	1	1	2	4	6	13
50-64	147	2.3	3	1	1	2	3	5	6	10
65+	64	2.3	8	<1	1	1	3	4	5	19
B. *Operated*										
0-19 YRS	9	4.1	4	2	2	3	5	7	8	8
20-34	12	3.9	3	1	2	4	5	6	8	8
35-49	3	12.0	27	9	9	9	16	18	18	18
50-64	4	8.0	33	3	3	6	12	16	16	16
65+	2	7.5	5	6	6	7	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	603	3.4	25	<1	1	2	4	7	9	20
20-34	499	3.9	42	<1	1	2	4	8	14	30
35-49	322	4.6	41	1	1	3	5	10	16	39
50-64	315	4.8	41	1	1	3	5	9	14	36
65+	234	6.0	44	1	1	4	8	12	19	33
B. *Operated*										
0-19 YRS	15	12.1	336	1	2	4	10	55	56	57
20-34	27	10.9	167	1	1	7	17	27	65	99+
35-49	21	13.8	165	1	2	11	17	37	44	46
50-64	25	13.1	141	2	3	8	16	33	37	40
65+	21	25.6	254	2	5	26	32	49	55	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2030	1.9	3	<1	1	1	2	4	5	9
B. *Operated*	30	5.6	15	2	2	5	8	9	16	18
2. MULTIPLE DX										
A. *Not Operated*	1973	4.2	37	<1	1	2	5	8	14	30
B. *Operated*	109	15.0	221	1	2	9	24	38	51	77
1. SINGLE DX	2060	2.0	4	<1	1	1	2	4	6	9
2. MULTIPLE DX	2082	4.8	53	1	1	3	5	10	17	40
A. NOT OPERATED	4003	3.1	21	<1	1	2	3	6	9	23
B. OPERATED	139	12.9	191	1	2	7	18	33	46	65
TOTAL 0-19 YRS	1717	2.4	15	<1	1	1	2	5	7	14
20-34	1011	3.2	29	<1	1	2	3	6	9	26
35-49	602	3.9	35	<1	1	2	4	8	14	35
50-64	491	4.5	40	1	1	2	5	9	14	36
65+	321	6.5	77	1	1	3	8	17	28	45
GRAND TOTAL	**4142**	**3.4**	**30**	**<1**	**1**	**2**	**3**	**7**	**11**	**30**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	602	2.7	7	<1	1	2	3	5	7	12
20-34	400	2.5	7	<1	1	2	3	5	7	16
35-49	250	3.2	8	1	1	2	4	7	8	13
50-64	180	3.2	9	1	1	2	4	6	8	17
65+	149	4.4	15	1	1	3	6	9	12	23
B. *Operated*										
0-19 YRS	6	11.0	26	5	5	11	14	18	18	18
20-34	11	6.5	56	1	1	3	8	20	24	24
35-49	15	7.7	60	<1	<1	6	10	16	26	29
50-64	9	12.1	376	<1	1	6	11	42	63	63
65+	7	6.7	52	<1	<1	4	9	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	589	4.1	33	1	1	3	5	8	12	22
20-34	529	3.9	12	1	1	3	5	8	11	18
35-49	535	4.7	21	1	1	3	6	10	14	23
50-64	720	5.5	22	1	1	4	7	11	13	24
65+	1280	7.8	37	2	2	6	10	15	19	33
B. *Operated*										
0-19 YRS	29	9.0	189	1	1	4	14	43	98	99+
20-34	55	9.9	314	1	1	4	9	26	75	99+
35-49	73	11.8	215	1	1	7	12	34	46	94
50-64	106	14.9	219	2	3	11	18	30	43	75
65+	150	16.3	220	2	4	13	20	31	49	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1581	2.9	8	1	1	2	4	6	8	15
B. *Operated*	48	8.5	108	<1	1	6	11	18	24	63
2. MULTIPLE DX										
A. *Not Operated*	3653	5.7	30	1	1	4	7	12	16	26
B. *Operated*	413	13.8	234	1	2	9	17	30	51	99+
1. SINGLE DX	1629	3.1	12	<1	1	2	4	6	8	18
2. MULTIPLE DX	4066	6.5	57	1	1	4	8	14	19	40
A. NOT OPERATED	5234	4.9	25	1	1	3	6	10	14	24
B. OPERATED	461	13.2	223	1	2	9	17	30	47	99
TOTAL 0-19 YRS	1226	3.6	25	1	1	2	4	7	10	22
20-34	995	3.7	29	1	1	2	4	8	11	24
35-49	873	4.9	39	1	1	3	6	10	15	33
50-64	1015	6.1	53	1	1	4	7	12	17	38
65+	1586	8.2	60	1	2	6	10	17	22	40
GRAND TOTAL	**5695**	**5.6**	**46**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.9	23	<1	1	3	7	9	16	23
20-34	92	3.8	9	<1	1	3	5	7	9	15
35-49	53	7.4	58	<1	1	5	8	19	25	32
50-64	88	6.8	49	1	1	5	8	14	24	38
65+	167	7.5	43	1	2	6	10	16	21	29
B. *Operated*										
0-19 YRS	361	5.7	54	1	1	4	7	11	15	49
20-34	710	5.0	45	1	1	3	5	11	17	35
35-49	496	6.4	46	1	2	4	8	15	19	37
50-64	855	9.0	64	2	2	6	13	20	25	41
65+	1420	10.7	101	2	2	7	16	24	30	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.9	38	<1	1	3	6	11	14	39
20-34	129	5.4	23	1	1	4	7	10	16	26
35-49	119	6.8	36	1	2	5	8	14	16	34
50-64	197	8.2	64	1	2	6	11	17	25	35
65+	401	9.1	77	1	2	7	11	19	28	45
B. *Operated*										
0-19 YRS	379	10.7	180	1	2	6	12	26	38	80
20-34	757	7.8	95	1	1	4	9	18	25	61
35-49	848	9.6	120	1	2	6	12	23	29	58
50-64	1723	13.2	174	2	2	10	17	29	41	80
65+	2715	14.5	171	2	3	11	19	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	6.3	39	1	1	4	8	14	20	29
B. *Operated*	3842	8.2	76	1	2	5	11	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	919	7.7	60	1	2	5	10	16	23	41
B. *Operated*	6422	12.5	162	2	2	9	17	28	38	71
1. SINGLE DX	4297	8.0	72	1	2	5	11	19	25	42
2. MULTIPLE DX	7341	11.9	152	2	2	8	16	27	36	69
A. NOT OPERATED	1374	7.3	54	1	1	5	9	15	22	38
B. OPERATED	10264	10.9	134	1	2	7	15	24	33	61
TOTAL 0-19 YRS	868	7.8	112	1	1	5	8	16	28	57
20-34	1688	6.2	66	1	1	3	7	14	20	46
35-49	1516	8.3	89	1	2	5	10	19	26	47
50-64	2863	11.4	135	2	2	8	15	25	35	69
65+	4703	12.6	142	2	2	9	17	27	36	62
GRAND TOTAL	**11638**	**10.5**	**126**	**1**	**2**	**7**	**14**	**24**	**32**	**60**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	352	1.9	2	<1	1	1	2	3	4	8
20-34	467	2.6	5	1	1	2	3	5	6	10
35-49	243	3.2	6	1	1	2	4	6	7	14
50-64	241	4.2	12	1	1	4	5	7	10	16
65+	307	4.1	6	1	1	4	5	7	8	13
B. *Operated*										
0-19 YRS	307	2.1	10	<1	1	1	2	4	4	10
20-34	402	2.9	5	1	1	2	4	6	7	11
35-49	187	3.4	7	<1	1	3	5	7	9	11
50-64	124	5.5	22	1	1	4	7	12	15	22
65+	94	5.8	16	1	2	5	7	10	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.2	6	1	1	2	4	6	8	13
20-34	145	3.8	7	1	1	3	5	7	9	14
35-49	121	3.9	7	1	1	3	5	8	9	14
50-64	195	4.5	9	1	2	4	6	9	11	14
65+	332	5.4	16	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	36	3.7	13	1	1	2	4	9	13	16
20-34	153	4.9	12	1	1	4	7	10	12	16
35-49	82	6.4	47	1	1	5	8	13	20	40
50-64	118	9.7	182	1	2	6	11	18	33	84
65+	145	9.7	105	2	2	7	12	20	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1610	3.1	6	1	1	2	4	6	7	12
B. *Operated*	1114	3.3	11	1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	858	4.6	11	1	1	4	6	9	11	17
B. *Operated*	534	7.4	85	1	2	5	9	14	21	46
1. SINGLE DX	2724	3.2	8	1	1	2	4	6	8	14
2. MULTIPLE DX	1392	5.7	42	1	1	4	7	11	14	29
A. NOT OPERATED	2468	3.6	9	1	1	3	5	7	9	15
B. OPERATED	1648	4.6	39	1	1	3	6	10	13	28
TOTAL 0-19 YRS	760	2.2	6	<1	1	2	3	4	5	11
20-34	1167	3.2	7	1	1	2	4	6	8	13
35-49	633	3.8	13	1	1	3	5	8	10	17
50-64	678	5.5	46	1	1	4	6	10	14	33
65+	878	5.7	30	1	2	4	7	10	14	26
GRAND TOTAL	**4116**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	6.4	24	2	2	5	8	13	15	28
20-34	267	6.2	19	2	2	5	8	12	15	21
35-49	212	6.9	30	2	2	5	8	13	16	30
50-64	148	8.2	29	3	3	7	10	17	19	27
65+	119	9.3	51	2	3	7	11	18	21	41
B. *Operated*										
0-19 YRS	124	8.7	75	1	2	7	10	15	23	50
20-34	221	8.3	63	1	2	6	10	18	25	40
35-49	161	8.9	59	1	2	7	12	16	21	41
50-64	158	10.7	102	2	3	8	14	20	28	58
65+	108	13.3	168	1	2	9	18	30	38	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	6.8	23	2	2	6	8	12	15	29
20-34	186	6.5	24	2	2	5	8	13	18	24
35-49	204	9.1	39	2	3	7	12	17	21	31
50-64	271	10.9	93	3	4	8	13	23	29	52
65+	280	12.6	95	3	4	10	16	24	28	57
B. *Operated*										
0-19 YRS	73	11.9	119	2	3	8	16	25	32	59
20-34	172	12.2	111	2	3	10	15	25	30	52
35-49	216	13.8	202	2	3	9	16	30	44	77
50-64	292	15.9	179	2	3	13	21	32	45	72
65+	295	18.2	235	3	4	13	24	41	54	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	874	7.2	30	2	2	6	9	14	18	28
B. *Operated*	772	9.7	89	2	2	7	12	20	28	47
2. MULTIPLE DX										
A. *Not Operated*	1042	9.8	69	2	3	7	12	20	26	43
B. *Operated*	1048	15.2	189	2	3	11	19	32	45	69
1. SINGLE DX	1646	8.3	59	2	2	6	10	16	21	40
2. MULTIPLE DX	2090	12.5	136	2	3	9	16	26	35	64
A. NOT OPERATED	1916	8.6	53	2	3	7	10	17	23	35
B. OPERATED	1820	12.9	154	2	3	9	16	28	39	66
TOTAL 0-19 YRS	426	8.1	59	2	2	6	10	15	22	38
20-34	846	8.1	55	2	2	6	10	16	22	37
35-49	793	9.7	92	2	3	7	12	18	27	60
50-64	869	12.1	121	2	3	9	15	25	32	61
65+	802	14.3	160	2	4	10	18	30	43	64
GRAND TOTAL	**3736**	**10.7**	**107**	**2**	**3**	**8**	**13**	**22**	**30**	**58**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.3	24	1	1	2	4	6	9	32
20-34	194	3.4	7	1	1	3	4	7	8	13
35-49	144	6.1	44	1	1	4	7	13	18	39
50-64	127	5.4	34	1	1	4	7	9	13	38
65+	103	5.7	20	1	2	4	7	13	15	21
B. *Operated*										
0-19 YRS	116	4.4	20	<1	1	3	6	9	14	25
20-34	342	5.8	37	1	1	4	7	12	17	34
35-49	281	7.5	66	1	2	5	9	15	20	49
50-64	289	6.4	36	1	2	5	9	14	18	35
65+	243	7.7	79	1	2	5	10	16	23	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	5.1	64	1	1	3	6	9	18	86
20-34	246	5.9	34	1	1	4	8	12	17	37
35-49	236	6.7	39	1	2	5	8	13	19	31
50-64	292	8.5	63	1	2	6	10	16	25	48
65+	361	9.5	79	1	2	7	12	19	24	42
B. *Operated*										
0-19 YRS	89	8.0	95	1	1	5	9	19	33	84
20-34	400	8.5	55	1	2	7	11	18	24	35
35-49	422	11.5	151	2	2	8	14	25	38	81
50-64	569	13.5	195	2	2	9	17	30	46	80
65+	680	14.8	195	2	2	11	20	34	45	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	648	4.7	26	1	1	3	6	9	13	23
B. *Operated*	1271	6.6	51	1	1	4	8	14	19	37
2. MULTIPLE DX										
A. *Not Operated*	1227	7.7	60	1	2	5	10	16	23	41
B. *Operated*	2160	12.4	162	2	2	9	16	28	41	71
1. SINGLE DX	1919	5.9	43	1	1	4	8	12	17	38
2. MULTIPLE DX	3387	10.7	130	1	2	7	13	24	35	67
A. NOT OPERATED	1875	6.6	50	1	1	5	8	14	19	40
B. OPERATED	3431	10.2	129	1	2	7	13	24	34	66
TOTAL 0-19 YRS	377	5.2	52	1	1	3	6	10	17	56
20-34	1182	6.3	41	1	1	4	8	13	19	34
35-49	1083	8.7	96	1	2	6	11	18	26	67
50-64	1277	10.0	124	1	2	6	12	23	34	66
65+	1387	11.5	143	1	2	8	15	26	36	64
GRAND TOTAL	**5306**	**9.0**	**104**	**1**	**2**	**6**	**11**	**20**	**29**	**58**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	3	26.7	182	13	13	27	37	40	40	40
1500-1749	4	17.3	26	10	10	18	20	22	22	22
1750-2499	2931	4.0	5	2	2	3	5	6	8	13
2500+	205610	3.5	2	2	2	3	4	5	6	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	4	16.3	305	3	3	10	28	41	41	41
2500+	96	4.4	7	2	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	48	62.3	522	12	25	72	87	99+	99+	99+
1000-1499	430	41.9	234	20	24	41	51	64	74	99+
1500-1749	615	26.7	100	13	16	26	32	39	45	61
1750-2499	9078	8.2	41	2	3	6	11	17	21	30
2500+	94897	4.3	4	2	3	4	5	6	7	11
B. *Operated*										
1-999 G	65	74.3	377	38	56	86	99+	99+	99+	99+
1000-1499	259	51.8	281	29	33	51	65	84	99+	99+
1500-1749	147	34.9	159	20	22	33	41	56	68	99+
1750-2499	558	18.2	163	4	5	16	23	32	41	79
2500+	1621	7.8	50	2	3	6	9	14	19	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208548	3.5	2	2	2	3	4	5	6	8
B. *Operated*	100	4.9	21	2	2	4	6	7	10	30
2. MULTIPLE DX										
A. *Not Operated*	105068	4.9	20	2	3	4	5	7	10	25
B. *Operated*	2650	17.4	378	3	3	9	23	50	73	99+
1. SINGLE DX	208648	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	107718	5.2	33	2	3	4	5	7	11	32
A. NOT OPERATED	313616	4.0	9	2	2	3	4	6	7	14
B. OPERATED	2750	17.0	371	3	3	9	23	48	72	99+
TOTAL 1-999 G	113	69.2	470	25	46	80	99+	99+	99+	99+
1000-1499	692	45.5	275	22	26	44	56	73	88	99+
1500-1749	766	28.2	122	13	16	26	33	43	49	70
1750-2499	12571	7.7	47	2	3	5	10	17	21	32
2500+	302224	3.7	3	2	2	3	4	6	7	9
GRAND TOTAL	**316366**	**4.1**	**13**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	3	19.7	4	18	18	19	21	22	22	22
1750-2499	461	5.9	10	3	3	5	7	10	12	18
2500+	1749	5.0	4	3	3	5	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	4.0		4	4	4	4	4	4	4
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	8	60.8	874	12	14	66	85	87	88	88
1000-1499	92	39.3	280	16	21	36	51	60	74	98
1500-1749	154	25.8	89	12	15	25	30	39	44	52
1750-2499	1444	9.9	41	3	4	8	14	19	22	30
2500+	1194	5.7	6	3	3	5	7	8	10	15
B. *Operated*										
1-999 G	10	80.1	219	59	70	97	99+	99+	99+	99+
1000-1499	51	57.9	295	35	37	57	73	90	99	99+
1500-1749	32	36.1	195	16	18	35	47	60	62	99+
1750-2499	71	19.1	156	5	6	17	24	32	39	70
2500+	35	10.3	194	4	4	6	12	14	22	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2213	5.2	5	3	3	5	6	8	9	14
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	2892	10.1	94	3	4	7	12	21	28	53
B. *Operated*	199	33.3	637	5	6	29	57	89	99+	99+
1. SINGLE DX	2214	5.2	5	3	3	5	6	8	9	14
2. MULTIPLE DX	3091	11.6	161	3	4	7	14	26	38	79
A. NOT OPERATED	5105	8.0	61	3	3	6	8	16	22	42
B. OPERATED	200	33.2	638	5	6	29	56	88	99+	99+
TOTAL 1-999 G	18	71.5	573	18	54	88	99+	99+	99+	99+
1000-1499	143	46.0	363	20	25	46	59	75	91	99+
1500-1749	189	27.4	121	13	16	26	33	43	52	62
1750-2499	1977	9.3	44	3	4	7	13	18	22	31
2500+	2978	5.3	7	3	3	5	6	8	9	14
GRAND TOTAL	**5305**	**8.9**	**106**	**3**	**3**	**6**	**8**	**18**	**27**	**64**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	21	3.6	10	1	1	3	4	7	12	15
2500+	475	2.9	2	1	2	3	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	6	40.7	65	29	29	43	46	50	50	50
1500-1749	12	30.8	156	14	14	25	44	48	48	48
1750-2499	100	8.9	44	3	3	7	12	17	23	35
2500+	225	4.2	7	2	2	3	5	7	9	15
B. *Operated*										
1-999 G	1	69.0		69	69	84	99+	99+	99+	99+
1000-1499	8	50.8	357	27	27	57	69	90	99+	99+
1500-1749	2	52.5	313	40	40	52	65	65	65	65
1750-2499	5	13.8	88	1	1	18	21	23	23	23
2500+	15	8.1	42	1	3	6	11	20	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	2.9	2	1	2	3	3	4	5	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	343	7.2	69	2	2	4	7	14	24	46
B. *Operated*	31	24.8	581	1	3	20	55	70	96	99+
1. SINGLE DX	496	2.9	2	1	2	3	3	4	5	9
2. MULTIPLE DX	374	8.6	134	2	2	5	8	21	38	68
A. NOT OPERATED	839	4.7	34	1	2	3	4	8	13	41
B. OPERATED	31	24.8	581	1	3	20	55	70	96	99+
TOTAL 1-999 G	1	69.0		69	69	84	99+	99+	99+	99+
1000-1499	14	46.4	244	27	28	46	63	75	94	99+
1500-1749	14	33.9	218	14	14	30	45	50	62	65
1750-2499	126	8.2	45	2	3	6	11	17	23	33
2500+	715	3.4	5	1	2	3	4	5	7	13
GRAND TOTAL	**870**	**5.4**	**67**	**1**	**2**	**3**	**5**	**9**	**19**	**53**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.8	38	<1	<1	2	4	9	20	27
20-34	34	2.3	2	<1	1	2	3	4	6	8
35-49	11	3.4	6	1	1	2	6	7	7	7
50-64	14	2.9	3	<1	1	3	4	6	6	6
65+	3	5.7	41	1	1	3	10	13	13	13
B. *Operated*										
0-19 YRS	1191	2.7	4	1	1	2	3	4	6	10
20-34	1651	2.7	5	1	1	2	3	4	5	10
35-49	676	3.0	6	1	1	2	3	5	7	16
50-64	623	3.3	6	1	1	3	4	6	7	16
65+	456	5.4	25	1	2	4	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.4	169	<1	<1	1	3	13	42	51
20-34	15	2.1	5	<1	<1	1	2	6	7	8
35-49	7	5.0	20	2	2	2	7	13	14	14
50-64	4	2.5	1	1	1	3	3	3	3	3
65+	4	4.5	11	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	225	3.7	16	1	1	2	4	6	10	23
20-34	352	4.7	52	1	2	3	4	8	15	40
35-49	226	4.4	18	1	1	3	5	8	12	24
50-64	282	5.9	55	1	2	4	6	13	18	36
65+	267	9.1	110	2	2	5	12	19	27	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	3.0	12	<1	1	2	3	6	8	23
B. *Operated*	4597	3.1	8	1	1	2	3	5	7	16
2. MULTIPLE DX										
A. *Not Operated*	45	4.2	62	<1	<1	2	4	9	13	51
B. *Operated*	1352	5.6	56	1	2	3	6	12	18	39
1. SINGLE DX	4678	3.1	8	1	1	2	3	5	7	16
2. MULTIPLE DX	1397	5.6	56	1	2	3	6	12	18	39
A. NOT OPERATED	126	3.5	30	<1	1	2	4	7	12	33
B. OPERATED	5949	3.7	20	1	1	3	4	6	10	22
TOTAL 0-19 YRS	1450	2.9	8	1	1	2	3	5	6	13
20-34	2052	3.1	13	1	1	2	3	5	6	17
35-49	920	3.4	9	1	1	3	4	6	8	18
50-64	923	4.1	23	1	1	3	4	7	11	22
65+	730	6.7	59	1	2	4	8	14	19	36
GRAND TOTAL	**6075**	**3.7**	**20**	**1**	**1**	**3**	**4**	**6**	**10**	**22**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	1.2		1	1	1	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64	11	1.3		<1	<1	1	1	2	3	3
65+	29	1.2		1	1	1	1	2	3	3
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.6	21	1	1	2	4	9	16	18
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	28	3.9	21	1	1	3	4	10	13	22
65+	33	2.8	13	1	1	1	2	9	12	13
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	76	1.2	1	<1	<1	<1	<1	<1	3	5
35-49	45	2.9	129	<1	<1	<1	<1	1	6	77
50-64	102	1.6	6	<1	<1	<1	<1	2	5	16
65+	33	1.6	3	<1	<1	<1	<1	4	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.4	1	1	1	1	1	2	3	7
B. *Operated*	11	1.0		<1	<1	<1	<1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	78	3.3	16	1	1	2	4	8	12	21
B. *Operated*	258	1.7	25	<1	<1	<1	<1	2	5	14
1. SINGLE DX	61	1.3	1	<1	<1	1	1	2	3	7
2. MULTIPLE DX	336	2.1	24	<1	<1	<1	1	4	6	18
A. NOT OPERATED	128	2.6	11	1	1	1	3	5	12	19
B. OPERATED	269	1.7	24	<1	<1	<1	<1	2	4	13
TOTAL 0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	100	1.5	4	<1	<1	<1	1	2	4	13
35-49	52	2.9	112	<1	<1	<1	<1	4	7	76
50-64	145	2.0	9	<1	<1	<1	1	4	6	18
65+	97	1.9	6	<1	<1	1	1	4	8	13
GRAND TOTAL	**397**	**2.0**	**20**	**<1**	**<1**	**<1**	**1**	**4**	**6**	**16**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1758	2.4	15	<1	<1	1	3	4	6	12
20-34	2855	2.1	13	<1	<1	1	2	4	5	16
35-49	740	2.9	17	<1	<1	2	3	6	9	22
50-64	706	3.8	27	<1	1	2	4	7	12	29
65+	756	7.4	162	1	1	3	7	19	36	99+
B. *Operated*										
0-19 YRS	821	2.9	16	<1	<1	2	3	6	10	20
20-34	2993	2.9	9	<1	<1	2	3	6	8	14
35-49	1330	3.9	16	<1	1	2	5	9	12	17
50-64	1227	4.5	21	1	1	2	6	10	12	21
65+	1056	4.5	30	1	1	2	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1526	4.2	46	<1	1	2	4	8	15	35
20-34	3063	4.8	57	<1	1	3	5	9	21	37
35-49	3503	4.6	38	1	1	3	5	8	14	33
50-64	8541	4.9	43	1	1	3	5	8	14	37
65+	7460	6.4	76	1	1	4	6	13	21	50
B. *Operated*										
0-19 YRS	539	4.6	29	1	1	3	5	11	14	32
20-34	2802	4.5	42	<1	1	3	5	9	12	40
35-49	2020	5.7	48	1	1	3	7	12	16	36
50-64	3318	6.5	69	1	1	3	8	14	19	48
65+	4049	6.9	81	1	1	3	9	16	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6815	3.0	35	<1	<1	1	3	6	9	31
B. *Operated*	7427	3.6	16	<1	<1	2	4	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	24093	5.2	55	1	1	3	5	10	17	40
B. *Operated*	12728	6.0	63	1	1	3	7	13	19	45
1. SINGLE DX	14242	3.3	25	<1	<1	2	3	7	11	23
2. MULTIPLE DX	36821	5.5	58	1	1	3	6	11	18	42
A. NOT OPERATED	30908	4.7	51	<1	1	3	5	9	15	39
B. OPERATED	20155	5.1	47	<1	1	3	6	11	16	37
TOTAL 0-19 YRS	4644	3.4	28	<1	<1	2	4	7	11	28
20-34	11713	3.6	31	<1	<1	2	4	7	10	29
35-49	7593	4.6	35	1	1	3	5	9	14	31
50-64	13792	5.2	47	1	1	3	6	10	15	38
65+	13321	6.4	79	1	1	4	7	14	22	50
GRAND TOTAL	**51063**	**4.9**	**50**	**<1**	**1**	**3**	**5**	**10**	**16**	**38**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.0	7	1	1	2	4	6	7	16
20-34	17	4.9	10	1	2	5	6	10	12	12
35-49	14	3.9	7	<1	1	3	6	8	9	9
50-64	6	3.7	3	1	1	4	5	5	5	5
65+	5	4.4	14	1	1	2	8	9	9	9
B. *Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	2	15.0	32	11	11	15	19	19	19	19
35-49	3	5.3	33	2	2	2	10	12	12	12
50-64	4	3.8	18	1	1	2	6	10	10	10
65+	3	4.7	12	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	7	1	1	3	4	7	9	13
20-34	25	5.4	20	<1	1	4	8	10	13	21
35-49	25	5.1	24	1	1	3	7	14	17	17
50-64	40	4.8	7	1	1	4	6	9	10	11
65+	51	4.2	14	1	1	3	5	9	13	16
B. *Operated*										
0-19 YRS	3	6.3	33	3	3	3	11	13	13	13
20-34	6	12.3	167	3	3	7	16	35	37	37
35-49	11	11.8	48	1	4	10	17	22	25	25
50-64	19	15.2	247	2	3	13	21	26	51	71
65+	19	9.4	58	1	2	6	13	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.7	8	1	1	3	5	8	9	14
B. *Operated*	16	5.4	27	1	1	3	9	12	17	19
2. MULTIPLE DX										
A. *Not Operated*	181	4.4	13	1	1	3	6	9	11	17
B. *Operated*	58	11.9	128	2	3	9	15	24	26	68
1. SINGLE DX	104	3.9	11	1	1	3	5	8	11	17
2. MULTIPLE DX	239	6.2	51	1	1	4	8	14	20	28
A. NOT OPERATED	269	4.1	12	1	1	3	5	9	11	17
B. OPERATED	74	10.5	113	1	2	7	14	23	25	63
TOTAL 0-19 YRS	93	3.2	7	1	1	3	4	6	9	15
20-34	50	6.4	40	1	1	5	8	12	19	37
35-49	53	6.2	32	1	1	4	9	15	18	25
50-64	69	7.5	93	1	1	5	8	15	23	63
65+	78	5.5	29	1	1	4	8	13	16	25
GRAND TOTAL	**343**	**5.5**	**40**	**1**	**1**	**4**	**7**	**12**	**17**	**25**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	3.9	170	<1	<1	1	2	4	14	69
35-49	7	2.7	8	<1	<1	1	4	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	64	2.0	1	<1	<1	2	3	3	4	4
20-34	8931	1.9	1	<1	<1	2	2	3	4	6
35-49	2898	1.8	1	<1	<1	2	2	3	4	5
50-64	23	2.3	1	<1	1	2	3	4	5	5
65+	6	2.5	4	1	1	2	3	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	117	1.2	1	<1	<1	1	1	2	3	5
35-49	30	1.2	1	<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	56	2.3	2	<1	<1	2	3	4	6	8
20-34	5653	2.4	3	<1	1	2	3	5	6	8
35-49	2294	2.4	3	<1	<1	2	3	4	6	8
50-64	28	2.6	7	<1	1	2	3	4	5	15
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.7	136	<1	<1	1	2	4	7	69
B. *Operated*	11922	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	150	1.2	1	<1	<1	1	1	2	3	5
B. *Operated*	8032	2.4	3	<1	<1	2	3	5	6	8
1. SINGLE DX	11956	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	8182	2.4	3	<1	<1	2	3	4	6	8
A. NOT OPERATED	184	1.7	26	<1	<1	1	1	2	3	7
B. OPERATED	19954	2.1	2	<1	<1	2	2	4	5	7
TOTAL 0-19 YRS	123	2.1	2	<1	<1	2	3	4	4	7
20-34	14728	2.1	2	<1	<1	2	2	4	5	7
35-49	5229	2.0	2	<1	<1	2	2	4	5	7
50-64	51	2.5	4	<1	1	2	3	4	5	15
65+	7	2.4	3	1	1	2	3	5	6	6
GRAND TOTAL	**20138**	**2.1**	**2**	**<1**	**<1**	**2**	**2**	**4**	**5**	**7**

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – ***see Appendicitis, acute***
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – ***see Dependence***
	Adenocarcinoma – ***see Neoplasm, malignant***
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease – *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever